

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_D\Data\VD042923\  
 Data File : VD075911.D  
 Acq On : 29 Apr 2023 12:26  
 Operator : KP/SY  
 Sample : VD0429SBL01  
 Misc : 5.00G/10.00ml/MSVOA\_D/SOIL  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_D  
 ClientSampleId :  
 VBLK121

Quant Time: May 01 00:15:28 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_D\Method\SFAMDLM042023SMA.M  
 Quant Title : SFAM01.0  
 QLast Update : Mon May 01 00:14:49 2023  
 Response via : Initial Calibration


| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 8.775  | 114   | 372052   | 25.000   | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 11.586 | 117   | 337995   | 25.000   | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 13.522 | 152   | 134623   | 25.000   | ug/L  | 0.00     |
|                               |        |       |          |          |       |          |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 2.275  | 65    | 224590   | 27.517   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 30 - 150 | Recovery | =     | 110.080% |
| 7) Chloroethane-d5            | 2.804  | 69    | 185750   | 26.340   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 30 - 150 | Recovery | =     | 105.360% |
| 11) 1,1-Dichloroethene-d2     | 3.916  | 65    | 50251    | 26.705   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 45 - 110 | Recovery | =     | 106.840% |
| 21) 2-Butanone-d5             | 6.981  | 46    | 36606    | 51.663   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 20 - 135 | Recovery | =     | 103.320% |
| 24) Chloroform-d              | 7.569  | 84    | 232924   | 25.035   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 40 - 150 | Recovery | =     | 100.160% |
| 26) 1,2-Dichloroethane-d4     | 8.228  | 65    | 105784   | 26.625   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 70 - 130 | Recovery | =     | 106.480% |
| 32) Benzene-d6                | 8.204  | 84    | 501121   | 25.438   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 20 - 135 | Recovery | =     | 101.760% |
| 36) 1,2-Dichloropropane-d6    | 9.210  | 67    | 144970   | 26.587   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 70 - 120 | Recovery | =     | 106.360% |
| 41) Toluene-d8                | 10.269 | 98    | 462562   | 25.081   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 30 - 130 | Recovery | =     | 100.320% |
| 43) trans-1,3-Dichloroprop... | 10.528 | 79    | 52912    | 23.477   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 30 - 135 | Recovery | =     | 93.920%  |
| 47) 2-Hexanone-d5             | 10.880 | 63    | 31722    | 48.317   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 20 - 135 | Recovery | =     | 96.640%  |
| 56) 1,1,2,2-Tetrachloroeth... | 12.651 | 84    | 107039   | 25.653   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 45 - 120 | Recovery | =     | 102.600% |
| 66) 1,2-Dichlorobenzene-d4    | 13.816 | 152   | 136059   | 28.573   | ug/L  | 0.00     |
| Spiked Amount                 | 25.000 | Range | 75 - 120 | Recovery | =     | 114.280% |
|                               |        |       |          |          |       |          |
| Target Compounds              |        |       |          |          |       | Qvalue   |
| 16) Methylene chloride        | 4.804  | 84    | 14140    | 1.873    | ug/L  | 89       |
| -----                         |        |       |          |          |       |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_D\Data\VD042923\  
Data File : VD075911.D  
Acq On : 29 Apr 2023 12:26  
Operator : KP/SY  
Sample : VD0429SBL01  
Misc : 5.00G/10.00ml/MSVOA\_D/SOIL  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_D  
ClientSampleId :  
VBLK121


Quant Time: May 01 00:15:28 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_D\Method\SFAMDLM042023SMA.M  
Quant Title : SFAM01.0  
QLast Update : Mon May 01 00:14:49 2023  
Response via : Initial Calibration





#16  
Methylene chloride  
Concen: 1.873 ug/L  
RT: 4.804 min Scan# 54  
Delta R.T. -0.000 min  
Lab File: VD075911.D  
Acq: 29 Apr 2023 12:26

Instrument :  
MSVOA\_D  
ClientSampleId :  
VBLK121



Tgt Ion: 84 Resp: 14140  
Ion Ratio Lower Upper  
84 100  
86 63.4 45.8 85.2  
49 102.3 60.8 112.8

