

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050222\
 Data File : VD072758.D
 Acq On : 02 May 2022 20:58
 Operator : VA/SY
 Sample : N2604-01
 Misc : 5.04G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 NB-07-042822

Quant Time: May 03 08:37:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 03 08:33:49 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.973	168	10567	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.855	114	17449	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.632	117	18898	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.561	152	7588	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.320	65	10884	79.348	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	158.700%
35) Dibromofluoromethane	7.908	113	8721	71.165	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	142.340%
50) Toluene-d8	10.332	98	20551	46.751	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	93.500%
62) 4-Bromofluorobenzene	12.620	95	7445	45.421	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	90.840%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050222\
Data File : VD072758.D
Acq On : 02 May 2022 20:58
Operator : VA/SY
Sample : N2604-01
Misc : 5.04G/5.00ml/MSVOA_D/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
NB-07-042822

Quant Time: May 03 08:37:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
Quant Title : SW846 8260
QLast Update : Tue May 03 08:33:49 2022
Response via : Initial Calibration

