

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050222\
 Data File : VD072759.D
 Acq On : 02 May 2022 21:27
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleID :
 VSTDCCC050

Quant Time: May 03 08:37:48 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 03 08:33:49 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	0.691	0.645	6.7	84	0.00
3 P	Chloromethane	0.719	0.672	6.5	87	0.00
4 C	Vinyl Chloride	0.645	0.611	5.3#	83	0.00
5 T	Bromomethane	0.433	0.380	12.2	84	0.00
6 T	Chloroethane	0.402	0.392	2.5	89	0.00
7 T	Trichlorofluoromethane	1.129	1.093	3.2	87	0.00
8 T	Diethyl Ether	0.324	0.333	-2.8	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.670	0.661	1.3	89	0.00
10 T	Methyl Iodide	0.673	0.672	0.1	85	0.00
11 T	Tert butyl alcohol	0.056	0.047	16.1	88	0.00
12 CM	1,1-Dichloroethene	0.603	0.598	0.8#	89	0.00
13 T	Acrolein	0.045	0.037	17.8	84	0.00
14 T	Allyl chloride	0.973	1.029	-5.8	93	0.00
15 T	Acrylonitrile	0.154	0.157	-1.9	91	0.00
16 T	Acetone	0.136	0.114	16.2	73	0.00
17 T	Carbon Disulfide	1.896	1.893	0.2	89	0.00
18 T	Methyl Acetate	0.383	0.351	8.4	89	0.00
19 T	Methyl tert-butyl Ether	1.445	1.557	-7.8	93	0.00
20 T	Methylene Chloride	1.004	0.857	14.6	98	0.00
21 T	trans-1,2-Dichloroethene	0.691	0.724	-4.8	92	0.00
22 T	Diisopropyl ether	2.141	2.331	-8.9	93	0.00
23 T	Vinyl Acetate	1.183	1.288	-8.9	92	0.00
24 P	1,1-Dichloroethane	1.286	1.348	-4.8	95	0.00
25 T	2-Butanone	0.189	0.188	0.5	86	0.00
26 T	2,2-Dichloropropane	1.088	1.072	1.5	87	0.00
27 T	cis-1,2-Dichloroethene	0.792	0.838	-5.8	95	0.00
28 T	Bromochloromethane	0.480	0.539	-12.3	96	0.00
29 T	Tetrahydrofuran	0.121	0.129	-6.6	94	0.00
30 C	Chloroform	1.361	1.424	-4.6#	95	0.00
31 T	Cyclohexane	1.135	1.068	5.9	83	0.00
32 T	1,1,1-Trichloroethane	1.160	1.192	-2.8	92	0.00
33 S	1,2-Dichloroethane-d4	0.649	0.656	-1.1	94	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.351	0.363	-3.4	95	0.00
36 T	1,1-Dichloropropene	0.571	0.588	-3.0	90	0.00
37 T	Ethyl Acetate	0.262	0.271	-3.4	90	0.00
38 T	Carbon Tetrachloride	0.593	0.607	-2.4	91	0.00
39 T	Methylcyclohexane	0.662	0.669	-1.1	88	0.00
40 TM	Benzene	1.649	1.756	-6.5	95	0.00
41 T	Methacrylonitrile	0.156	0.158	-1.3	83	0.00
42 TM	1,2-Dichloroethane	0.497	0.517	-4.0	94	0.00
43 T	Isopropyl Acetate	0.484	0.504	-4.1	90	0.00
44 TM	Trichloroethene	0.441	0.453	-2.7	92	0.00
45 C	1,2-Dichloropropane	0.433	0.457	-5.5#	94	0.00
46 T	Dibromomethane	0.239	0.253	-5.9	95	0.00
47 T	Bromodichloromethane	0.615	0.653	-6.2	95	0.00
48 T	Methyl methacrylate	0.237	0.261	-10.1	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050222\
 Data File : VD072759.D
 Acq On : 02 May 2022 21:27
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 03 08:37:48 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 03 08:33:49 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	96	0.00
50 S	Toluene-d8	1.260	1.304	-3.5	94	0.00
51 T	4-Methyl-2-Pentanone	0.252	0.272	-7.9	93	0.00
52 CM	Toluene	1.029	1.122	-9.0#	94	0.00
53 T	t-1,3-Dichloropropene	0.564	0.594	-5.3	92	0.00
54 T	cis-1,3-Dichloropropene	0.656	0.698	-6.4	94	0.00
55 T	1,1,2-Trichloroethane	0.323	0.343	-6.2	94	0.00
56 T	Ethyl methacrylate	0.380	0.430	-13.2	93	0.00
57 T	1,3-Dichloropropane	0.554	0.590	-6.5	96	0.00
58 T	2-Chloroethyl Vinyl ether	0.184	0.223	-21.2	99	0.00
59 T	2-Hexanone	0.169	0.183	-8.3	88	0.00
60 T	Dibromochloromethane	0.407	0.433	-6.4	96	0.00
61 T	1,2-Dibromoethane	0.314	0.324	-3.2	91	0.00
62 S	4-Bromofluorobenzene	0.470	0.487	-3.6	93	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	93	0.00
64 T	Tetrachloroethene	0.366	0.361	1.4	92	0.00
65 PM	Chlorobenzene	1.156	1.217	-5.3	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.435	0.454	-4.4	95	0.00
67 C	Ethyl Benzene	2.001	2.151	-7.5#	95	0.00
68 T	m/p-Xylenes	0.771	0.837	-8.6	94	0.00
69 T	o-Xylene	0.720	0.777	-7.9	93	0.00
70 T	Styrene	1.247	1.398	-12.1	97	0.00
71 P	Bromoform	0.236	0.238	-0.8	92	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.890	4.167	-7.1	95	0.00
74 T	N-amyl acetate	0.969	1.029	-6.2	94	0.00
75 P	1,1,2,2-Tetrachloroethane	0.785	0.784	0.1	95	0.00
76 T	1,2,3-Trichloropropane	0.558	0.555	0.5	88	0.00
77 T	Bromobenzene	0.924	0.959	-3.8	95	0.00
78 T	n-propylbenzene	4.903	5.160	-5.2	93	0.00
79 T	2-Chlorotoluene	2.864	3.006	-5.0	96	0.00
80 T	1,3,5-Trimethylbenzene	3.299	3.525	-6.9	93	0.00
81 T	trans-1,4-Dichloro-2-butene	0.242	0.242	0.0	89	0.00
82 T	4-Chlorotoluene	2.992	3.143	-5.0	95	0.00
83 T	tert-Butylbenzene	2.804	2.992	-6.7	94	0.00
84 T	1,2,4-Trimethylbenzene	3.297	3.541	-7.4	95	0.00
85 T	sec-Butylbenzene	4.230	4.476	-5.8	93	0.00
86 T	p-Isopropyltoluene	3.468	3.651	-5.3	92	0.00
87 T	1,3-Dichlorobenzene	1.861	1.890	-1.6	95	0.00
88 T	1,4-Dichlorobenzene	1.853	1.884	-1.7	95	0.00
89 T	n-Butylbenzene	3.359	3.512	-4.6	91	0.00
90 T	Hexachloroethane	0.710	0.727	-2.4	95	0.00
91 T	1,2-Dichlorobenzene	1.622	1.693	-4.4	96	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.124	0.125	-0.8	95	0.00
93 T	1,2,4-Trichlorobenzene	0.960	0.981	-2.2	91	0.00
94 T	Hexachlorobutadiene	0.525	0.499	5.0	89	0.00
95 T	Naphthalene	1.766	1.883	-6.6	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050222\
Data File : VD072759.D
Acq On : 02 May 2022 21:27
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: May 03 08:37:48 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
Quant Title : SW846 8260
QLast Update : Tue May 03 08:33:49 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.851	0.872	-2.5	90	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6