

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD050619\
 Data File : VD062132.D
 Acq On : 6 May 2019 15:56
 Operator : FY/SY
 Sample : K2668-03RE
 Misc : 4.55g/5mL/MSVOA D/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 TP-2RE

Quant Time: May 07 05:44:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D042319S.M
 Quant Title : SW846 8260
 QLast Update : Thu May 02 07:55:52 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.03	168	373466	50.00	ug/l	-0.02
34) 1,4-Difluorobenzene	8.20	114	668164	50.00	ug/l	-0.02
63) Chlorobenzene-d5	12.36	117	609516	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	14.52	152	288470	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	7.44	65	181687	62.16	ug/l	-0.02
Spiked Amount 50.000			Recovery	=	124.32%	
35) Dibromofluoromethane	6.92	113	259657	56.19	ug/l	-0.02
Spiked Amount 50.000			Recovery	=	112.38%	
50) Toluene-d8	10.40	98	613254	55.77	ug/l	-0.02
Spiked Amount 50.000			Recovery	=	111.54%	
62) 4-Bromofluorobenzene	13.55	95	252653	57.29	ug/l	0.00
Spiked Amount 50.000			Recovery	=	114.58%	
Target Compounds						
16) Acetone	3.20	43	61433	88.024	ug/l	100
20) Methylene Chloride	3.79	84	32170	6.707	ug/l	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD050619\
Data File : VD062132.D
Acq On : 6 May 2019 15:56
Operator : FY/SY
Sample : K2668-03RE
Misc : 4.55g/5mL/MSVOA D/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
TP-2RE

Quant Time: May 07 05:44:26 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D042319S.M
Quant Title : SW846 8260
QLast Update : Thu May 02 07:55:52 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.03 min Scan# 570

Delta R.T. -0.02 min

Lab File: VD062132.D

Acq: 6 May 2019 15:56

Instrument :

MSVOA_D

ClientSampleId :


TP-2RE

Tot Ion:168 Resp: 373466

Ion Ratio Lower Upper

168 100

99 56.5 46.5 69.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

7.03



150000

100000

50000

0

Time-->



#16

Acetone

Concen: 88.024 ug/l

RT: 3.20 min Scan# 181

Delta R.T. -0.02 min

Lab File: VD062132.D


Acq: 6 May 2019 15:56

Tgt Ion: 43 Resp: 61433

Ion Ratio Lower Upper

43 100

58 24.8 19.9 29.9



Abundance Ion 42.95 (42.65 to 43.65): VDC

Ion 57.95 (57.65 to 58.65): VDC

3.20

25000

20000


15000


10000

5000

0

Time-->









#20
Methylene Chloride
Concen: 6.707 ug/l
RT: 3.79 min Scan# 241
Delta R.T. -0.03 min
Lab File: VD062132.D
Acq: 6 May 2019 15:56

Instrument :
MSVOA_D
ClientSampled :
TP-2RE

Tot Ion: 84 Resp: 32170
Ion Ratio Lower Upper
84 100
49 104.3 94.0 141.0
51 33.1 29.0 43.4
86 55.4 49.8 74.6




Abundance Ion 83.95 (83.65 to 84.65): VDC
Ion 48.90 (48.60 to 49.60): VDC
Ion 50.90 (50.60 to 51.60): VDC
Ion 85.90 (85.60 to 86.60): VDC






#33
1,2-Dichloroethane-d4
Concen: 62.159 ug/l
RT: 7.44 min Scan# 611
Delta R.T. -0.02 min
Lab File: VD062132.D
Acq: 6 May 2019 15:56

Tgt Ion: 65 Resp: 181687
Ion Ratio Lower Upper
65 100
67 48.1 0.0 98.0



Abundance Ion 64.95 (64.65 to 65.65): VDC
Ion 66.90 (66.60 to 67.60): VDC









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.20 min Scan# 689
 Delta R.T. -0.02 min
 Lab File: VD062132.D
 Acq: 6 May 2019 15:56

Instrument :
 MSVOA_D
 ClientSampleId :
 TP-2RE

Tot Ion:114 Resp: 668164
 Ion Ratio Lower Upper
 114 100
 63 16.2 0.0 32.4
 88 17.5 0.0 33.6




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 56.191 ug/l
 RT: 6.92 min Scan# 558
 Delta R.T. -0.02 min
 Lab File: VD062132.D
 Acq: 6 May 2019 15:56

Tgt Ion:113 Resp: 259657
 Ion Ratio Lower Upper
 113 100
 111 101.3 78.5 117.7
 192 16.2 13.0 19.4



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: 55.772 ug/l
RT: 10.40 min Scan# 912
Delta R.T. -0.02 min
Lab File: VD062132.D
Acq: 6 May 2019 15:56

Instrument :
MSVOA_D
ClientSampleId :
TP-2RE

Tot Ion: 98 Resp: 613254
Ion Ratio Lower Upper
98 100
100 68.0 53.8 80.8




Abundance Ion 98.05 (97.75 to 98.75): VD0
Ion 100.05 (99.75 to 100.75): VD






#62
4-Bromofluorobenzene
Concen: 57.287 ug/l
RT: 13.55 min Scan# 1232
Delta R.T. -0.01 min
Lab File: VD062132.D
Acq: 6 May 2019 15:56

Tgt Ion: 95 Resp: 252653
Ion Ratio Lower Upper
95 100
174 87.0 0.0 181.8
176 85.8 0.0 174.4



Abundance Ion 95.00 (94.70 to 95.70): VD0
Ion 173.90 (173.60 to 174.60): V
Ion 175.90 (175.60 to 176.60): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 12.36 min Scan# 1111
Delta R.T. -0.01 min
Lab File: VD062132.D
Acq: 6 May 2019 15:56

Instrument :
MSVOA_D
ClientSampled :
TP-2RE

Tot Ion:117 Resp: 609516
Ion Ratio Lower Upper
117 100
82 47.8 36.2 54.2
119 33.3 26.2 39.4




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 14.52 min Scan# 1330
Delta R.T. -0.01 min
Lab File: VD062132.D
Acq: 6 May 2019 15:56

Tgt Ion:152 Resp: 288470
Ion Ratio Lower Upper
152 100
115 56.0 30.9 92.7
150 159.6 0.0 314.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

