

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD050720\
 Data File : VD065703.D
 Acq On : 07 May 2020 10:23
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 08 07:33:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D050620S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 06 17:01:16 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	0.392	0.368	6.1	86	0.00
3 P	Chloromethane	0.495	0.487	1.6	92	0.00
4 C	Vinyl Chloride	0.501	0.518	-3.4#	94	0.00
5 T	Bromomethane	0.316	0.319	-0.9	95	0.00
6 T	Chloroethane	0.322	0.321	0.3	93	0.00
7 T	Trichlorofluoromethane	0.799	0.754	5.6	86	0.00
8 T	Diethyl Ether	0.250	0.219	12.4	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.485	0.465	4.1	87	0.00
10 T	Methyl Iodide	0.476	0.478	-0.4	86	0.00
11 T	Tert butyl alcohol	0.045	0.034	24.4#	80	0.00
12 CM	1,1-Dichloroethene	0.477	0.455	4.6#	87	0.00
13 T	Acrolein	0.041	0.037	9.8	90	0.00
14 T	Allyl chloride	0.951	0.831	12.6	81	0.00
15 T	Acrylonitrile	0.118	0.101	14.4	79	0.00
16 T	Acetone	0.107	0.123	-15.0	96	0.00
17 T	Carbon Disulfide	1.568	1.467	6.4	85	0.00
18 T	Methyl Acetate	0.266	0.218	18.0	75	-0.01
19 T	Methyl tert-butyl Ether	1.156	1.036	10.4	80	0.00
20 T	Methylene Chloride	0.539	0.486	9.8	85	0.00
21 T	trans-1,2-Dichloroethene	0.546	0.505	7.5	87	0.00
22 T	Diisopropyl ether	1.768	1.568	11.3	80	0.00
23 T	Vinyl Acetate	1.068	0.941	11.9	79	0.00
24 P	1,1-Dichloroethane	0.969	0.868	10.4	83	0.00
25 T	2-Butanone	0.159	0.150	5.7	83	0.00
26 T	2,2-Dichloropropane	0.872	0.801	8.1	86	0.00
27 T	cis-1,2-Dichloroethene	0.592	0.556	6.1	86	0.00
28 T	Bromochloromethane	0.404	0.408	-1.0	90	-0.01
29 T	Tetrahydrofuran	0.102	0.087	14.7	77	0.00
30 C	Chloroform	0.932	0.852	8.6#	85	0.00
31 T	Cyclohexane	1.002	0.873	12.9	85	0.00
32 T	1,1,1-Trichloroethane	0.864	0.803	7.1	86	0.00
33 S	1,2-Dichloroethane-d4	0.501	0.476	5.0	83	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.312	0.326	-4.5	88	0.00
36 T	1,1-Dichloropropene	0.497	0.468	5.8	83	-0.01
37 T	Ethyl Acetate	0.239	0.212	11.3	79	0.00
38 T	Carbon Tetrachloride	0.492	0.481	2.2	87	0.00
39 T	Methylcyclohexane	0.623	0.614	1.4	88	0.00
40 TM	Benzene	1.356	1.284	5.3	84	0.00
41 T	Methacrylonitrile	0.138	0.125	9.4	89	0.00
42 TM	1,2-Dichloroethane	0.390	0.357	8.5	81	0.00
43 T	Isopropyl Acetate	0.478	0.420	12.1	77	0.00
44 TM	Trichloroethene	0.374	0.369	1.3	87	0.00
45 C	1,2-Dichloropropane	0.351	0.327	6.8#	82	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD050720\
 Data File : VD065703.D
 Acq On : 07 May 2020 10:23
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 08 07:33:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D050620S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 06 17:01:16 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.176	0.164	6.8	82	0.00
47 T	Bromodichloromethane	0.470	0.441	6.2	83	0.00
48 T	Methyl methacrylate	0.239	0.207	13.4	76	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	78	0.00
50 S	Toluene-d8	1.200	1.262	-5.2	88	0.00
51 T	4-Methyl-2-Pentanone	0.230	0.205	10.9	78	0.00
52 CM	Toluene	0.858	0.828	3.5#	86	0.00
53 T	t-1,3-Dichloropropene	0.476	0.444	6.7	82	0.00
54 T	cis-1,3-Dichloropropene	0.561	0.530	5.5	84	0.00
55 T	1,1,2-Trichloroethane	0.237	0.224	5.5	83	0.00
56 T	Ethyl methacrylate	0.342	0.315	7.9	80	0.00
57 T	1,3-Dichloropropane	0.426	0.397	6.8	82	0.00
58 T	2-Chloroethyl Vinyl ether	0.157	0.156	0.6	86	0.00
59 T	2-Hexanone	0.158	0.152	3.8	83	0.00
60 T	Dibromochloromethane	0.319	0.301	5.6	84	0.00
61 T	1,2-Dibromoethane	0.239	0.226	5.4	83	0.00
62 S	4-Bromofluorobenzene	0.425	0.427	-0.5	86	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	86	0.00
64 T	Tetrachloroethene	0.356	0.358	-0.6	89	0.00
65 PM	Chlorobenzene	1.007	0.985	2.2	86	0.00
66 T	1,1,1,2-Tetrachloroethane	0.376	0.368	2.1	85	0.00
67 C	Ethyl Benzene	1.879	1.825	2.9#	85	0.00
68 T	m/p-Xylenes	0.701	0.695	0.9	87	0.00
69 T	o-Xylene	0.654	0.638	2.4	86	0.00
70 T	Styrene	1.124	1.103	1.9	86	0.00
71 P	Bromoform	0.211	0.206	2.4	84	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	0.00
73 T	Isopropylbenzene	3.788	3.649	3.7	87	0.00
74 T	N-amyl acetate	1.082	0.954	11.8	77	0.00
75 P	1,1,2,2-Tetrachloroethane	0.635	0.577	9.1	81	0.00
76 T	1,2,3-Trichloropropane	0.422	0.367	13.0	74	0.00
77 T	Bromobenzene	0.869	0.848	2.4	87	0.00
78 T	n-propylbenzene	4.461	4.292	3.8	86	0.00
79 T	2-Chlorotoluene	2.520	2.348	6.8	84	0.00
80 T	1,3,5-Trimethylbenzene	3.110	3.003	3.4	86	0.00
81 T	trans-1,4-Dichloro-2-butene	0.239	0.217	9.2	81	0.00
82 T	4-Chlorotoluene	2.637	2.499	5.2	86	0.00
83 T	tert-Butylbenzene	2.647	2.605	1.6	88	0.00
84 T	1,2,4-Trimethylbenzene	3.098	2.940	5.1	86	0.00
85 T	sec-Butylbenzene	3.714	3.638	2.0	87	0.00
86 T	p-Isopropyltoluene	3.384	3.306	2.3	87	0.00
87 T	1,3-Dichlorobenzene	1.633	1.581	3.2	87	0.00
88 T	1,4-Dichlorobenzene	1.611	1.567	2.7	87	0.00
89 T	n-Butylbenzene	3.279	3.189	2.7	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD050720\
Data File : VD065703.D
Acq On : 07 May 2020 10:23
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: May 08 07:33:42 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D050620S.M
Quant Title : SW846 8260
QLast Update : Wed May 06 17:01:16 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.674	0.654	3.0	86	0.00
91 T	1,2-Dichlorobenzene	1.409	1.365	3.1	87	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.107	0.094	12.1	77	0.00
93 T	1,2,4-Trichlorobenzene	1.057	1.020	3.5	85	0.00
94 T	Hexachlorobutadiene	0.613	0.617	-0.7	89	0.00
95 T	Naphthalene	1.858	1.750	5.8	83	0.00
96 T	1,2,3-Trichlorobenzene	0.899	0.875	2.7	86	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6