

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050724\
 Data File : VD078880.D
 Acq On : 07 May 2024 15:12
 Operator : RP/MD
 Sample : P2404-03
 Misc : 6.08G/5ml/MSVOA_D/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 TOP-SOIL-2

Quant Time: May 08 04:23:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050124S.M
 Quant Title : SW846 8260
 QLast Update : Thu May 02 07:55:11 2024
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.875	168	85329	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.781	114	216399	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.581	117	209514	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.516	152	86395	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.228	65	58206	61.456	ug/l	0.00
Spiked Amount	50.000	Range 50 - 163	Recovery	=	122.920%	
35) Dibromofluoromethane	7.804	113	77460	48.751	ug/l	0.00
Spiked Amount	50.000	Range 54 - 147	Recovery	=	97.500%	
50) Toluene-d8	10.269	98	280036	45.926	ug/l	0.00
Spiked Amount	50.000	Range 58 - 134	Recovery	=	91.860%	
62) 4-Bromofluorobenzene	12.575	95	70208	40.232	ug/l	0.00
Spiked Amount	50.000	Range 30 - 143	Recovery	=	80.460%	
Target Compounds						
20) Methylene Chloride	4.799	84	20225	14.326	ug/l	Qvalue 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050724\
Data File : VD078880.D
Acq On : 07 May 2024 15:12
Operator : RP/MD
Sample : P2404-03
Misc : 6.08G/5ml/MSVOA_D/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
TOP-SOIL-2

Quant Time: May 08 04:23:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050124S.M
Quant Title : SW846 8260
QLast Update : Thu May 02 07:55:11 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.875 min Scan# 1069
Delta R.T. 0.000 min
Lab File: VD078880.D
Acq: 07 May 2024 15:12




Instrument :
MSVOA_D
ClientSampleId :
TOP-SOIL-2


Tgt Ion:168 Resp: 85329
Ion Ratio Lower Upper
168 100
99 53.8 38.8 58.2



#20
Methylene Chloride
Concen: 14.326 ug/l
RT: 4.799 min Scan# 546
Delta R.T. -0.006 min
Lab File: VD078880.D
Acq: 07 May 2024 15:12

Tgt Ion: 84 Resp: 20225
Ion Ratio Lower Upper
84 100
49 111.3 75.6 113.4
51 32.4 23.4 35.0
86 62.7 47.8 71.6





#33

1,2-Dichloroethane-d4

Concen: 61.456 ug/l

RT: 8.228 min Scan# 1129

Delta R.T. -0.000 min

Lab File: VD078880.D

Acq: 07 May 2024 15:12

Instrument :

MSVOA_D

ClientSampleId :





TOP-SOIL-2

Tgt Ion: 65 Resp: 58206

Ion Ratio Lower Upper

65 100

67 52.3 0.0 110.2



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.781 min Scan# 1223

Delta R.T. 0.006 min

Lab File: VD078880.D

Acq: 07 May 2024 15:12




Tgt Ion: 114 Resp: 216399


Ion Ratio Lower Upper

114 100

63 16.8 0.0 33.4

88 12.9 0.0 24.6





#35

Dibromofluoromethane

Concen: 48.751 ug/l

RT: 7.804 min Scan# 1057

Delta R.T. -0.000 min

Lab File: VD078880.D

Acq: 07 May 2024 15:12

Instrument :

MSVOA_D

ClientSampleId :

TOP-SOIL-2





Tgt Ion:113 Resp: 77460

Ion Ratio Lower Upper

113 100

111 103.4 81.9 122.9

192 18.7 15.4 23.0



#50

Toluene-d8

Concen: 45.926 ug/l

RT: 10.269 min Scan# 1476

Delta R.T. -0.000 min

Lab File: VD078880.D




Acq: 07 May 2024 15:12


Tgt Ion: 98 Resp: 280036

Ion Ratio Lower Upper

98 100

100 64.0 50.5 75.7









#62
4-Bromofluorobenzene
Concen: 40.232 ug/l
RT: 12.575 min Scan# 1868
Delta R.T. -0.000 min
Lab File: VD078880.D
Acq: 07 May 2024 15:12




Instrument :
MSVOA_D
ClientSampleId :
TOP-SOIL-2


Tgt Ion: 95 Resp: 70208
Ion Ratio Lower Upper
95 100
174 95.5 0.0 195.2
176 91.5 0.0 188.2



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.581 min Scan# 1699
Delta R.T. -0.000 min
Lab File: VD078880.D
Acq: 07 May 2024 15:12

Tgt Ion: 117 Resp: 209514
Ion Ratio Lower Upper
117 100
82 50.8 41.4 62.2
119 30.5 26.5 39.7





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.516 min Scan# 20

Delta R.T. -0.000 min

Lab File: VD078880.D


Acq: 07 May 2024 15:12

Instrument :

MSVOA_D

ClientSampleId :

TOP-SOIL-2



Tgt Ion:152 Resp: 86395

Ion Ratio Lower Upper

152 100

115 54.7 27.1 81.2

150 154.2 0.0 350.2

