

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051322\
 Data File : VD073028.D
 Acq On : 14 May 2022 10:33
 Operator : VA/SY
 Sample : N2823-14
 Misc : 5.01G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 SC-14

Quant Time: May 16 05:22:45 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 03 08:33:49 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.973	168	341759	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.861	114	596249	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.638	117	585721	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.561	152	266790	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.326	65	175157	39.483	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	78.960%
35) Dibromofluoromethane	7.908	113	174098	41.575	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	83.160%
50) Toluene-d8	10.332	98	733385	48.824	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	97.640%
62) 4-Bromofluorobenzene	12.620	95	257455	45.966	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	91.940%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051322\
Data File : VD073028.D
Acq On : 14 May 2022 10:33
Operator : VA/SY
Sample : N2823-14
Misc : 5.01G/5.00ml/MSVOA_D/SOIL
ALS Vial : 51 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
SC-14

Quant Time: May 16 05:22:45 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
Quant Title : SW846 8260
QLast Update : Tue May 03 08:33:49 2022
Response via : Initial Calibration

