

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051322\
 Data File : VD072986.D
 Acq On : 13 May 2022 13:07
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00 G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 13 14:43:08 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 03 08:33:49 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	0.691	0.597	13.6	78	0.00
3 P	Chloromethane	0.719	0.589	18.1	76	0.00
4 C	Vinyl Chloride	0.645	0.565	12.4#	77	0.00
5 T	Bromomethane	0.433	0.395	8.8	88	0.00
6 T	Chloroethane	0.402	0.365	9.2	83	0.00
7 T	Trichlorofluoromethane	1.129	1.088	3.6	87	0.00
8 T	Diethyl Ether	0.324	0.296	8.6	83	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.670	0.672	-0.3	91	0.00
10 T	Methyl Iodide	0.673	0.608	9.7	77	0.00
11 T	Tert butyl alcohol	0.056	0.043	23.2	79	0.00
12 CM	1,1-Dichloroethene	0.603	0.566	6.1#	85	0.00
13 T	Acrolein	0.045	0.015	66.7#	36#	0.00
14 T	Allyl chloride	0.973	0.938	3.6	85	0.00
15 T	Acrylonitrile	0.154	0.138	10.4	80	0.00
16 T	Acetone	0.136	0.105	22.8	67	0.00
17 T	Carbon Disulfide	1.896	1.681	11.3	80	0.00
18 T	Methyl Acetate	0.383	0.312	18.5	79	0.00
19 T	Methyl tert-butyl Ether	1.445	1.397	3.3	83	0.00
20 T	Methylene Chloride	1.004	0.753	25.0	87	0.00
21 T	trans-1,2-Dichloroethene	0.691	0.684	1.0	87	0.00
22 T	Diisopropyl ether	2.141	2.128	0.6	85	0.00
23 T	Vinyl Acetate	1.183	1.119	5.4	80	0.00
24 P	1,1-Dichloroethane	1.286	1.257	2.3	89	0.00
25 T	2-Butanone	0.189	0.162	14.3	75	0.00
26 T	2,2-Dichloropropane	1.088	1.066	2.0	87	0.00
27 T	cis-1,2-Dichloroethene	0.792	0.797	-0.6	90	0.00
28 T	Bromochloromethane	0.480	0.467	2.7	83	0.00
29 T	Tetrahydrofuran	0.121	0.112	7.4	81	0.00
30 C	Chloroform	1.361	1.363	-0.1#	92	0.00
31 T	Cyclohexane	1.135	1.054	7.1	82	0.00
32 T	1,1,1-Trichloroethane	1.160	1.171	-0.9	90	0.00
33 S	1,2-Dichloroethane-d4	0.649	0.592	8.8	85	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.351	0.378	-7.7	95	0.00
36 T	1,1-Dichloropropene	0.571	0.603	-5.6	88	0.00
37 T	Ethyl Acetate	0.262	0.250	4.6	79	0.00
38 T	Carbon Tetrachloride	0.593	0.627	-5.7	90	0.00
39 T	Methylcyclohexane	0.662	0.665	-0.5	84	0.00
40 TM	Benzene	1.649	1.730	-4.9	90	0.00
41 T	Methacrylonitrile	0.156	0.147	5.8	74	0.00
42 TM	1,2-Dichloroethane	0.497	0.494	0.6	86	0.00
43 T	Isopropyl Acetate	0.484	0.460	5.0	79	0.00
44 TM	Trichloroethene	0.441	0.464	-5.2	90	0.00
45 C	1,2-Dichloropropane	0.433	0.450	-3.9#	89	0.00
46 T	Dibromomethane	0.239	0.244	-2.1	88	0.00
47 T	Bromodichloromethane	0.615	0.628	-2.1	87	0.00
48 T	Methyl methacrylate	0.237	0.237	0.0	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051322\
 Data File : VD072986.D
 Acq On : 13 May 2022 13:07
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00 G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 13 14:43:08 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 03 08:33:49 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	86	0.00
50 S	Toluene-d8	1.260	1.356	-7.6	94	0.00
51 T	4-Methyl-2-Pentanone	0.252	0.247	2.0	81	0.00
52 CM	Toluene	1.029	1.135	-10.3#	91	0.00
53 T	t-1,3-Dichloropropene	0.564	0.570	-1.1	85	0.00
54 T	cis-1,3-Dichloropropene	0.656	0.674	-2.7	87	0.00
55 T	1,1,2-Trichloroethane	0.323	0.329	-1.9	87	0.00
56 T	Ethyl methacrylate	0.380	0.396	-4.2	82	0.00
57 T	1,3-Dichloropropane	0.554	0.564	-1.8	88	0.00
58 T	2-Chloroethyl Vinyl ether	0.184	0.177	3.8	75	0.00
59 T	2-Hexanone	0.169	0.165	2.4	76	0.00
60 T	Dibromochloromethane	0.407	0.422	-3.7	90	0.00
61 T	1,2-Dibromoethane	0.314	0.311	1.0	84	0.00
62 S	4-Bromofluorobenzene	0.470	0.505	-7.4	92	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	86	0.00
64 T	Tetrachloroethene	0.366	0.375	-2.5	89	0.00
65 PM	Chlorobenzene	1.156	1.234	-6.7	91	0.00
66 T	1,1,1,2-Tetrachloroethane	0.435	0.470	-8.0	91	0.00
67 C	Ethyl Benzene	2.001	2.229	-11.4#	91	0.00
68 T	m/p-Xylenes	0.771	0.876	-13.6	91	0.00
69 T	o-Xylene	0.720	0.821	-14.0	92	0.00
70 T	Styrene	1.247	1.422	-14.0	91	0.00
71 P	Bromoform	0.236	0.242	-2.5	88	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	87	0.00
73 T	Isopropylbenzene	3.890	4.392	-12.9	94	0.00
74 T	N-amyl acetate	0.969	0.946	2.4	81	0.00
75 P	1,1,2,2-Tetrachloroethane	0.785	0.793	-1.0	90	0.00
76 T	1,2,3-Trichloropropane	0.558	0.579	-3.8	86	0.00
77 T	Bromobenzene	0.924	0.992	-7.4	92	0.00
78 T	n-propylbenzene	4.903	5.506	-12.3	93	0.00
79 T	2-Chlorotoluene	2.864	3.128	-9.2	93	0.00
80 T	1,3,5-Trimethylbenzene	3.299	3.723	-12.9	93	0.00
81 T	trans-1,4-Dichloro-2-butene	0.242	0.247	-2.1	85	0.00
82 T	4-Chlorotoluene	2.992	3.288	-9.9	93	0.00
83 T	tert-Butylbenzene	2.804	3.223	-14.9	95	0.00
84 T	1,2,4-Trimethylbenzene	3.297	3.725	-13.0	94	0.00
85 T	sec-Butylbenzene	4.230	4.842	-14.5	95	0.00
86 T	p-Isopropyltoluene	3.468	3.938	-13.6	93	0.00
87 T	1,3-Dichlorobenzene	1.861	2.020	-8.5	95	0.00
88 T	1,4-Dichlorobenzene	1.853	2.011	-8.5	96	0.00
89 T	n-Butylbenzene	3.359	3.832	-14.1	93	0.00
90 T	Hexachloroethane	0.710	0.781	-10.0	96	0.00
91 T	1,2-Dichlorobenzene	1.622	1.761	-8.6	94	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.124	0.124	0.0	88	0.00
93 T	1,2,4-Trichlorobenzene	0.960	1.028	-7.1	89	0.00
94 T	Hexachlorobutadiene	0.525	0.556	-5.9	93	0.00
95 T	Naphthalene	1.766	1.896	-7.4	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051322\
Data File : VD072986.D
Acq On : 13 May 2022 13:07
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00 G/5.00ml/MSVOA_D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: May 13 14:43:08 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
Quant Title : SW846 8260
QLast Update : Tue May 03 08:33:49 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.851	0.911	-7.1	89	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6