

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD051419\
 Data File : VD062344.D
 Acq On : 14 May 2019 14:12
 Operator : FY/SY
 Sample : K2733-05RE
 Misc : 6.99g/5mL/MSVOA D/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 P021-SS001-0206-01RE

Quant Time: May 15 02:13:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D050719S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 07 14:26:29 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.07	168	678007	50.00	ug/l	0.05
34) 1,4-Difluorobenzene	8.24	114	934200	50.00	ug/l	0.05
63) Chlorobenzene-d5	12.38	117	625347	50.00	ug/l	0.02
72) 1,4-Dichlorobenzene-d4	14.53	152	192331	50.00	ug/l	0.02

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	7.48	65	315131	50.01	ug/l	0.05
Spiked Amount	50.000		Recovery	=	100.02%	
35) Dibromofluoromethane	6.94	113	381957	49.28	ug/l	0.05
Spiked Amount	50.000		Recovery	=	98.56%	
50) Toluene-d8	10.43	98	681137	36.45	ug/l	0.03
Spiked Amount	50.000		Recovery	=	72.90%	
62) 4-Bromofluorobenzene	13.57	95	195603	26.06	ug/l	0.02
Spiked Amount	50.000		Recovery	=	52.12%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD051419\
Data File : VD062344.D
Acq On : 14 May 2019 14:12
Operator : FY/SY
Sample : K2733-05RE
Misc : 6.99g/5mL/MSVOA D/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
P021-SS001-0206-01RE

Quant Time: May 15 02:13:08 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D050719S.M
Quant Title : SW846 8260
QLast Update : Tue May 07 14:26:29 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.07 min Scan# 574

Delta R.T. 0.05 min

Lab File: VD062344.D

Acq: 14 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :


P021-SS001-0206-01RE

Tot Ion:168 Resp: 678007

Ion Ratio Lower Upper




168 100

99 59.2 46.5 69.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#33

1,2-Dichloroethane-d4

Concen: 50.014 ug/l

RT: 7.48 min Scan# 615

Delta R.T. 0.05 min

Lab File: VD062344.D


Acq: 14 May 2019 14:12

Tgt Ion: 65 Resp: 315131

Ion Ratio Lower Upper



65 100


67 42.2 0.0 98.0



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.24 min Scan# 693
 Delta R.T. 0.05 min
 Lab File: VD062344.D
 Acq: 14 May 2019 14:12




Instrument :
 MSVOA_D
 ClientSampleId :
 P021-SS001-0206-01RE


Tot Ion:114 Resp: 934200
 Ion Ratio Lower Upper
 114 100
 63 18.3 0.0 32.4
 88 19.4 0.0 33.6



#35
 Dibromofluoromethane
 Concen: 49.277 ug/l
 RT: 6.94 min Scan# 561
 Delta R.T. 0.05 min
 Lab File: VD062344.D
 Acq: 14 May 2019 14:12

Tgt Ion:113 Resp: 381957
 Ion Ratio Lower Upper
 113 100
 111 102.6 78.5 117.7
 192 17.0 13.0 19.4





#50

Toluene-d8

Concen: 36.447 ug/l

RT: 10.43 min Scan# 915

Delta R.T. 0.03 min

Lab File: VD062344.D

Acq: 14 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :


P021-SS001-0206-01RE

Tot Ion: 98 Resp: 681137

Ion Ratio Lower Upper

98 100

100 66.0 53.8 80.8



Abundance Ion 98.05 (97.75 to 98.75): VD062139.D (-905) (-)

Ion 100.05 (99.75 to 100.75): VD062139.D (-905) (-)

10.43

300000



200000

100000

0

10.40 10.60

Time-->



#62

4-Bromofluorobenzene

Concen: 26.064 ug/l

RT: 13.57 min Scan# 1234

Delta R.T. 0.02 min

Lab File: VD062344.D

Acq: 14 May 2019 14:12


Tgt Ion: 95 Resp: 195603

Ion Ratio Lower Upper

95 100

174 94.9 0.0 181.8

176 89.7 0.0 174.4



Abundance Ion 95.00 (94.70 to 95.70): VD062139.D (-1227) (-)

Ion 173.90 (173.60 to 174.60): VD062139.D (-1227) (-)

Ion 175.90 (175.60 to 176.60): VD062139.D (-1227) (-)

13.57

150000


100000


50000

0

13.50 13.60

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 12.38 min Scan# 1113
Delta R.T. 0.02 min
Lab File: VD062344.D
Acq: 14 May 2019 14:12

Instrument :
MSVOA_D
ClientSampleId :
P021-SS001-0206-01RE

Tot Ion:117 Resp: 625347
Ion Ratio Lower Upper
117 100
82 56.7 36.2 54.2#
119 32.8 26.2 39.4




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 14.53 min Scan# 1332
Delta R.T. 0.02 min
Lab File: VD062344.D
Acq: 14 May 2019 14:12

Tgt Ion:152 Resp: 192331
Ion Ratio Lower Upper
152 100
115 52.9 30.9 92.7
150 159.0 0.0 314.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

