

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD051719\
 Data File : VD062437.D
 Acq On : 17 May 2019 14:12
 Operator : FY/SY
 Sample : K2643-05
 Misc : 5.39g/5mL/MSVOA D/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 OR-02-051619-A

Quant Time: May 18 00:04:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D050719S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 07 14:26:29 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.05	168	10048	50.00	ug/l	0.03
34) 1,4-Difluorobenzene	8.22	114	17040	50.00	ug/l	0.03
63) Chlorobenzene-d5	12.37	117	13891	50.00	ug/l	0.02
72) 1,4-Dichlorobenzene-d4	14.53	152	6635	50.00	ug/l	0.02

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	7.45	65	5342	57.21	ug/l	0.03
Spiked Amount	50.000		Recovery	=	114.42%	
35) Dibromofluoromethane	6.93	113	4339	30.69	ug/l	0.04
Spiked Amount	50.000		Recovery	=	61.38%	
50) Toluene-d8	10.42	98	9551	28.02	ug/l	0.03
Spiked Amount	50.000		Recovery	=	56.04%	
62) 4-Bromofluorobenzene	13.56	95	4355	31.81	ug/l	0.02
Spiked Amount	50.000		Recovery	=	63.62%	

Target Compounds


						Qvalue
5) Bromomethane	2.17	94	1686	105.436	ug/l #	12
10) Methyl Iodide	3.35	142	202	1.332	ug/l #	37
16) Acetone	3.22	43	7202	367.783	ug/l #	77
38) Carbon Tetrachloride	7.04	117	466	2.410	ug/l #	12
43) Isopropyl Acetate	9.14	43	194	2.309	ug/l #	43
76) 1,2,3-Trichloropropane	13.56	75	1886	23.918	ug/l #	42
78) n-propylbenzene	13.78	91	567	1.195	ug/l #	54
79) 2-Chlorotoluene	13.78	91	567	2.087	ug/l #	38
81) trans-1,4-Dichloro-2-buten	13.56	75	1886	84.725	ug/l #	16
82) 4-Chlorotoluene	13.96	91	588	1.839	ug/l #	37
84) 1,2,4-Trimethylbenzene	14.24	105	559	1.663	ug/l #	30
85) sec-Butylbenzene	14.38	105	445	1.078	ug/l #	60
87) 1,3-Dichlorobenzene	14.46	146	531	2.611	ug/l #	72
89) n-Butylbenzene	14.80	91	541	1.635	ug/l #	80
91) 1,2-Dichlorobenzene	14.81	146	247	1.475	ug/l #	10
95) Naphthalene	16.13	128	917	5.387	ug/l #	70


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD051719\
Data File : VD062437.D
Acq On : 17 May 2019 14:12
Operator : FY/SY
Sample : K2643-05
Misc : 5.39g/5mL/MSVOA D/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
OR-02-051619-A

Quant Time: May 18 00:04:11 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D050719S.M
Quant Title : SW846 8260
QLast Update : Tue May 07 14:26:29 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.05 min Scan# 571

Delta R.T. 0.03 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :


OR-02-051619-A

Tot Ion:168 Resp: 10048

Ion Ratio Lower Upper




168 100

99 59.7 46.5 69.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#5

Bromomethane

Concen: 105.436 ug/l

RT: 2.17 min Scan# 75

Delta R.T. 0.03 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12


Tgt Ion: 94 Resp: 1686

Ion Ratio Lower Upper

94 100

96 0.0 76.6 115.0#



93 0.0 18.5 27.7#




Abundance Ion 94.00 (93.70 to 94.70): VDC

Ion 96.00 (95.70 to 96.70): VDC

Ion 93.00 (92.70 to 93.70): VDC





#10

Methyl Iodide

Concen: 1.332 ug/l

RT: 3.35 min Scan# 195

Delta R.T. 0.06 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :

OR-02-051619-A


Tot Ion:142 Resp: 202

Ion Ratio Lower Upper




142 100

127 0.0 38.8 58.2#

141 0.0 11.4 17.0#



Abundance Ion 141.85 (141.55 to 142.55): V



#16

Acetone

Concen: 367.783 ug/l

RT: 3.22 min Scan# 182

Delta R.T. 0.03 min

Lab File: VD062437.D


Acq: 17 May 2019 14:12

Tgt Ion: 43 Resp: 7202



Ion Ratio Lower Upper


43 100

58 13.5 19.9 29.9#



Abundance Ion 42.95 (42.65 to 43.65): V









#33
 1,2-Dichloroethane-d4
 Concen: 57.209 ug/l
 RT: 7.45 min Scan# 612
 Delta R.T. 0.03 min
 Lab File: VD062437.D
 Acq: 17 May 2019 14:12




Instrument :
 MSVOA_D
 ClientSampleId :
 OR-02-051619-A


Tot Ion: 65 Resp: 5342
 Ion Ratio Lower Upper
 65 100
 67 28.8 0.0 98.0



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.22 min Scan# 690
 Delta R.T. 0.03 min
 Lab File: VD062437.D
 Acq: 17 May 2019 14:12

Tgt Ion: 114 Resp: 17040
 Ion Ratio Lower Upper
 114 100
 63 15.9 0.0 32.4
 88 15.1 0.0 33.6





#35

Dibromofluoromethane

Concen: 30.690 ug/l

RT: 6.93 min Scan# 559

Delta R.T. 0.04 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :

OR-02-051619-A


Tot Ion:113 Resp: 4339

Ion Ratio Lower Upper




113 100

111 97.0 78.5 117.7

192 16.8 13.0 19.4



Abundance Ion 112.90 (112.60 to 113.60): V
Ion 110.90 (110.60 to 111.60): V
Ion 191.80 (191.50 to 192.50): V



#38

Carbon Tetrachloride

Concen: 2.410 ug/l

RT: 7.04 min Scan# 570

Delta R.T. -0.05 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12


Tgt Ion:117 Resp: 466

Ion Ratio Lower Upper



117 100


119 0.0 75.8 113.8#

121 0.0 25.9 38.9#



Abundance Ion 116.85 (116.55 to 117.55): V
Ion 118.85 (118.55 to 119.55): V
Ion 120.85 (120.55 to 121.55): V





#43

Isopropyl Acetate

Concen: 2.309 ug/l

RT: 9.14 min Scan# 784

Delta R.T. -0.07 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :

OR-02-051619-A


Tot Ion: 43 Resp: 194

Ion Ratio Lower Upper

43 100

61 0.0 25.1 37.7#




87 0.0 0.0 0.0



Abundance Ion 42.95 (42.65 to 43.65): VDC

Ion 60.95 (60.65 to 61.65): VDC

Ion 87.00 (86.70 to 87.70): VDC



#50

Toluene-d8

Concen: 28.018 ug/l

RT: 10.42 min Scan# 914

Delta R.T. 0.03 min

Lab File: VD062437.D


Acq: 17 May 2019 14:12

Tgt Ion: 98 Resp: 9551

Ion Ratio Lower Upper



98 100


100 53.1 53.8 80.8#



Abundance Ion 98.05 (97.75 to 98.75): VDC

Ion 100.05 (99.75 to 100.75): VDC





#62

4-Bromofluorobenzene

Concen: 31.815 ug/l

RT: 13.56 min Scan# 1233

Delta R.T. 0.02 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :

OR-02-051619-A


Tot Ion: 95 Resp: 4355

Ion Ratio Lower Upper

95 100

174 90.5 0.0 181.8




176 96.0 0.0 174.4



Abundance Ion 95.00 (94.70 to 95.70): V

Ion 173.90 (173.60 to 174.60): V

Ion 175.90 (175.60 to 176.60): V



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 12.37 min Scan# 1112

Delta R.T. 0.02 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12


Tgt Ion: 117 Resp: 13891

Ion Ratio Lower Upper

117 100

82 63.0 36.2 54.2#



119 38.7 26.2 39.4




Abundance Ion 116.95 (116.65 to 117.65): V

Ion 82.05 (81.75 to 82.75): V

Ion 118.95 (118.65 to 119.65): V









#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 14.53 min Scan# 1331
 Delta R.T. 0.02 min
 Lab File: VD062437.D
 Acq: 17 May 2019 14:12

Instrument :
 MSVOA_D
 ClientSampleId :
 OR-02-051619-A

Tot Ion:152 Resp: 6635
 Ion Ratio Lower Upper
 152 100
 115 43.9 30.9 92.7
 150 177.8 0.0 314.8




Abundance Ion 151.90 (151.60 to 152.60): V
 Ion 115.00 (114.70 to 115.70): V
 Ion 149.90 (149.60 to 150.60): V






#76
 1,2,3-Trichloropropane
 Concen: 23.918 ug/l
 RT: 13.56 min Scan# 1233
 Delta R.T. -0.16 min
 Lab File: VD062437.D
 Acq: 17 May 2019 14:12

Tgt Ion: 75 Resp: 1886
 Ion Ratio Lower Upper
 75 100
 77 0.0 16.4 49.4#



Abundance Ion 75.00 (74.70 to 75.70): VDC
 Ion 76.95 (76.65 to 77.65): VDC





#78

n-propylbenzene

Concen: 1.195 ug/l

RT: 13.78 min Scan# 1255

Delta R.T. 0.02 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :


OR-02-051619-A

Tot Ion: 91 Resp: 567

Ion Ratio Lower Upper



91 100

120 0.0 11.1 33.1#




Abundance Ion 91.00 (90.70 to 91.70): VDC

Ion 120.05 (119.75 to 120.75): V



Time-->



#79

2-Chlorotoluene

Concen: 2.087 ug/l

RT: 13.78 min Scan# 1255

Delta R.T. -0.05 min

Lab File: VD062437.D


Acq: 17 May 2019 14:12

Tgt Ion: 91 Resp: 567

Ion Ratio Lower Upper



91 100

126 0.0 18.6 55.8#




Abundance Ion 91.00 (90.70 to 91.70): VDC

Ion 125.95 (125.65 to 126.65): V



Time-->



#81

trans-1,4-Dichloro-2-butene

Concen: 84.725 ug/l

RT: 13.56 min Scan# 1233

Delta R.T. 0.09 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :

OR-02-051619-A


Tot Ion: 75 Resp: 1886

Ion Ratio Lower Upper




75 100

53 0.0 65.8 98.8#

89 0.0 35.0 52.6#



Abundance Ion 75.00 (74.70 to 75.70): VDC
Ion 53.00 (52.70 to 53.70): VDC
Ion 89.00 (88.70 to 89.70): VDC



#82

4-Chlorotoluene

Concen: 1.839 ug/l

RT: 13.96 min Scan# 1273

Delta R.T. 0.02 min

Lab File: VD062437.D


Acq: 17 May 2019 14:12

Tgt Ion: 91 Resp: 588



Ion Ratio Lower Upper


91 100

126 0.0 19.1 57.5#



Abundance Ion 91.00 (90.70 to 91.70): VDC
Ion 125.95 (125.65 to 126.65): V









#84
 1,2,4-Trimethylbenzene
 Concen: 1.663 ug/l
 RT: 14.24 min Scan# 1302
 Delta R.T. 0.02 min
 Lab File: VD062437.D
 Acq: 17 May 2019 14:12




Instrument :
 MSVOA_D
 ClientSampleId :
 OR-02-051619-A


Tot Ion:105 Resp: 559
 Ion Ratio Lower Upper
 105 100
 120 0.0 23.1 69.2#



#85
 sec-Butylbenzene
 Concen: 1.078 ug/l
 RT: 14.38 min Scan# 1316
 Delta R.T. 0.02 min
 Lab File: VD062437.D
 Acq: 17 May 2019 14:12

Tgt Ion:105 Resp: 445
 Ion Ratio Lower Upper
 105 100
 134 0.0 8.9 26.7#





#87

1,3-Dichlorobenzene

Concen: 2.611 ug/l

RT: 14.46 min Scan# 1324

Delta R.T. 0.01 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12

Instrument :

MSVOA_D

ClientSampleId :

OR-02-051619-A


Tot Ion:146 Resp: 531

Ion Ratio Lower Upper

146 100

111 0.0 20.0 60.0#




148 68.0 31.8 95.4



Abundance Ion 145.95 (145.65 to 146.65): V

Ion 110.90 (110.60 to 111.60): V

Ion 147.90 (147.60 to 148.60): V



#89

n-Butylbenzene

Concen: 1.635 ug/l

RT: 14.80 min Scan# 1359

Delta R.T. 0.02 min

Lab File: VD062437.D

Acq: 17 May 2019 14:12


Tgt Ion: 91 Resp: 541

Ion Ratio Lower Upper

91 100

92 58.0 30.3 91.0



134 0.0 14.5 43.6#




Abundance Ion 91.00 (90.70 to 91.70): V

Ion 92.00 (91.70 to 92.70): V

Ion 134.10 (133.80 to 134.80): V









#91
 1,2-Dichlorobenzene
 Concen: 1.475 ug/l
 RT: 14.81 min Scan# 1360
 Delta R.T. 0.02 min
 Lab File: VD062437.D
 Acq: 17 May 2019 14:12

Instrument :
 MSVOA_D
 ClientSampleId :
 OR-02-051619-A

Tot Ion:146 Resp: 247
 Ion Ratio Lower Upper
 146 100
 111 102.9 20.0 59.9#
 148 0.0 32.3 96.8#




Abundance Ion 145.95 (145.65 to 146.65): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 147.90 (147.60 to 148.60): V



#95
 Naphthalene
 Concen: 5.387 ug/l
 RT: 16.13 min Scan# 1494
 Delta R.T. 0.02 min
 Lab File: VD062437.D
 Acq: 17 May 2019 14:12

Tgt Ion:128 Resp: 917
 Ion Ratio Lower Upper
 128 100
 127 0.0 9.8 14.8#
 129 0.0 8.8 13.2#



Abundance Ion 128.00 (127.70 to 128.70): V
 Ion 127.00 (126.70 to 127.70): V
 Ion 129.00 (128.70 to 129.70): V

