

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD052021\
 Data File : VD069222.D
 Acq On : 20 May 2021 16:51
 Operator : VA/SY
 Sample : M2468-01
 Misc : 3.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 1-5-TP

Quant Time: May 21 00:55:21 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051221S.M
 Quant Title : SW846 8260
 QLast Update : Thu May 13 04:01:29 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	168079	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.867	114	356007	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.644	117	334579	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.573	152	142893	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.332	65	129399	76.80	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	153.60%
35) Dibromofluoromethane	7.914	113	133178	57.48	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	114.96%
50) Toluene-d8	10.338	98	458694	53.88	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	107.76%
62) 4-Bromofluorobenzene	12.626	95	132917	48.52	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	97.04%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD052021\
Data File : VD069222.D
Acq On : 20 May 2021 16:51
Operator : VA/SY
Sample : M2468-01
Misc : 3.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
1-5-TP

Quant Time: May 21 00:55:21 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051221S.M
Quant Title : SW846 8260
QLast Update : Thu May 13 04:01:29 2021
Response via : Initial Calibration

