

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_D\Data\VD052022\  
 Data File : VD073215.D  
 Acq On : 21 May 2022 07:47  
 Operator : VA/SY  
 Sample : N2885-11  
 Misc : 5.69G/5.00ml/MSVOA\_D/SOIL  
 ALS Vial : 33 Sample Multiplier: 1

Instrument :  
 MSVOA\_D  
 ClientSampleId :  
 P008-SS002-0612-01

Quant Time: May 22 00:00:39 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_D\Method\82D051922S.M  
 Quant Title : SW846 8260  
 QLast Update : Thu May 19 15:13:42 2022  
 Response via : Initial Calibration


| Compound                    | R.T.   | QIon  | Response | Conc     | Units      | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|------------|----------|
| -----                       |        |       |          |          |            |          |
| Internal Standards          |        |       |          |          |            |          |
| 1) Pentafluorobenzene       | 7.973  | 168   | 298829   | 50.000   | ug/l       | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.861  | 114   | 526990   | 50.000   | ug/l       | 0.00     |
| 63) Chlorobenzene-d5        | 11.637 | 117   | 551638   | 50.000   | ug/l       | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.561 | 152   | 253263   | 50.000   | ug/l       | 0.00     |
| System Monitoring Compounds |        |       |          |          |            |          |
| 33) 1,2-Dichloroethane-d4   | 8.326  | 65    | 174670   | 52.890   | ug/l       | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | = 105.780% |          |
| 35) Dibromofluoromethane    | 7.908  | 113   | 181490   | 52.191   | ug/l       | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | = 104.380% |          |
| 50) Toluene-d8              | 10.332 | 98    | 652868   | 50.931   | ug/l       | 0.00     |
| Spiked Amount               | 50.000 | Range | 49 - 140 | Recovery | = 101.860% |          |
| 62) 4-Bromofluorobenzene    | 12.620 | 95    | 245685   | 54.614   | ug/l       | 0.00     |
| Spiked Amount               | 50.000 | Range | 25 - 144 | Recovery | = 109.220% |          |
| Target Compounds            |        |       |          |          |            |          |
|                             |        |       |          |          | Qvalue     |          |
| 31) Cyclohexane             | 7.973  | 56    | 7809     | 1.353    | ug/l #     | 3        |
| -----                       |        |       |          |          |            |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_D\Data\VD052022\  
Data File : VD073215.D  
Acq On : 21 May 2022 07:47  
Operator : VA/SY  
Sample : N2885-11  
Misc : 5.69G/5.00ml/MSVOA\_D/SOIL  
ALS Vial : 33 Sample Multiplier: 1

Instrument :  
MSVOA\_D  
ClientSampleId :  
P008-SS002-0612-01

Quant Time: May 22 00:00:39 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_D\Method\82D051922S.M  
Quant Title : SW846 8260  
QLast Update : Thu May 19 15:13:42 2022  
Response via : Initial Calibration





Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.973 min Scan# 1029

Delta R.T. -0.000 min

Lab File: VD073215.D

Acq: 21 May 2022 07:47

Instrument :

MSVOA\_D

ClientSampleId :





P008-SS002-0612-01

Tgt Ion:168 Resp: 298829

Ion Ratio Lower Upper

168 100

99 58.5 49.8 74.6



Cyclohexane

Concen: 1.353 ug/l

RT: 7.973 min Scan# 1029

Delta R.T. -0.006 min

Lab File: VD073215.D

Acq: 21 May 2022 07:47




Tgt Ion: 56 Resp: 7809


Ion Ratio Lower Upper

56 100

69 151.0 25.4 38.2#

84 122.1 63.0 94.4#









#33  
1,2-Dichloroethane-d4  
Concen: 52.890 ug/l  
RT: 8.326 min Scan# 1180  
Delta R.T. -0.000 min  
Lab File: VD073215.D  
Acq: 21 May 2022 07:47




Instrument :  
MSVOA\_D  
ClientSampleId :  
P008-SS002-0612-01


Tgt Ion: 65 Resp: 174670  
Ion Ratio Lower Upper  
65 100  
67 53.1 0.0 101.4



#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 8.861 min Scan# 1180  
Delta R.T. 0.006 min  
Lab File: VD073215.D  
Acq: 21 May 2022 07:47

Tgt Ion: 114 Resp: 526990  
Ion Ratio Lower Upper  
114 100  
63 19.3 0.0 46.6  
88 15.4 0.0 33.2









#35  
Dibromofluoromethane  
Concen: 52.191 ug/l  
RT: 7.908 min Scan# 1019  
Delta R.T. -0.006 min  
Lab File: VD073215.D  
Acq: 21 May 2022 07:47




Instrument :  
MSVOA\_D  
ClientSampleId :  
P008-SS002-0612-01


Tgt Ion:113 Resp: 181490  
Ion Ratio Lower Upper  
113 100  
111 103.7 83.8 125.6  
192 18.0 14.6 21.8



#50  
Toluene-d8  
Concen: 50.931 ug/l  
RT: 10.332 min Scan# 1430  
Delta R.T. -0.000 min  
Lab File: VD073215.D  
Acq: 21 May 2022 07:47

Tgt Ion: 98 Resp: 652868  
Ion Ratio Lower Upper  
98 100  
100 65.9 52.4 78.6









#62  
4-Bromofluorobenzene  
Concen: 54.614 ug/l  
RT: 12.620 min Scan# 1819  
Delta R.T. -0.000 min  
Lab File: VD073215.D  
Acq: 21 May 2022 07:47




Instrument :  
MSVOA\_D  
ClientSampleId :  
P008-SS002-0612-01


Tgt Ion: 95 Resp: 245685  
Ion Ratio Lower Upper  
95 100  
174 76.2 0.0 152.8  
176 72.2 0.0 145.4



#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.637 min Scan# 1652  
Delta R.T. -0.001 min  
Lab File: VD073215.D  
Acq: 21 May 2022 07:47

Tgt Ion: 117 Resp: 551638  
Ion Ratio Lower Upper  
117 100  
82 55.2 45.3 67.9  
119 32.7 26.6 40.0





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.561 min Scan# 1979

Delta R.T. -0.000 min

Lab File: VD073215.D


Acq: 21 May 2022 07:47

Instrument :

MSVOA\_D

ClientSampleId :

P008-SS002-0612-01



Tgt Ion:152 Resp: 253263

Ion Ratio Lower Upper

152 100

115 60.5 31.3 93.8

150 157.3 0.0 348.6

