

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD052119\
 Data File : VD062484.D
 Acq On : 21 May 2019 16:37
 Operator : VA/AP
 Sample : K2951-13RE
 Misc : 6.70g/5ml/MSVOA D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :

Quant Time: May 22 01:44:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D052019S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 21 03:32:39 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.05	168	6007	50.00	ug/l	-0.01
34) 1,4-Difluorobenzene	8.21	114	9917	50.00	ug/l	-0.02
63) Chlorobenzene-d5	12.37	117	3705	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	14.52	152	781	50.00	ug/l	-0.01
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	7.44	65	3278	50.98	ug/l	-0.02
Spiked Amount	50.000		Recovery	=	101.96%	
35) Dibromofluoromethane	6.91	113	3529	39.45	ug/l	-0.03
Spiked Amount	50.000		Recovery	=	78.90%	
50) Toluene-d8	10.41	98	5565	28.42	ug/l	-0.02
Spiked Amount	50.000		Recovery	=	56.84%	
62) 4-Bromofluorobenzene	13.55	95	1115	13.02	ug/l	-0.01
Spiked Amount	50.000		Recovery	=	26.04%	
Target Compounds						
					Qvalue	
3) Chloromethane	1.88	50	184	4.422	ug/l #	43
5) Bromomethane	2.15	94	191	10.108	ug/l #	12
16) Acetone	3.22	43	3363	291.860	ug/l #	50
59) 2-Hexanone	11.54	43	259	11.040	ug/l #	27
74) N-amyl acetate	13.16	43	179	14.722	ug/l #	49
81) trans-1,4-Dichloro-2-buten	13.55	75	410	158.030	ug/l #	16


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD052119\
Data File : VD062484.D
Acq On : 21 May 2019 16:37
Operator : VA/AP
Sample : K2951-13RE
Misc : 6.70g/5ml/MSVOA D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :

Quant Time: May 22 01:44:37 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D052019S.M
Quant Title : SW846 8260
QLast Update : Tue May 21 03:32:39 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.05 min Scan# 572

Delta R.T. -0.01 min

Lab File: VD062484.D

Acq: 21 May 2019 16:37

Instrument :

MSVOA_D


ClientSampled :

Tot Ion:168 Resp: 6007

Ion Ratio Lower Upper




168 100

99 65.8 46.5 69.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#3

Chloromethane

Concen: 4.422 ug/l

RT: 1.88 min Scan# 47

Delta R.T. 0.14 min

Lab File: VD062484.D


Acq: 21 May 2019 16:37

Tgt Ion: 50 Resp: 184

Ion Ratio Lower Upper



50 100


52 0.0 25.2 37.8#



Abundance Ion 49.90 (49.60 to 50.60): VDC

Ion 51.90 (51.60 to 52.60): VDC





#5

Bromomethane

Concen: 10.108 ug/l

RT: 2.15 min Scan# 74

Delta R.T. -0.00 min

Lab File: VD062484.D

Acq: 21 May 2019 16:37

Instrument :

MSVOA_D

ClientSampleId :


Tot Ion: 94 Resp: 191

Ion Ratio Lower Upper

94 100

96 0.0 76.6 115.0#




93 0.0 18.5 27.7#



Abundance Ion 94.00 (93.70 to 94.70): VDC

Ion 96.00 (95.70 to 96.70): VDC

Ion 93.00 (92.70 to 93.70): VDC



#16

Acetone

Concen: 291.860 ug/l

RT: 3.22 min Scan# 183

Delta R.T. -0.01 min

Lab File: VD062484.D


Acq: 21 May 2019 16:37

Tgt Ion: 43 Resp: 3363

Ion Ratio Lower Upper



43 100


58 0.0 19.9 29.9#



Abundance Ion 42.95 (42.65 to 43.65): VDC

Ion 57.95 (57.65 to 58.65): VDC









#33
 1,2-Dichloroethane-d4
 Concen: 50.979 ug/l
 RT: 7.44 min Scan# 612
 Delta R.T. -0.02 min
 Lab File: VD062484.D
 Acq: 21 May 2019 16:37




Instrument :
 MSVOA_D
 ClientSampleId :


Tot Ion: 65 Resp: 3278
 Ion Ratio Lower Upper
 65 100
 67 48.8 0.0 98.0



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.21 min Scan# 690
 Delta R.T. -0.02 min
 Lab File: VD062484.D
 Acq: 21 May 2019 16:37

Tgt Ion: 114 Resp: 9917
 Ion Ratio Lower Upper
 114 100
 63 13.4 0.0 32.4
 88 16.2 0.0 33.6









#35
Dibromofluoromethane
Concen: 39.446 ug/l
RT: 6.91 min Scan# 558
Delta R.T. -0.03 min
Lab File: VD062484.D
Acq: 21 May 2019 16:37




Instrument :
MSVOA_D
ClientSampleId :


Tot Ion:113 Resp: 3529
Ion Ratio Lower Upper
113 100
111 64.3 78.5 117.7#
192 0.0 13.0 19.4#



#50
Toluene-d8
Concen: 28.425 ug/l
RT: 10.41 min Scan# 913
Delta R.T. -0.02 min
Lab File: VD062484.D
Acq: 21 May 2019 16:37

Tgt Ion: 98 Resp: 5565
Ion Ratio Lower Upper
98 100
100 43.1 53.8 80.8#





#59

2-Hexanone

Concen: 11.040 ug/l

RT: 11.54 min Scan# 1028

Delta R.T. -0.01 min

Lab File: VD062484.D

Acq: 21 May 2019 16:37

Instrument :

MSVOA_D





ClientSampleId :

Tot Ion: 43 Resp: 259

Ion Ratio Lower Upper

43 100

58 0.0 25.4 76.4#



#62

4-Bromofluorobenzene

Concen: 13.019 ug/l

RT: 13.55 min Scan# 1233

Delta R.T. -0.01 min

Lab File: VD062484.D

Acq: 21 May 2019 16:37




Tgt Ion: 95 Resp: 1115


Ion Ratio Lower Upper

95 100

174 90.6 0.0 181.8

176 46.1 0.0 174.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 12.37 min Scan# 1113
Delta R.T. -0.00 min
Lab File: VD062484.D
Acq: 21 May 2019 16:37

Instrument :
MSVOA_D
ClientSampleId :

Tot Ion:117 Resp: 3705
Ion Ratio Lower Upper
117 100
82 41.8 36.2 54.2
119 20.9 26.2 39.4#




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V






#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 14.52 min Scan# 1331
Delta R.T. -0.01 min
Lab File: VD062484.D
Acq: 21 May 2019 16:37

Tgt Ion:152 Resp: 781
Ion Ratio Lower Upper
152 100
115 54.6 30.9 92.7
150 234.4 0.0 314.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V





#74

N-amvl acetate

Concen: 14.722 ug/l

RT: 13.16 min Scan# 1193

Delta R.T. -0.11 min

Lab File: VD062484.D

Acq: 21 May 2019 16:37



Instrument :

MSVOA_D

ClientSampleId :

Tot Ion: 43 Resp: 179

Ion	Ratio	Lower	Upper
43	100		
70	0.0	24.2	36.4#
55	0.0	16.0	24.0#
61	0.0	21.6	32.4#




Abundance Ion 42.95 (42.65 to 43.65): VDC


Ion 70.00 (69.70 to 70.70): VDC

Ion 55.00 (54.70 to 55.70): VDC

Ion 60.95 (60.65 to 61.65): VDC



Time-->



#81

trans-1,4-Dichloro-2-butene

Concen: 158.030 ug/l

RT: 13.55 min Scan# 1233



Delta R.T. 0.08 min

Lab File: VD062484.D

Acq: 21 May 2019 16:37

Tgt Ion: 75 Resp: 410


Ion	Ratio	Lower	Upper
75	100		
53	0.0	65.8	98.8#
89	0.0	35.0	52.6#



Abundance Ion 75.00 (74.70 to 75.70): VDC

Ion 53.00 (52.70 to 53.70): VDC

Ion 89.00 (88.70 to 89.70): VDC



Time-->