

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD060718\
 Data File : VD057983.D
 Acq On : 7 Jun 2018 20:35
 Operator : JC/SY
 Sample : J3344-09
 Misc : 5.04g/5ml/MSVOA D/SOIL
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 HS-HOUSE-WALL

Quant Time: Jun 08 08:02:55 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 07 08:57:33 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.63	168	596305	50.00	ug/l	-0.02
34) 1,4-Difluorobenzene	6.68	114	811019	50.00	ug/l	-0.02
63) Chlorobenzene-d5	10.68	117	626191	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.90	152	283477	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.00	65	311998	52.34	ug/l	-0.02
Spiked Amount	50.000		Recovery	=	104.68%	
35) Dibromofluoromethane	5.54	113	318943	50.83	ug/l	-0.02
Spiked Amount	50.000		Recovery	=	101.66%	
50) Toluene-d8	8.70	98	652639	43.75	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.50%	
62) 4-Bromofluorobenzene	11.92	95	257167	39.52	ug/l	0.00
Spiked Amount	50.000		Recovery	=	79.04%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD060718\
Data File : VD057983.D
Acq On : 7 Jun 2018 20:35
Operator : JC/SY
Sample : J3344-09
Misc : 5.04g/5ml/MSVOA D/SOIL
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
HS-HOUSE-WALL

Quant Time: Jun 08 08:02:55 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
Quant Title : SW846 8260
QLast Update : Thu Jun 07 08:57:33 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.63 min Scan# 549

Delta R.T. -0.02 min

Lab File: VD057983.D

Acq: 7 Jun 2018 20:35

Instrument :

MSVOA_D

ClientSampleId :


HS-HOUSE-WALL

Tot Ion:168 Resp: 596305

Ion Ratio Lower Upper




168 100

99 54.9 46.8 70.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#33

1,2-Dichloroethane-d4

Concen: N.D. ug/l

RT: 6.00 min Scan# 587

Delta R.T. -0.02 min

Lab File: VD057983.D


Acq: 7 Jun 2018 20:35

Tgt Ion: 65 Resp: 311998

Ion Ratio Lower Upper



65 100


67 48.5 0.0 94.0



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.68 min Scan# 656

Delta R.T. -0.02 min

Lab File: VD057983.D

Acq: 7 Jun 2018 20:35

Instrument :

MSVOA_D

ClientSampleId :

HS-HOUSE-WALL


Tot Ion:114 Resp: 811019

Ion Ratio Lower Upper

114 100

63 21.4 0.0 42.8




88 18.8 0.0 37.8



Abundance Ion 114.00 (113.70 to 114.70): V

Ion 62.95 (62.65 to 63.65): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 50.000 ug/l

RT: 5.54 min Scan# 540

Delta R.T. -0.02 min

Lab File: VD057983.D

Acq: 7 Jun 2018 20:35


Tgt Ion:113 Resp: 318943

Ion Ratio Lower Upper

113 100

111 106.6 81.5 122.3



192 23.6 16.4 24.6




Abundance Ion 112.90 (112.60 to 113.60): V

Ion 110.90 (110.60 to 111.60): V

Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 8.70 min Scan# 861
Delta R.T. -0.01 min
Lab File: VD057983.D
Acq: 7 Jun 2018 20:35

Instrument :
MSVOA_D
ClientSampleId :
HS-HOUSE-WALL

Tot Ion: 98 Resp: 652639
Ion Ratio Lower Upper
98 100
100 66.4 53.4 80.0




Abundance Ion 98.05 (97.75 to 98.75): VD057960.D (-855) (-)
Ion 100.05 (99.75 to 100.75): VD057960.D (-855) (-)






#62
4-Bromofluorobenzene
Concen: N.D. ug/l
RT: 11.92 min Scan# 1188
Delta R.T. -0.01 min
Lab File: VD057983.D
Acq: 7 Jun 2018 20:35

Tgt Ion: 95 Resp: 257167
Ion Ratio Lower Upper
95 100
174 78.7 0.0 169.4
176 79.4 0.0 162.6



Abundance Ion 95.00 (94.70 to 95.70): VD057960.D (-1184) (-)
Ion 173.90 (173.60 to 174.60): VD057960.D (-1184) (-)
Ion 175.90 (175.60 to 176.60): VD057960.D (-1184) (-)









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.68 min Scan# 1062
Delta R.T. -0.01 min
Lab File: VD057983.D
Acq: 7 Jun 2018 20:35

Instrument :
MSVOA_D
ClientSampleId :
HS-HOUSE-WALL

Tot Ion:117 Resp: 626191
Ion Ratio Lower Upper
117 100
82 59.1 46.8 70.2
119 31.5 25.8 38.6




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.90 min Scan# 1288
Delta R.T. -0.01 min
Lab File: VD057983.D
Acq: 7 Jun 2018 20:35

Tgt Ion:152 Resp: 283477
Ion Ratio Lower Upper
152 100
115 50.0 25.6 76.6
150 154.8 0.0 306.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

