

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD060718\
 Data File : VD058001.D
 Acq On : 8 Jun 2018 6:53
 Operator : JC/SY
 Sample : J3329-10RE
 Misc : 6.37g/5ml/MSVOA D/SOIL
 ALS Vial : 65 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 MH-38(0-5)RE

Quant Time: Jun 08 08:54:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 07 08:57:33 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.64	168	25253	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.69	114	49568	50.00	ug/l	-0.01
63) Chlorobenzene-d5	10.68	117	45090	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.90	152	24221	50.00	ug/l	-0.01

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.01	65	30673	121.49	ug/l	-0.01
Spiked Amount	50.000		Recovery	=	242.98%	
35) Dibromofluoromethane	5.54	113	21296	55.53	ug/l	-0.01
Spiked Amount	50.000		Recovery	=	111.06%	
50) Toluene-d8	8.70	98	36682	40.23	ug/l	0.00
Spiked Amount	50.000		Recovery	=	80.46%	
62) 4-Bromofluorobenzene	11.92	95	20934	52.63	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.26%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD060718\
Data File : VD058001.D
Acq On : 8 Jun 2018 6:53
Operator : JC/SY
Sample : J3329-10RE
Misc : 6.37g/5ml/MSVOA D/SOIL
ALS Vial : 65 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
MH-38(0-5)RE

Quant Time: Jun 08 08:54:26 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
Quant Title : SW846 8260
QLast Update : Thu Jun 07 08:57:33 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.64 min Scan# 550

Delta R.T. -0.01 min

Lab File: VD058001.D

Acq: 8 Jun 2018 6:53

Instrument :

MSVOA_D

ClientSampleId :


MH-38(0-5)RE

Tot Ion:168 Resp: 25253

Ion Ratio Lower Upper




168 100

99 52.0 46.8 70.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#33

1,2-Dichloroethane-d4

Concen: Below ug/l

RT: 6.01 min Scan# 587

Delta R.T. -0.01 min

Lab File: VD058001.D


Acq: 8 Jun 2018 6:53

Tgt Ion: 65 Resp: 30673

Ion Ratio Lower Upper



65 100


67 47.7 0.0 94.0



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.69 min Scan# 656
 Delta R.T. -0.01 min
 Lab File: VD058001.D
 Acq: 8 Jun 2018 6:53

Instrument :
 MSVOA_D
 ClientSampleId :
 MH-38(0-5)RE

Tot Ion:114 Resp: 49568
 Ion Ratio Lower Upper
 114 100
 63 24.8 0.0 42.8
 88 25.7 0.0 37.8




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): VDC
 Ion 87.90 (87.60 to 88.60): VDC






#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 5.54 min Scan# 540
 Delta R.T. -0.01 min
 Lab File: VD058001.D
 Acq: 8 Jun 2018 6:53

Tgt Ion:113 Resp: 21296
 Ion Ratio Lower Upper
 113 100
 111 97.4 81.5 122.3
 192 23.0 16.4 24.6



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 8.70 min Scan# 861
Delta R.T. -0.01 min
Lab File: VD058001.D
Acq: 8 Jun 2018 6:53

Instrument :
MSVOA_D
ClientSampleId :
MH-38(0-5)RE

Tot Ion: 98 Resp: 36682
Ion Ratio Lower Upper
98 100
100 69.3 53.4 80.0




Abundance Ion 98.05 (97.75 to 98.75): VD057960.D (-855) (-)
Ion 100.05 (99.75 to 100.75): VD057960.D (-855) (-)






#62
4-Bromofluorobenzene
Concen: N.D. ug/l
RT: 11.92 min Scan# 1188
Delta R.T. -0.01 min
Lab File: VD058001.D
Acq: 8 Jun 2018 6:53

Tgt Ion: 95 Resp: 20934
Ion Ratio Lower Upper
95 100
174 93.7 0.0 169.4
176 95.6 0.0 162.6



Abundance Ion 95.00 (94.70 to 95.70): VD057960.D (-1184) (-)
Ion 173.90 (173.60 to 174.60): VD057960.D (-1184) (-)
Ion 175.90 (175.60 to 176.60): VD057960.D (-1184) (-)









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.68 min Scan# 1062
Delta R.T. -0.01 min
Lab File: VD058001.D
Acq: 8 Jun 2018 6:53

Instrument :
MSVOA_D
ClientSampleId :
MH-38(0-5)RE

Tot Ion:117 Resp: 45090
Ion Ratio Lower Upper
117 100
82 65.6 46.8 70.2
119 37.6 25.8 38.6




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.90 min Scan# 1287
Delta R.T. -0.01 min
Lab File: VD058001.D
Acq: 8 Jun 2018 6:53

Tgt Ion:152 Resp: 24221
Ion Ratio Lower Upper
152 100
115 55.8 25.6 76.6
150 170.7 0.0 306.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

