

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD060818\
 Data File : VD058028.D
 Acq On : 8 Jun 2018 20:03
 Operator : VA/AP
 Sample : J3325-01
 Misc : 5.17g/5ml/MSVOA D/SOIL
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 BS-OILY-STONE-RO-156

Quant Time: Jun 09 01:30:47 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 07 08:57:33 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.63	168	673791	50.00	ug/l	-0.02
34) 1,4-Difluorobenzene	6.67	114	886959	50.00	ug/l	-0.03
63) Chlorobenzene-d5	10.68	117	759120	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.90	152	394834	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.00	65	380465	56.48	ug/l	-0.02
Spiked Amount						
			Recovery	=	112.96%	
35) Dibromofluoromethane	5.54	113	3982	0.58	ug/l	-0.02
Spiked Amount						
			Recovery	=	1.16%	
50) Toluene-d8	8.69	98	872066	53.45	ug/l	-0.02
Spiked Amount						
			Recovery	=	106.90%	
62) 4-Bromofluorobenzene	11.92	95	394247	55.39	ug/l	0.00
Spiked Amount						
			Recovery	=	110.78%	


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
16) Acetone	2.61	43	35016	36.08	ug/l	# 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD060818\
Data File : VD058028.D
Acq On : 8 Jun 2018 20:03
Operator : VA/AP
Sample : J3325-01
Misc : 5.17a/5ml/MSVOA D/SOIL
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
BS-OILY-STONE-RO-156

Quant Time: Jun 09 01:30:47 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
Quant Title : SW846 8260
QLast Update : Thu Jun 07 08:57:33 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.63 min Scan# 549

Delta R.T. -0.02 min

Lab File: VD058028.D

Acq: 8 Jun 2018 20:03

Instrument :

MSVOA_D

ClientSampleId :


BS-OILY-STONE-RO-156

Tot Ion:168 Resp: 673791

Ion Ratio Lower Upper

168 100

99 51.6 46.8 70.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

5.63

250000

200000

150000



100000

50000

0

Time-->

5.50 5.60 5.70 5.80



#16

Acetone

Concen: 36.08 ug/l

RT: 2.61 min Scan# 242

Delta R.T. -0.01 min

Lab File: VD058028.D


Acq: 8 Jun 2018 20:03

Tgt Ion: 43 Resp: 35016

Ion Ratio Lower Upper

43 100

58 15.2 15.8 23.8#



Abundance Ion 42.95 (42.65 to 43.65): VDC

Ion 57.95 (57.65 to 58.65): VDC

2.61

12000

10000

8000

6000


4000


2000

0

Time-->

2.50 2.60 2.70





#33

1,2-Dichloroethane-d4

Concen: Below ug/l

RT: 6.00 min Scan# 587

Delta R.T. -0.02 min

Lab File: VD058028.D

Acq: 8 Jun 2018 20:03

Instrument :

MSVOA_D

ClientSampleId :


BS-OILY-STONE-RO-156

Tot Ion: 65 Resp: 380465

Ion Ratio Lower Upper




65 100

67 49.0 0.0 94.0



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC



#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 6.67 min Scan# 655

Delta R.T. -0.03 min

Lab File: VD058028.D

Acq: 8 Jun 2018 20:03


Tgt Ion: 114 Resp: 886959

Ion Ratio Lower Upper

114 100

63 22.3 0.0 42.8



88 20.4 0.0 37.8




Abundance Ion 114.00 (113.70 to 114.70): V

Ion 62.95 (62.65 to 63.65): VDC

Ion 87.90 (87.60 to 88.60): VDC





#35

Dibromofluoromethane

Concen: 50.00 ug/l

RT: 5.54 min Scan# 540

Delta R.T. -0.02 min

Lab File: VD058028.D

Acq: 8 Jun 2018 20:03

Instrument :

MSVOA_D

ClientSampleId :

BS-OILY-STONE-RO-156


Tot Ion:113 Resp: 3982

Ion Ratio Lower Upper

113 100

111 111.1 81.5 122.3




192 0.0 16.4 24.6#



Abundance Ion 112.90 (112.60 to 113.60): V

Ion 110.90 (110.60 to 111.60): V

Ion 191.80 (191.50 to 192.50): V



#50

Toluene-d8

Concen: N.D. ug/l

RT: 8.69 min Scan# 860

Delta R.T. -0.02 min

Lab File: VD058028.D


Acq: 8 Jun 2018 20:03

Tgt Ion: 98 Resp: 872066

Ion Ratio Lower Upper



98 100


100 69.7 53.4 80.0



Abundance Ion 98.05 (97.75 to 98.75): V

Ion 100.05 (99.75 to 100.75): V





#62

4-Bromofluorobenzene

Concen: N.D. ug/l

RT: 11.92 min Scan# 1188

Delta R.T. -0.01 min

Lab File: VD058028.D

Acq: 8 Jun 2018 20:03

Instrument :

MSVOA_D

ClientSampleId :

BS-OILY-STONE-RO-156


Tot Ion: 95 Resp: 394247

Ion Ratio Lower Upper

95 100

174 86.7 0.0 169.4




176 86.5 0.0 162.6



Abundance Ion 95.00 (94.70 to 95.70): V

Ion 173.90 (173.60 to 174.60): V

Ion 175.90 (175.60 to 176.60): V



#63

Chlorobenzene-d5

Concen: 50.00 ug/l

RT: 10.68 min Scan# 1062

Delta R.T. -0.01 min

Lab File: VD058028.D

Acq: 8 Jun 2018 20:03


Tgt Ion: 117 Resp: 759120

Ion Ratio Lower Upper

117 100

82 60.2 46.8 70.2



119 31.9 25.8 38.6




Abundance Ion 116.95 (116.65 to 117.65): V

Ion 82.05 (81.75 to 82.75): V

Ion 118.95 (118.65 to 119.65): V





#72

1,4-Dichlorobenzene-d4

Concen: 50.00 ug/l

RT: 12.90 min Scan# 1288

Delta R.T. -0.01 min

Lab File: VD058028.D

Acq: 8 Jun 2018 20:03

Instrument :

MSVOA_D

ClientSampleId :

BS-OILY-STONE-RO-156


Tot Ion:152 Resp: 394834

Ion Ratio Lower Upper

152 100

115 48.7 25.6 76.6

150 152.5 0.0 306.8



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 115.00 (114.70 to 115.70): V

Ion 149.90 (149.60 to 150.60): V

