

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD061621\
 Data File : VD069454.D
 Acq On : 16 Jun 2021 08:46
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 17 02:44:29 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D061121S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 11 12:50:13 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	107	0.00
2 T	Dichlorodifluoromethane	0.498	0.488	2.0	107	0.00
3 P	Chloromethane	0.498	0.449	9.8	97	0.00
4 C	Vinyl Chloride	0.603	0.583	3.3#	104	0.00
5 T	Bromomethane	0.491	0.433	11.8	102	0.00
6 T	Chloroethane	0.415	0.394	5.1	102	0.00
7 T	Trichlorofluoromethane	0.986	0.983	0.3	111	0.00
8 T	Diethyl Ether	0.247	0.233	5.7	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.586	0.595	-1.5	112	0.00
10 T	Methyl Iodide	0.536	0.549	-2.4	99	0.00
11 T	Tert butyl alcohol	0.029	0.025	13.8	96	0.00
12 CM	1,1-Dichloroethene	0.530	0.539	-1.7#	107	0.00
13 T	Acrolein	0.037	0.036	2.7	98	0.00
14 T	Allyl chloride	0.624	0.642	-2.9	109	0.00
15 T	Acrylonitrile	0.095	0.089	6.3	98	0.00
16 T	Acetone	0.093	0.095	-2.2	104	0.00
17 T	Carbon Disulfide	1.715	1.746	-1.8	106	0.00
18 T	Methyl Acetate	0.254	0.206	18.9	100	0.00
19 T	Methyl tert-butyl Ether	0.967	0.970	-0.3	101	0.00
20 T	Methylene Chloride	0.875	0.672	23.2	103	0.00
21 T	trans-1,2-Dichloroethene	0.621	0.640	-3.1	109	0.00
22 T	Diisopropyl ether	1.240	1.325	-6.9	106	0.00
23 T	Vinyl Acetate	0.690	0.745	-8.0	101	0.00
24 P	1,1-Dichloroethane	1.032	1.036	-0.4	109	0.00
25 T	2-Butanone	0.116	0.115	0.9	99	0.00
26 T	2,2-Dichloropropane	0.910	0.953	-4.7	113	0.00
27 T	cis-1,2-Dichloroethene	0.672	0.681	-1.3	106	0.00
28 T	Bromochloromethane	0.378	0.394	-4.2	105	0.00
29 T	Tetrahydrofuran	0.066	0.065	1.5	97	0.00
30 C	Chloroform	1.150	1.132	1.6#	108	0.00
31 T	Cyclohexane	0.767	0.806	-5.1	112	0.00
32 T	1,1,1-Trichloroethane	1.010	1.015	-0.5	108	0.00
33 S	1,2-Dichloroethane-d4	0.564	0.509	9.8	97	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	105	0.00
35 S	Dibromofluoromethane	0.375	0.365	2.7	100	0.00
36 T	1,1-Dichloropropene	0.521	0.565	-8.4	110	0.00
37 T	Ethyl Acetate	0.174	0.171	1.7	98	0.00
38 T	Carbon Tetrachloride	0.564	0.604	-7.1	111	0.00
39 T	Methylcyclohexane	0.524	0.600	-14.5	112	0.00
40 TM	Benzene	1.515	1.602	-5.7	108	0.00
41 T	Methacrylonitrile	0.087	0.074	14.9	89	0.00
42 TM	1,2-Dichloroethane	0.416	0.408	1.9	103	0.00
43 T	Isopropyl Acetate	0.329	0.321	2.4	97	0.00
44 TM	Trichloroethene	0.423	0.440	-4.0	108	0.00
45 C	1,2-Dichloropropane	0.370	0.391	-5.7#	108	0.00
46 T	Dibromomethane	0.212	0.213	-0.5	104	0.00
47 T	Bromodichloromethane	0.546	0.560	-2.6	107	0.00
48 T	Methyl methacrylate	0.150	0.150	0.0	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD061621\
 Data File : VD069454.D
 Acq On : 16 Jun 2021 08:46
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 17 02:44:29 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D061121S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 11 12:50:13 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	95	0.00
50 S	Toluene-d8	1.370	1.393	-1.7	101	0.00
51 T	4-Methyl-2-Pentanone	0.168	0.170	-1.2	96	0.00
52 CM	Toluene	0.962	1.067	-10.9#	110	0.00
53 T	t-1,3-Dichloropropene	0.468	0.490	-4.7	105	0.00
54 T	cis-1,3-Dichloropropene	0.563	0.589	-4.6	106	0.00
55 T	1,1,2-Trichloroethane	0.293	0.296	-1.0	104	0.00
56 T	Ethyl methacrylate	0.296	0.319	-7.8	101	0.00
57 T	1,3-Dichloropropane	0.477	0.489	-2.5	105	0.00
58 T	2-Chloroethyl Vinyl ether	0.149	0.157	-5.4	96	0.00
59 T	2-Hexanone	0.112	0.123	-9.8	103	0.00
60 T	Dibromochloromethane	0.373	0.375	-0.5	103	0.00
61 T	1,2-Dibromoethane	0.281	0.279	0.7	102	0.00
62 S	4-Bromofluorobenzene	0.439	0.450	-2.5	103	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	105	0.00
64 T	Tetrachloroethene	0.387	0.399	-3.1	108	0.00
65 PM	Chlorobenzene	1.100	1.149	-4.5	107	0.00
66 T	1,1,1,2-Tetrachloroethane	0.422	0.436	-3.3	107	0.00
67 C	Ethyl Benzene	1.844	2.091	-13.4#	110	0.00
68 T	m/p-Xylenes	0.733	0.829	-13.1	108	0.00
69 T	o-Xylene	0.648	0.737	-13.7	108	0.00
70 T	Styrene	1.141	1.299	-13.8	107	0.00
71 P	Bromoform	0.219	0.218	0.5	102	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
73 T	Isopropylbenzene	3.515	3.965	-12.8	109	0.00
74 T	N-amyl acetate	0.631	0.640	-1.4	98	0.00
75 P	1,1,2,2-Tetrachloroethane	0.675	0.657	2.7	102	0.00
76 T	1,2,3-Trichloropropane	0.507	0.487	3.9	98	0.00
77 T	Bromobenzene	0.881	0.914	-3.7	106	0.00
78 T	n-propylbenzene	4.314	4.928	-14.2	110	0.00
79 T	2-Chlorotoluene	2.452	2.687	-9.6	107	0.00
80 T	1,3,5-Trimethylbenzene	2.963	3.389	-14.4	109	0.00
81 T	trans-1,4-Dichloro-2-butene	0.190	0.195	-2.6	101	0.00
82 T	4-Chlorotoluene	2.610	2.874	-10.1	109	0.00
83 T	tert-Butylbenzene	2.523	2.855	-13.2	110	0.00
84 T	1,2,4-Trimethylbenzene	2.963	3.407	-15.0	109	0.00
85 T	sec-Butylbenzene	3.709	4.246	-14.5	110	0.00
86 T	p-Isopropyltoluene	3.222	3.732	-15.8	108	0.00
87 T	1,3-Dichlorobenzene	1.765	1.840	-4.2	106	0.00
88 T	1,4-Dichlorobenzene	1.758	1.788	-1.7	106	0.00
89 T	n-Butylbenzene	2.997	3.509	-17.1	112	0.00
90 T	Hexachloroethane	0.627	0.652	-4.0	107	0.00
91 T	1,2-Dichlorobenzene	1.540	1.577	-2.4	105	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.102	0.095	6.9	100	0.00
93 T	1,2,4-Trichlorobenzene	0.896	0.970	-8.3	106	0.00
94 T	Hexachlorobutadiene	0.560	0.620	-10.7	109	0.00
95 T	Naphthalene	1.515	1.588	-4.8	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD061621\
Data File : VD069454.D
Acq On : 16 Jun 2021 08:46
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jun 17 02:44:29 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D061121S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 11 12:50:13 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.778	0.823	-5.8	102	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6