

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062121\
 Data File : VD069509.D
 Acq On : 21 Jun 2021 19:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 22 05:10:07 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D062121S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 22 04:33:24 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	86	0.00
2 T	Dichlorodifluoromethane	0.480	0.448	6.7	84	0.00
3 P	Chloromethane	0.702	0.725	-3.3	90	0.00
4 C	Vinyl Chloride	0.782	0.787	-0.6#	85	0.00
5 T	Bromomethane	0.506	0.514	-1.6	91	0.00
6 T	Chloroethane	0.521	0.533	-2.3	87	0.00
7 T	Trichlorofluoromethane	0.929	0.899	3.2	82	0.00
8 T	Diethyl Ether	0.246	0.258	-4.9	87	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.568	0.540	4.9	84	0.00
10 T	Methyl Iodide	0.451	0.477	-5.8	78	0.00
11 T	Tert butyl alcohol	0.044	0.031	29.5#	85	0.00
12 CM	1,1-Dichloroethene	0.494	0.507	-2.6#	86	0.00
13 T	Acrolein	0.035	0.037	-5.7	83	0.00
14 T	Allyl chloride	0.692	0.728	-5.2	86	0.00
15 T	Acrylonitrile	0.103	0.110	-6.8	89	0.00
16 T	Acetone	0.105	0.088	16.2	71	0.00
17 T	Carbon Disulfide	1.626	1.710	-5.2	87	0.00
18 T	Methyl Acetate	0.296	0.261	11.8	89	0.00
19 T	Methyl tert-butyl Ether	0.970	1.061	-9.4	89	0.00
20 T	Methylene Chloride	0.851	0.734	13.7	94	0.00
21 T	trans-1,2-Dichloroethene	0.596	0.623	-4.5	86	0.00
22 T	Diisopropyl ether	1.395	1.596	-14.4	91	0.00
23 T	Vinyl Acetate	0.764	0.902	-18.1	88	0.00
24 P	1,1-Dichloroethane	1.105	1.167	-5.6	90	0.00
25 T	2-Butanone	0.133	0.134	-0.8	83	0.00
26 T	2,2-Dichloropropane	0.903	0.848	6.1	80	0.00
27 T	cis-1,2-Dichloroethene	0.647	0.699	-8.0	90	0.00
28 T	Bromochloromethane	0.433	0.502	-15.9	99	0.00
29 T	Tetrahydrofuran	0.073	0.080	-9.6	88	0.00
30 C	Chloroform	1.168	1.215	-4.0#	91	0.00
31 T	Cyclohexane	0.839	0.794	5.4	82	0.00
32 T	1,1,1-Trichloroethane	0.962	0.977	-1.6	86	0.00
33 S	1,2-Dichloroethane-d4	0.623	0.652	-4.7	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	91	0.00
35 S	Dibromofluoromethane	0.338	0.347	-2.7	96	0.00
36 T	1,1-Dichloropropene	0.491	0.485	1.2	84	0.00
37 T	Ethyl Acetate	0.182	0.190	-4.4	89	0.00
38 T	Carbon Tetrachloride	0.486	0.467	3.9	84	0.00
39 T	Methylcyclohexane	0.484	0.466	3.7	79	0.00
40 TM	Benzene	1.415	1.459	-3.1	90	0.00
41 T	Methacrylonitrile	0.106	0.090	15.1	85	0.00
42 TM	1,2-Dichloroethane	0.411	0.422	-2.7	91	0.00
43 T	Isopropyl Acetate	0.331	0.335	-1.2	87	0.00
44 TM	Trichloroethene	0.357	0.354	0.8	87	0.00
45 C	1,2-Dichloropropane	0.363	0.381	-5.0#	92	0.00
46 T	Dibromomethane	0.190	0.198	-4.2	92	0.00
47 T	Bromodichloromethane	0.511	0.524	-2.5	92	0.00
48 T	Methyl methacrylate	0.157	0.157	0.0	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062121\
 Data File : VD069509.D
 Acq On : 21 Jun 2021 19:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 22 05:10:07 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D062121S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 22 04:33:24 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	91	0.00
50 S	Toluene-d8	1.268	1.312	-3.5	96	0.00
51 T	4-Methyl-2-Pentanone	0.174	0.183	-5.2	88	0.00
52 CM	Toluene	0.873	0.914	-4.7#	89	0.00
53 T	t-1,3-Dichloropropene	0.442	0.449	-1.6	88	0.00
54 T	cis-1,3-Dichloropropene	0.531	0.537	-1.1	89	0.00
55 T	1,1,2-Trichloroethane	0.269	0.272	-1.1	91	0.00
56 T	Ethyl methacrylate	0.285	0.304	-6.7	88	0.00
57 T	1,3-Dichloropropane	0.454	0.474	-4.4	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.150	0.173	-15.3	95	0.00
59 T	2-Hexanone	0.117	0.122	-4.3	85	0.00
60 T	Dibromochloromethane	0.317	0.327	-3.2	91	0.00
61 T	1,2-Dibromoethane	0.248	0.253	-2.0	88	0.00
62 S	4-Bromofluorobenzene	0.417	0.443	-6.2	96	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	93	0.00
64 T	Tetrachloroethene	0.314	0.302	3.8	87	0.00
65 PM	Chlorobenzene	0.994	0.988	0.6	90	0.00
66 T	1,1,1,2-Tetrachloroethane	0.362	0.360	0.6	91	0.00
67 C	Ethyl Benzene	1.737	1.784	-2.7#	88	0.00
68 T	m/p-Xylenes	0.654	0.692	-5.8	89	0.00
69 T	o-Xylene	0.586	0.624	-6.5	88	0.00
70 T	Styrene	1.033	1.130	-9.4	91	0.00
71 P	Bromoform	0.183	0.179	2.2	88	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	3.445	3.472	-0.8	86	0.00
74 T	N-amyl acetate	0.699	0.708	-1.3	88	0.00
75 P	1,1,2,2-Tetrachloroethane	0.692	0.668	3.5	89	0.00
76 T	1,2,3-Trichloropropane	0.491	0.497	-1.2	91	0.00
77 T	Bromobenzene	0.782	0.795	-1.7	90	0.00
78 T	n-propylbenzene	4.324	4.411	-2.0	87	0.00
79 T	2-Chlorotoluene	2.470	2.529	-2.4	90	0.00
80 T	1,3,5-Trimethylbenzene	2.899	2.999	-3.4	87	0.00
81 T	trans-1,4-Dichloro-2-butene	0.197	0.180	8.6	83	0.00
82 T	4-Chlorotoluene	2.648	2.739	-3.4	91	0.00
83 T	tert-Butylbenzene	2.361	2.472	-4.7	86	0.00
84 T	1,2,4-Trimethylbenzene	2.882	3.048	-5.8	89	0.00
85 T	sec-Butylbenzene	3.615	3.632	-0.5	85	0.00
86 T	p-Isopropyltoluene	3.043	3.157	-3.7	86	0.00
87 T	1,3-Dichlorobenzene	1.602	1.609	-0.4	91	0.00
88 T	1,4-Dichlorobenzene	1.596	1.562	2.1	89	0.00
89 T	n-Butylbenzene	3.035	3.048	-0.4	85	0.00
90 T	Hexachloroethane	0.595	0.570	4.2	88	0.00
91 T	1,2-Dichlorobenzene	1.386	1.398	-0.9	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.105	0.096	8.6	90	0.00
93 T	1,2,4-Trichlorobenzene	0.773	0.776	-0.4	86	0.00
94 T	Hexachlorobutadiene	0.485	0.456	6.0	84	0.00
95 T	Naphthalene	1.368	1.422	-3.9	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062121\
Data File : VD069509.D
Acq On : 21 Jun 2021 19:45
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jun 22 05:10:07 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D062121S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 22 04:33:24 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.681	0.688	-1.0	87	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6