

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD062218\
 Data File : VD058327.D
 Acq On : 23 Jun 2018 7:34
 Operator : VA/AP
 Sample : J3594-07
 Misc : 6.47g/5ml/MSVOA D/SOIL
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 HC-SOIL-4

Quant Time: Jun 25 01:25:43 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D061918S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 20 05:52:56 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.66	168	67485	50.00	ug/l	0.02
34) 1,4-Difluorobenzene	6.70	114	118295	50.00	ug/l	0.01
63) Chlorobenzene-d5	10.70	117	105832	50.00	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	12.92	152	56026	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.03	65	75916	111.37	ug/l	0.02
Spiked Amount	50.000		Recovery	=	222.74%	
35) Dibromofluoromethane	5.57	113	62872	65.30	ug/l	0.02
Spiked Amount	50.000		Recovery	=	130.60%	
50) Toluene-d8	8.72	98	109630	47.06	ug/l	0.01
Spiked Amount	50.000		Recovery	=	94.12%	
62) 4-Bromofluorobenzene	11.94	95	52229	54.89	ug/l	0.01
Spiked Amount	50.000		Recovery	=	109.78%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD062218\
Data File : VD058327.D
Acq On : 23 Jun 2018 7:34
Operator : VA/AP
Sample : J3594-07
Misc : 6.47g/5ml/MSVOA D/SOIL
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
HC-SOIL-4

Quant Time: Jun 25 01:25:43 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D061918S.M
Quant Title : SW846 8260
QLast Update : Wed Jun 20 05:52:56 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.66 min Scan# 552

Delta R.T. 0.02 min

Lab File: VD058327.D

Acq: 23 Jun 2018 7:34

Instrument :

MSVOA_D

ClientSampleId :


HC-SOIL-4

Tot Ion:168 Resp: 67485

Ion Ratio Lower Upper




168 100

99 46.6 41.1 61.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#33

1,2-Dichloroethane-d4

Concen: N.D. ug/l

RT: 6.03 min Scan# 590

Delta R.T. 0.02 min

Lab File: VD058327.D


Acq: 23 Jun 2018 7:34

Tgt Ion: 65 Resp: 75916

Ion Ratio Lower Upper



65 100


67 52.9 0.0 97.8



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 6.70 min Scan# 658

Delta R.T. 0.01 min

Lab File: VD058327.D

Acq: 23 Jun 2018 7:34

Instrument :

MSVOA_D

ClientSampleId :

HC-SOIL-4


Tot Ion:114 Resp: 118295

Ion Ratio Lower Upper

114 100

63 22.4 0.0 42.6




88 17.3 0.0 40.6



Abundance Ion 114.00 (113.70 to 114.70): V

Ion 62.95 (62.65 to 63.65): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 50.00 ug/l

RT: 5.57 min Scan# 543

Delta R.T. 0.02 min

Lab File: VD058327.D

Acq: 23 Jun 2018 7:34


Tgt Ion:113 Resp: 62872

Ion Ratio Lower Upper

113 100

111 93.4 80.6 121.0



192 22.9 17.8 26.6




Abundance Ion 112.90 (112.60 to 113.60): V

Ion 110.90 (110.60 to 111.60): V

Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 8.72 min Scan# 863
Delta R.T. 0.01 min
Lab File: VD058327.D
Acq: 23 Jun 2018 7:34

Instrument :
MSVOA_D
ClientSampled :
HC-SOIL-4

Tot Ion: 98 Resp: 109630
Ion Ratio Lower Upper
98 100
100 70.7 53.6 80.4




Abundance Ion 98.05 (97.75 to 98.75): VD0
Ion 100.05 (99.75 to 100.75): VD






#62
4-Bromofluorobenzene
Concen: N.D. ug/l
RT: 11.94 min Scan# 1190
Delta R.T. 0.01 min
Lab File: VD058327.D
Acq: 23 Jun 2018 7:34

Tgt Ion: 95 Resp: 52229
Ion Ratio Lower Upper
95 100
174 106.9 0.0 170.2
176 107.9 0.0 164.6



Abundance Ion 95.00 (94.70 to 95.70): VD0
Ion 173.90 (173.60 to 174.60): V
Ion 175.90 (175.60 to 176.60): V









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.70 min Scan# 1064
Delta R.T. 0.01 min
Lab File: VD058327.D
Acq: 23 Jun 2018 7:34

Instrument :
MSVOA_D
ClientSampleId :
HC-SOIL-4

Tot Ion:117 Resp: 105832
Ion Ratio Lower Upper
117 100
82 61.9 47.0 70.6
119 33.9 25.3 37.9




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.92 min Scan# 1289
Delta R.T. 0.00 min
Lab File: VD058327.D
Acq: 23 Jun 2018 7:34

Tgt Ion:152 Resp: 56026
Ion Ratio Lower Upper
152 100
115 51.0 25.1 75.3
150 161.8 0.0 308.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

