

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062322\
 Data File : VD073679.D
 Acq On : 23 Jun 2022 21:36
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 24 07:40:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D062322S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 24 07:36:47 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	50.000	45.467	9.1	88	0.00
3 P	Chloromethane	50.000	46.145	7.7	92	0.00
4 C	Vinyl Chloride	50.000	41.913	16.2#	86	0.00
5 T	Bromomethane	50.000	46.842	6.3	89	0.00
6 T	Chloroethane	50.000	44.294	11.4	90	0.00
7 T	Trichlorofluoromethane	50.000	43.366	13.3	89	0.00
8 T	Diethyl Ether	50.000	48.569	2.9	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	43.369	13.3	91	0.00
10 T	Methyl Iodide	50.000	48.906	2.2	94	0.00
11 T	Tert butyl alcohol	250.000	267.012	-6.8	106	0.00
12 CM	1,1-Dichloroethene	50.000	44.500	11.0#	88	0.00
13 T	Acrolein	250.000	256.960	-2.8	93	0.00
14 T	Allyl chloride	50.000	46.036	7.9	91	0.00
15 T	Acrylonitrile	250.000	250.757	-0.3	102	-0.01
16 T	Acetone	250.000	232.568	7.0	89	0.00
17 T	Carbon Disulfide	50.000	44.483	11.0	90	0.00
18 T	Methyl Acetate	50.000	47.151	5.7	99	-0.01
19 T	Methyl tert-butyl Ether	50.000	49.758	0.5	97	0.00
20 T	Methylene Chloride	50.000	51.578	-3.2	100	0.00
21 T	trans-1,2-Dichloroethene	50.000	47.051	5.9	94	0.00
22 T	Diisopropyl ether	50.000	52.223	-4.4	100	0.00
23 T	Vinyl Acetate	250.000	269.448	-7.8	98	0.00
24 P	1,1-Dichloroethane	50.000	47.524	5.0	95	0.00
25 T	2-Butanone	250.000	239.597	4.2	99	0.00
26 T	2,2-Dichloropropane	50.000	44.773	10.5	89	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.269	3.5	94	0.00
28 T	Bromochloromethane	50.000	52.636	-5.3	103	0.00
29 T	Tetrahydrofuran	250.000	255.183	-2.1	103	0.00
30 C	Chloroform	50.000	48.547	2.9#	96	0.00
31 T	Cyclohexane	50.000	42.948	14.1	89	0.00
32 T	1,1,1-Trichloroethane	50.000	47.463	5.1	94	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.393	3.2	104	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	96	0.00
35 S	Dibromofluoromethane	50.000	48.281	3.4	102	0.00
36 T	1,1-Dichloropropene	50.000	46.056	7.9	92	0.00
37 T	Ethyl Acetate	50.000	47.984	4.0	96	0.00
38 T	Carbon Tetrachloride	50.000	46.450	7.1	94	0.00
39 T	Methylcyclohexane	50.000	44.646	10.7	89	0.00
40 TM	Benzene	50.000	47.650	4.7	95	0.00
41 T	Methacrylonitrile	50.000	51.959	-3.9	99	0.00
42 TM	1,2-Dichloroethane	50.000	48.203	3.6	98	0.00
43 T	Isopropyl Acetate	50.000	50.600	-1.2	100	0.00
44 TM	Trichloroethene	50.000	46.443	7.1	94	0.00
45 C	1,2-Dichloropropane	50.000	48.076	3.8#	95	0.00
46 T	Dibromomethane	50.000	47.071	5.9	98	0.00
47 T	Bromodichloromethane	50.000	49.050	1.9	99	0.00
48 T	Methyl methacrylate	50.000	45.311	9.4	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062322\
 Data File : VD073679.D
 Acq On : 23 Jun 2022 21:36
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 24 07:40:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D062322S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 24 07:36:47 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	963.755	3.6	92	0.00
50 S	Toluene-d8	50.000	47.001	6.0	100	0.00
51 T	4-Methyl-2-Pentanone	250.000	256.770	-2.7	100	0.00
52 CM	Toluene	50.000	48.169	3.7#	95	0.00
53 T	t-1,3-Dichloropropene	50.000	49.167	1.7	98	0.00
54 T	cis-1,3-Dichloropropene	50.000	49.202	1.6	97	0.00
55 T	1,1,2-Trichloroethane	50.000	49.663	0.7	98	0.00
56 T	Ethyl methacrylate	50.000	51.980	-4.0	102	0.00
57 T	1,3-Dichloropropane	50.000	49.518	1.0	100	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	252.319	-0.9	101	0.00
59 T	2-Hexanone	250.000	261.386	-4.6	101	0.00
60 T	Dibromochloromethane	50.000	49.647	0.7	97	0.00
61 T	1,2-Dibromoethane	50.000	49.484	1.0	99	0.00
62 S	4-Bromofluorobenzene	50.000	49.311	1.4	106	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	97	0.00
64 T	Tetrachloroethene	50.000	44.227	11.5	91	0.00
65 PM	Chlorobenzene	50.000	47.712	4.6	96	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	46.992	6.0	95	0.00
67 C	Ethyl Benzene	50.000	47.750	4.5#	94	0.00
68 T	m/p-Xylenes	100.000	96.253	3.7	94	0.00
69 T	o-Xylene	50.000	48.512	3.0	95	0.00
70 T	Styrene	50.000	50.022	-0.0	97	0.00
71 P	Bromoform	50.000	49.162	1.7	101	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	98	0.00
73 T	Isopropylbenzene	50.000	47.971	4.1	95	0.00
74 T	N-amyl acetate	50.000	50.037	-0.1	101	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	47.463	5.1	100	0.00
76 T	1,2,3-Trichloropropane	50.000	42.037	15.9	92	0.00
77 T	Bromobenzene	50.000	47.638	4.7	98	0.00
78 T	n-propylbenzene	50.000	48.160	3.7	96	0.00
79 T	2-Chlorotoluene	50.000	47.660	4.7	96	0.00
80 T	1,3,5-Trimethylbenzene	50.000	48.098	3.8	96	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	48.093	3.8	100	0.00
82 T	4-Chlorotoluene	50.000	47.771	4.5	97	0.00
83 T	tert-Butylbenzene	50.000	48.147	3.7	95	0.00
84 T	1,2,4-Trimethylbenzene	50.000	49.022	2.0	97	0.00
85 T	sec-Butylbenzene	50.000	47.168	5.7	96	0.00
86 T	p-Isopropyltoluene	50.000	47.872	4.3	96	0.00
87 T	1,3-Dichlorobenzene	50.000	46.566	6.9	98	0.00
88 T	1,4-Dichlorobenzene	50.000	46.915	6.2	98	0.00
89 T	n-Butylbenzene	50.000	46.599	6.8	93	0.00
90 T	Hexachloroethane	50.000	46.605	6.8	96	0.00
91 T	1,2-Dichlorobenzene	50.000	48.445	3.1	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	45.784	8.4	103	0.00
93 T	1,2,4-Trichlorobenzene	50.000	47.104	5.8	97	0.00
94 T	Hexachlorobutadiene	50.000	47.645	4.7	101	0.00
95 T	Naphthalene	50.000	49.119	1.8	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062322\
Data File : VD073679.D
Acq On : 23 Jun 2022 21:36
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jun 24 07:40:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D062322S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 24 07:36:47 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	48.009	4.0	98	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6