

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062322\
 Data File : VD073678.D
 Acq On : 23 Jun 2022 21:08
 Operator : VA/SY
 Sample : N3214-03 4.0PPB
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 MDL-SOIL-03-QT2-2022

Quant Time: Jun 24 07:28:45 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D062322S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 24 07:23:55 2022
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : Semsettin Yesilyurt 06/30/2022
 Supervised By : Mahesh Dadoda 06/30/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.973	168	181585	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.855	114	307627	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.638	117	298186	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.561	152	151774	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.326	65	120931	54.223	ug/l	0.00
Spiked Amount 50.000	Range 50 - 163		Recovery = 108.440%			
35) Dibromofluoromethane	7.908	113	122361	51.060	ug/l	0.00
Spiked Amount 50.000	Range 54 - 147		Recovery = 102.120%			
50) Toluene-d8	10.332	98	407140	47.318	ug/l	0.00
Spiked Amount 50.000	Range 49 - 140		Recovery = 94.640%			
62) 4-Bromofluorobenzene	12.620	95	151079	46.814	ug/l	0.00
Spiked Amount 50.000	Range 25 - 144		Recovery = 93.620%			
Target Compounds						
					Qvalue	
2) Dichlorodifluoromethane	1.991	85	9236	5.036	ug/l	95
3) Chloromethane	2.209	50	7982	4.815	ug/l	95
4) Vinyl Chloride	2.344	62	7210	4.408	ug/l	94
5) Bromomethane	2.762	94	6170	4.902	ug/l	96
6) Chloroethane	2.915	64	4842	4.395	ug/l	99
7) Trichlorofluoromethane	3.268	101	17956	4.693	ug/l	89
8) Diethyl Ether	3.709	74	4102	4.181	ug/l	94
9) 1,1,2-Trichlorotrifluo...	4.085	101	9968	4.542	ug/l	97
10) Methyl Iodide	4.297	142	8387	4.015	ug/l	96
11) Tert butyl alcohol	5.179	59	28502	57.476	ug/l #	100
12) 1,1-Dichloroethene	4.062	96	8713	4.669	ug/l	92
13) Acrolein	3.938	56	826m	21.917	ug/l	
14) Allyl chloride	4.715	41	10963	3.985	ug/l	94
15) Acrylonitrile	5.397	53	11015	23.457	ug/l #	17
16) Acetone	4.156	43	9955	25.271	ug/l	91
17) Carbon Disulfide	4.403	76	20255	4.302	ug/l #	84
18) Methyl Acetate	4.715	43	8815	7.255	ug/l #	81
19) Methyl tert-butyl Ether	5.473	73	19790	4.073	ug/l	92
20) Methylene Chloride	4.967	84	20479	7.149	ug/l #	87
21) trans-1,2-Dichloroethene	5.479	96	9678	4.360	ug/l	82
22) Diisopropyl ether	6.361	45	22958	3.717	ug/l	96
23) Vinyl Acetate	6.297	43	54379	16.793	ug/l	100
24) 1,1-Dichloroethane	6.256	63	18233	4.432	ug/l	94
25) 2-Butanone	7.208	43	13539	24.089	ug/l #	88
26) 2,2-Dichloropropane	7.197	77	18301	4.723	ug/l	98
27) cis-1,2-Dichloroethene	7.203	96	12043	4.613	ug/l	95
28) Bromochloromethane	7.532	49	7070	4.870	ug/l #	99
29) Tetrahydrofuran	7.561	42	8086	23.665	ug/l	95
30) Chloroform	7.697	83	21654	4.677	ug/l	99
31) Cyclohexane	7.973	56	15907	4.754	ug/l #	75
32) 1,1,1-Trichloroethane	7.891	97	19258	4.631	ug/l	99
36) 1,1-Dichloropropene	8.103	75	14038	4.173	ug/l	98
37) Ethyl Acetate	7.291	43	5931	4.492	ug/l #	94
38) Carbon Tetrachloride	8.091	117	17552	4.481	ug/l	98
39) Methylcyclohexane	9.344	83	14414	3.859	ug/l	93
40) Benzene	8.344	78	41064	4.217	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062322\
 Data File : VD073678.D
 Acq On : 23 Jun 2022 21:08
 Operator : VA/SY
 Sample : N3214-03 4.0PPB
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 MDL-SOIL-03-QT2-2022

Quant Time: Jun 24 07:28:45 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D062322S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 24 07:23:55 2022
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022
 Supervised By :Mahesh Dadoda 06/30/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.526	41	2999m	3.763	ug/l	
42) 1,2-Dichloroethane	8.408	62	14246	4.855	ug/l	98
43) Isopropyl Acetate	8.438	43	11129	4.296	ug/l	95
44) Trichloroethene	9.103	130	12031	4.301	ug/l	90
45) 1,2-Dichloropropane	9.385	63	10287	4.214	ug/l	94
46) Dibromomethane	9.467	93	6069	4.282	ug/l	96
47) Bromodichloromethane	9.655	83	16468	4.433	ug/l	99
48) Methyl methacrylate	9.444	41	4592m	3.493	ug/l	
49) 1,4-Dioxane	9.450	88	1017	64.266	ug/l #	61
51) 4-Methyl-2-Pentanone	10.220	43	26852	20.169	ug/l	99
52) Toluene	10.397	92	27875	4.369	ug/l	99
53) t-1,3-Dichloropropene	10.608	75	13835	4.094	ug/l	96
54) cis-1,3-Dichloropropene	10.079	75	15944	4.145	ug/l	91
55) 1,1,2-Trichloroethane	10.791	97	8885	4.447	ug/l	93
56) Ethyl methacrylate	10.655	69	8499	3.774	ug/l	98
57) 1,3-Dichloropropane	10.932	76	13356	4.054	ug/l	96
58) 2-Chloroethyl Vinyl ether	9.938	63	17498	20.024	ug/l	99
59) 2-Hexanone	10.973	43	17534	19.508	ug/l	94
60) Dibromochloromethane	11.138	129	11433	4.342	ug/l	98
61) 1,2-Dibromoethane	11.232	107	8268	4.372	ug/l	98
64) Tetrachloroethene	10.873	164	10774	4.563	ug/l	93
65) Chlorobenzene	11.661	112	30449	4.172	ug/l	99
66) 1,1,1,2-Tetrachloroethane	11.738	131	12604	4.298	ug/l	98
67) Ethyl Benzene	11.738	91	48410	3.801	ug/l	90
68) m/p-Xylenes	11.844	106	35400	7.193	ug/l	99
69) o-Xylene	12.167	106	15527	3.401	ug/l	86
70) Styrene	12.185	104	27471	3.439	ug/l	98
71) Bromoform	12.349	173	6692	4.192	ug/l #	93
73) Isopropylbenzene	12.467	105	43556	3.514	ug/l	99
74) N-amyl acetate	12.279	43	8406	3.315	ug/l	93
75) 1,1,2,2-Tetrachloroethane	12.714	83	10712	4.581	ug/l	99
76) 1,2,3-Trichloropropane	12.773	75	8026m	5.434	ug/l	
77) Bromobenzene	12.749	156	12685	4.256	ug/l	93
78) n-propylbenzene	12.808	91	55870	3.688	ug/l	99
79) 2-Chlorotoluene	12.896	91	34075	3.862	ug/l	99
80) 1,3,5-Trimethylbenzene	12.949	105	35559	3.347	ug/l	92
81) trans-1,4-Dichloro-2-b...	12.502	75	2961	4.093	ug/l	90
82) 4-Chlorotoluene	12.991	91	35815	3.818	ug/l	99
83) tert-Butylbenzene	13.214	119	32053	3.432	ug/l	99
84) 1,2,4-Trimethylbenzene	13.255	105	35908	3.441	ug/l	99
85) sec-Butylbenzene	13.391	105	49175	3.580	ug/l	96
86) p-Isopropyltoluene	13.502	119	37851	3.310	ug/l	96
87) 1,3-Dichlorobenzene	13.502	146	24378	3.928	ug/l	99
88) 1,4-Dichlorobenzene	13.579	146	26097	4.249	ug/l	94
89) n-Butylbenzene	13.826	91	37450	3.497	ug/l	97
90) Hexachloroethane	14.090	117	9518	4.038	ug/l	91
91) 1,2-Dichlorobenzene	13.867	146	22267	4.170	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.490	75	1739	4.455	ug/l	89
93) 1,2,4-Trichlorobenzene	15.143	180	12279	3.850	ug/l	99
94) Hexachlorobutadiene	15.249	225	7657	4.234	ug/l	92
95) Naphthalene	15.385	128	18677	3.276	ug/l	98
96) 1,2,3-Trichlorobenzene	15.573	180	11100	3.984	ug/l	92

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062322\
Data File : VD073678.D
Acq On : 23 Jun 2022 21:08
Operator : VA/SY
Sample : N3214-03 4.0PPB
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022


Quant Time: Jun 24 07:28:45 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D062322S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 24 07:23:55 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.973 min Scan# 1029
Delta R.T. 0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion:168 Resp: 18158
Ion Ratio Lower Upper
168 100
99 55.8 46.4 69.6




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#2
Dichlorodifluoromethane
Concen: 5.036 ug/l
RT: 1.991 min Scan# 12
Delta R.T. 0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 85 Resp: 9236
Ion Ratio Lower Upper
85 100
87 27.4 15.2 45.5





#3
Chloromethane
Concen: 4.815 ug/l
RT: 2.209 min Scan# 49
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument : MSVOA_D
ClientSampleId : MDL-SOIL-03-QT2-2022




Tgt Ion: 50 Resp: 798
Ion Ratio Lower Upper
50 100
52 31.7 27.8 41.6

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#4
Vinyl Chloride
Concen: 4.408 ug/l
RT: 2.344 min Scan# 72
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Tgt Ion: 62 Resp: 7210
Ion Ratio Lower Upper
62 100
64 37.9 27.8 41.6





#5
Bromomethane
Concen: 4.902 ug/l
RT: 2.762 min Scan# 143
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion: 94 Resp: 6170
Ion Ratio Lower Upper
94 100
96 97.7 75.1 112.7

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#6
Chloroethane
Concen: 4.395 ug/l
RT: 2.915 min Scan# 169
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Tgt Ion: 64 Resp: 4842
Ion Ratio Lower Upper
64 100
66 28.4 23.3 34.9





#7
 Trichlorofluoromethane
 Concen: 4.693 ug/l
 RT: 3.268 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: VD073678.D
 Acq: 23 Jun 2022 21:08




Instrument :
 MSVOA_D
 ClientSampleId :
 MDL-SOIL-03-QT2-2022



Tgt Ion:101 Resp: 17950
 Ion Ratio Lower Upper
 101 100
 103 54.8 50.4 75.6




Manual Integrations
 APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
 Supervised By :Mahesh Dadoda 06/30/2022



#8
 Diethyl Ether
 Concen: 4.181 ug/l
 RT: 3.709 min Scan# 304
 Delta R.T. 0.006 min
 Lab File: VD073678.D
 Acq: 23 Jun 2022 21:08


Tgt Ion: 74 Resp: 4102
 Ion Ratio Lower Upper
 74 100
 45 95.2 45.0 134.8





#9
1,1,2-Trichlorotrifluoroethane
Concen: 4.542 ug/l
RT: 4.085 min Scan# 368
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion:101 Resp: 996
Ion Ratio Lower Upper
101 100
85 42.7 34.8 52.2
151 82.8 63.4 95.0




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#10
Methyl Iodide
Concen: 4.015 ug/l
RT: 4.297 min Scan# 404
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion:142 Resp: 8387
Ion Ratio Lower Upper
142 100
127 46.5 39.4 59.2
141 14.1 11.9 17.9





#11
Tert butyl alcohol
Concen: 57.476 ug/l
RT: 5.179 min Scan# 51
Delta R.T. -0.018 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion: 59 Resp: 2850
Ion Ratio Lower Upper
59 100
57 0.0 0.0 0.0

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#12
1,1-Dichloroethene
Concen: 4.669 ug/l
RT: 4.062 min Scan# 364
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Tgt Ion: 96 Resp: 8713
Ion Ratio Lower Upper
96 100
61 137.9 116.3 174.5
98 71.3 48.7 73.1





#13
Acrolein
Concen: 21.917 ug/l m
RT: 3.938 min Scan# 340
Delta R.T. 0.018 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion: 56 Resp: 820
Ion Ratio Lower Upper
56 100
55 16.1 60.3 90.5




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#14
Allyl chloride
Concen: 3.985 ug/l
RT: 4.715 min Scan# 475
Delta R.T. 0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 41 Resp: 10963
Ion Ratio Lower Upper
41 100
39 76.8 56.6 85.0
76 43.2 32.7 49.1





#15
Acrylonitrile
Concen: 23.457 ug/l
RT: 5.397 min Scan# 591
Delta R.T. -0.024 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion: 53 Resp: 1101
Ion Ratio Lower Upper
53 100
52 0.0 66.2 99.2
51 0.0 30.2 45.2

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#16
Acetone
Concen: 25.271 ug/l
RT: 4.156 min Scan# 380
Delta R.T. 0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Tgt Ion: 43 Resp: 9955
Ion Ratio Lower Upper
43 100
58 26.7 25.2 37.8





#17
Carbon Disulfide
Concen: 4.302 ug/l
RT: 4.403 min Scan# 41
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion: 76 Resp: 2025
Ion Ratio Lower Upper
76 100
78 15.4 7.7 11.5




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#18
Methyl Acetate
Concen: 7.255 ug/l
RT: 4.715 min Scan# 475
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 43 Resp: 8815
Ion Ratio Lower Upper
43 100
74 15.5 20.2 30.4





#19
Methyl tert-butyl Ether
Concen: 4.073 ug/l
RT: 5.473 min Scan# 604
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion: 73 Resp: 19790
Ion Ratio Lower Upper
73 100
57 24.0 16.3 24.5




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#20
Methylene Chloride
Concen: 7.149 ug/l
RT: 4.967 min Scan# 518
Delta R.T. 0.012 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 84 Resp: 20479
Ion Ratio Lower Upper
84 100
49 113.5 100.6 150.8
51 29.2 29.8 44.6#
86 56.2 56.1 84.1





#21
trans-1,2-Dichloroethene
Concen: 4.360 ug/l
RT: 5.479 min Scan# 603
Delta R.T. 0.012 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion: 96 Resp: 9678
Ion Ratio Lower Upper
96 100
61 108.6 105.0 157.6
98 51.8 50.6 75.8




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#22
Diisopropyl ether
Concen: 3.717 ug/l
RT: 6.361 min Scan# 755
Delta R.T. 0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Tgt Ion: 45 Resp: 22958
Ion Ratio Lower Upper
45 100
43 50.3 42.1 63.1
87 33.0 24.2 36.4
59 10.4 9.8 14.8









#23
 Vinyl Acetate
 Concen: 16.793 ug/l
 RT: 6.297 min Scan# 745
 Delta R.T. -0.006 min
 Lab File: VD073678.D
 Acq: 23 Jun 2022 21:08

Instrument :
 MSVOA_D
 ClientSampleId :
 MDL-SOIL-03-QT2-2022

Tgt Ion: 43 Resp: 54379
 Ion Ratio Lower Upper
 43 100
 86 11.9 9.7 14.5




Manual Integrations
 APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
 Supervised By :Mahesh Dadoda 06/30/2022



#24
 1,1-Dichloroethane
 Concen: 4.432 ug/l
 RT: 6.256 min Scan# 737
 Delta R.T. -0.000 min
 Lab File: VD073678.D
 Acq: 23 Jun 2022 21:08


Tgt Ion: 63 Resp: 18233
 Ion Ratio Lower Upper
 63 100
 98 10.6 4.0 12.2
 100 3.3 2.1 6.5





#25
2-Butanone
Concen: 24.089 ug/l
RT: 7.208 min Scan# 899
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion: 43 Resp: 13539
Ion Ratio Lower Upper
43 100
72 21.9 22.6 33.8

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#26
2,2-Dichloropropane
Concen: 4.723 ug/l
RT: 7.197 min Scan# 897
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Tgt Ion: 77 Resp: 18301
Ion Ratio Lower Upper
77 100
97 21.5 11.2 33.6





#27
cis-1,2-Dichloroethene
Concen: 4.613 ug/l
RT: 7.203 min Scan# 899
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument : MSVOA_D
ClientSampleId : MDL-SOIL-03-QT2-2022



Tgt Ion: 96 Resp: 1204
Ion Ratio Lower Upper
96 100
61 144.8 0.0 276.0
98 66.5 0.0 128.0




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#28
Bromochloromethane
Concen: 4.870 ug/l
RT: 7.532 min Scan# 954
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Tgt Ion: 49 Resp: 7070
Ion Ratio Lower Upper
49 100
129 0.0 0.0 5.0
130 92.3 73.2 109.8





#29

Tetrahydrofuran

Concen: 23.665 ug/l

RT: 7.561 min Scan# 91

Delta R.T. 0.006 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :





MDL-SOIL-03-QT2-2022

Tgt Ion:	42	Resp:	808
Ion	Ratio	Lower	Upper
42	100		
72	44.6	37.8	56.6
71	40.1	35.5	53.3

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#30

Chloroform

Concen: 4.677 ug/l




RT: 7.697 min Scan# 982


Delta R.T. -0.006 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08


Tgt Ion:	83	Resp:	21654
Ion	Ratio	Lower	Upper
83	100		
85	62.9	51.1	76.7





#31
Cyclohexane
Concen: 4.754 ug/l
RT: 7.973 min Scan# 1029
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion: 56 Resp: 1590
Ion Ratio Lower Upper
56 100
69 66.1 25.2 37.8
84 105.9 75.4 113.2

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#32
1,1,1-Trichloroethane
Concen: 4.631 ug/l
RT: 7.891 min Scan# 1015
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08



Tgt Ion: 97 Resp: 19258
Ion Ratio Lower Upper
97 100
99 63.8 51.2 76.8
61 42.9 33.4 50.0





#33

1,2-Dichloroethane-d4

Concen: 54.223 ug/l

RT: 8.326 min Scan# 1088

Delta R.T. 0.006 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :

MDL-SOIL-03-QT2-2022

Tgt Ion: 65 Resp: 12093

Ion Ratio Lower Upper

65 100





67 51.5 0.0 107.2

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022

Supervised By :Mahesh Dadoda 06/30/2022



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.855 min Scan# 1179

Delta R.T. -0.000 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08




Tgt Ion:114 Resp: 307627


Ion Ratio Lower Upper

114 100

63 19.9 0.0 39.2

88 16.3 0.0 29.4





#35

Dibromofluoromethane

Concen: 51.060 ug/l

RT: 7.908 min Scan# 1017

Delta R.T. 0.006 min

Lab File: VD073678.D


Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :

MDL-SOIL-03-QT2-2022






Tgt Ion:	113	Resp:	12236
Ion	Ratio	Lower	Upper
113	100		
111	101.2	81.8	122.6
192	19.1	14.8	22.2

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#36

1,1-Dichloropropene

Concen: 4.173 ug/l




RT: 8.103 min Scan# 1051


Delta R.T. -0.006 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Tgt Ion:	75	Resp:	14038
Ion	Ratio	Lower	Upper
75	100		
110	34.7	18.0	54.0
77	31.0	25.6	38.4





#37

Ethyl Acetate

Concen: 4.492 ug/l

RT: 7.291 min Scan# 912

Delta R.T. 0.006 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :





MDL-SOIL-03-QT2-2022

Tgt Ion: 43 Resp: 593

Ion	Ratio	Lower	Upper
43	100		
61	15.3	10.6	16.0
70	9.8	9.9	14.9

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#38

Carbon Tetrachloride

Concen: 4.481 ug/l

RT: 8.091 min Scan# 1049




Delta R.T. -0.000 min


Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Tgt Ion:117 Resp: 17552

Ion	Ratio	Lower	Upper
117	100		
119	96.6	79.2	118.8
121	28.7	23.8	35.8





#39

Methylcyclohexane

Concen: 3.859 ug/l

RT: 9.344 min Scan# 1092

Delta R.T. -0.006 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :

MDL-SOIL-03-QT2-2022





Tgt Ion: 83 Resp: 14414

Ion	Ratio	Lower	Upper
83	100		
55	65.6	59.0	88.4
98	45.4	38.3	57.5

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#40

Benzene

Concen: 4.217 ug/l

RT: 8.344 min Scan# 1092




Delta R.T. -0.000 min


Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Tgt Ion: 78 Resp: 41064


Ion	Ratio	Lower	Upper
78	100		
77	22.9	19.0	28.4





#41
Methacrylonitrile
Concen: 3.763 ug/l m
RT: 7.526 min Scan# 91
Delta R.T. 0.012 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion: 41 Resp: 299
Ion Ratio Lower Upper
41 100
39 48.2 42.1 63.1
67 83.0 58.6 87.8
52 27.6 25.0 37.4




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#42
1,2-Dichloroethane
Concen: 4.855 ug/l
RT: 8.408 min Scan# 1103
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 62 Resp: 14246
Ion Ratio Lower Upper
62 100
98 9.2 0.0 19.6





#43
Isopropyl Acetate
Concen: 4.296 ug/l
RT: 8.438 min Scan# 1112
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument : MSVOA_D
ClientSampleId : MDL-SOIL-03-QT2-2022



Tgt Ion: 43 Resp: 11129
Ion Ratio Lower Upper
43 100
61 35.1 25.4 38.0
87 13.8 11.9 17.9




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#44
Trichloroethene
Concen: 4.301 ug/l
RT: 9.103 min Scan# 1221
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Tgt Ion:130 Resp: 12031
Ion Ratio Lower Upper
130 100
95 91.8 0.0 202.8





#45

1,2-Dichloropropane

Concen: 4.214 ug/l

RT: 9.385 min Scan# 1269

Delta R.T. 0.006 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :

MDL-SOIL-03-QT2-2022

Tgt Ion: 63 Resp: 1028

Ion Ratio Lower Upper

63 100





65 28.3 25.5 38.3

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022

Supervised By :Mahesh Dadoda 06/30/2022



#46

Dibromomethane

Concen: 4.282 ug/l

RT: 9.467 min Scan# 1283

Delta R.T. -0.000 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08




Tgt Ion: 93 Resp: 6069


Ion Ratio Lower Upper

93 100

95 86.0 67.8 101.8

174 96.6 82.3 123.5









#47
Bromodichloromethane
Concen: 4.433 ug/l
RT: 9.655 min Scan# 11
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022

Tgt Ion: 83 Resp: 1646
Ion Ratio Lower Upper
83 100
85 68.5 54.5 81.7
127 8.5 7.7 11.5




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#48
Methyl methacrylate
Concen: 3.493 ug/l m
RT: 9.444 min Scan# 1279
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 41 Resp: 4592
Ion Ratio Lower Upper
41 100
69 101.0 69.6 104.4
39 63.5 45.5 68.3





#49
1,4-Dioxane
Concen: 64.266 ug/l
RT: 9.450 min Scan# 1281
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion: 88 Resp: 101
Ion Ratio Lower Upper
88 100
43 51.2 24.5 36.7
58 36.3 54.4 81.6




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#50
Toluene-d8
Concen: 47.318 ug/l
RT: 10.332 min Scan# 1430
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 98 Resp: 407140
Ion Ratio Lower Upper
98 100
100 65.4 54.0 81.0





#51
4-Methyl-2-Pentanone
Concen: 20.169 ug/l
RT: 10.220 min Scan# 1411
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion: 43 Resp: 26852
Ion Ratio Lower Upper
43 100
58 41.0 32.3 48.5

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#52
Toluene
Concen: 4.369 ug/l
RT: 10.397 min Scan# 1441
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Tgt Ion: 92 Resp: 27875
Ion Ratio Lower Upper
92 100
91 171.1 136.1 204.1





#53
t-1,3-Dichloropropene
Concen: 4.094 ug/l
RT: 10.608 min Scan# 1477
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion: 75 Resp: 1383
Ion Ratio Lower Upper
75 100
77 28.6 24.6 37.0




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#54
cis-1,3-Dichloropropene
Concen: 4.145 ug/l
RT: 10.079 min Scan# 1387
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 75 Resp: 15944
Ion Ratio Lower Upper
75 100
77 29.8 26.2 39.2
39 39.4 38.0 57.0





#55
1,1,2-Trichloroethane
Concen: 4.447 ug/l
RT: 10.791 min Scan# 1508
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument : MSVOA_D
ClientSampleId : MDL-SOIL-03-QT2-2022




Tgt Ion:	97	Resp:	888
Ion	Ratio	Lower	Upper
97	100		
83	81.2	67.1	100.7
85	47.7	44.0	66.0
99	56.6	51.5	77.3

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#56
Ethyl methacrylate
Concen: 3.774 ug/l
RT: 10.655 min Scan# 1485
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08



Tgt Ion:	69	Resp:	8499
Ion	Ratio	Lower	Upper
69	100		
41	61.9	51.6	77.4
39	36.3	29.2	43.8





#57

1,3-Dichloropropane

Concen: 4.054 ug/l

RT: 10.932 min Scan# 1532

Delta R.T. -0.006 min

Lab File: VD073678.D


Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :

MDL-SOIL-03-QT2-2022



Tgt Ion: 76 Resp: 1335

Ion Ratio Lower Upper

76 100




78 36.1 27.1 40.7

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022

Supervised By :Mahesh Dadoda 06/30/2022



#58

2-Chloroethyl Vinyl ether

Concen: 20.024 ug/l

RT: 9.938 min Scan# 1363

Delta R.T. 0.006 min

Lab File: VD073678.D




Acq: 23 Jun 2022 21:08


Tgt Ion: 63 Resp: 17498

Ion Ratio Lower Upper

63 100


106 30.7 25.2 37.8





#59
2-Hexanone
Concen: 19.508 ug/l
RT: 10.973 min Scan# 1539
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion: 43 Resp: 17534
Ion Ratio Lower Upper
43 100
58 53.2 28.8 86.4

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#60
Dibromochloromethane
Concen: 4.342 ug/l
RT: 11.138 min Scan# 1567
Delta R.T. 0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Tgt Ion:129 Resp: 11433
Ion Ratio Lower Upper
129 100
127 72.1 36.8 110.4





#61
1,2-Dibromoethane
Concen: 4.372 ug/l
RT: 11.232 min Scan# 11
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion:107 Resp: 826
Ion Ratio Lower Upper
107 100
109 94.4 73.8 110.8




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#62
4-Bromofluorobenzene
Concen: 46.814 ug/l
RT: 12.620 min Scan# 1819
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 95 Resp: 151079
Ion Ratio Lower Upper
95 100
174 80.3 0.0 158.4
176 76.9 0.0 154.8





#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.638 min Scan# 1652
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument : MSVOA_D
ClientSampleId : MDL-SOIL-03-QT2-2022




Tgt Ion:117 Resp: 298180
Ion Ratio Lower Upper
117 100
82 52.8 41.5 62.3
119 31.3 27.1 40.7

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#64
Tetrachloroethene
Concen: 4.563 ug/l
RT: 10.873 min Scan# 1522
Delta R.T. 0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Tgt Ion:164 Resp: 10774
Ion Ratio Lower Upper
164 100
166 125.8 97.0 145.4
129 85.4 75.2 112.8
131 81.5 72.1 108.1





#65
Chlorobenzene
Concen: 4.172 ug/l
RT: 11.661 min Scan# 1656
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion:112 Resp: 30449
Ion Ratio Lower Upper
112 100
114 32.6 26.6 39.8

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#66
1,1,1,2-Tetrachloroethane
Concen: 4.298 ug/l
RT: 11.738 min Scan# 1669
Delta R.T. 0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08



Tgt Ion:131 Resp: 12604
Ion Ratio Lower Upper
131 100
133 93.0 47.1 141.4
119 60.6 31.4 94.3









#67
Ethyl Benzene
Concen: 3.801 ug/l
RT: 11.738 min Scan# 1669
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Instrument : MSVOA_D
ClientSampleId : MDL-SOIL-03-QT2-2022

Tgt Ion: 91 Resp: 48410
Ion Ratio Lower Upper
91 100
106 24.1 23.5 35.3




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#68
m/p-Xylenes
Concen: 7.193 ug/l
RT: 11.844 min Scan# 1687
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion:106 Resp: 35400
Ion Ratio Lower Upper
106 100
91 203.2 161.4 242.2





#69
o-Xylene
Concen: 3.401 ug/l
RT: 12.167 min Scan# 1742
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion:106 Resp: 1552
Ion Ratio Lower Upper
106 100
91 238.0 107.6 322.8




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#70
Styrene
Concen: 3.439 ug/l
RT: 12.185 min Scan# 1745
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion:104 Resp: 27471
Ion Ratio Lower Upper
104 100
78 51.1 39.8 59.8
103 56.1 43.3 64.9





#71
Bromoform
Concen: 4.192 ug/l
RT: 12.349 min Scan# 1773
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument : MSVOA_D
ClientSampleId : MDL-SOIL-03-QT2-2022




Tgt Ion:173 Resp: 6692
Ion Ratio Lower Upper
173 100
175 52.8 24.0 72.0
254 0.0 0.0 0.0

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.561 min Scan# 1979
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08



Tgt Ion:152 Resp: 151774
Ion Ratio Lower Upper
152 100
115 60.2 30.6 91.6
150 158.8 0.0 355.0





#73

Isopropylbenzene

Concen: 3.514 ug/l

RT: 12.467 min Scan# 1793

Delta R.T. -0.000 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :





MDL-SOIL-03-QT2-2022

Tgt Ion:105 Resp: 43550
 Ion Ratio Lower Upper
 105 100
 120 27.1 13.2 39.6

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022
 Supervised By :Mahesh Dadoda 06/30/2022



#74

N-ethyl acetate

Concen: 3.315 ug/l




RT: 12.279 min Scan# 1761


Delta R.T. -0.000 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Tgt Ion: 43 Resp: 8406
 Ion Ratio Lower Upper
 43 100
 70 50.0 35.0 52.6
 55 30.3 21.0 31.4
 61 25.7 20.3 30.5





#75

1,1,2,2-Tetrachloroethane

Concen: 4.581 ug/l

RT: 12.714 min Scan# 1835

Delta R.T. -0.006 min

Lab File: VD073678.D


Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :

MDL-SOIL-03-QT2-2022






Tgt Ion:	83	Resp:	1071
Ion Ratio	Lower	Upper	
83	100		
131	11.5	5.5	16.7
85	63.8	32.3	96.9

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#76

1,2,3-Trichloropropane

Concen: 5.434 ug/l m




RT: 12.773 min Scan# 1845


Delta R.T. 0.006 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08


Tgt Ion:	75	Resp:	8026
Ion Ratio	Lower	Upper	
75	100		
77	0.0	195.3	586.0#





#77
Bromobenzene
Concen: 4.256 ug/l
RT: 12.749 min Scan# 1841
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument : MSVOA_D
ClientSampleId : MDL-SOIL-03-QT2-2022




Tgt Ion:156 Resp: 1268
Ion Ratio Lower Upper
156 100
77 167.5 90.9 272.7
158 95.3 48.4 145.2

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#78
n-propylbenzene
Concen: 3.688 ug/l
RT: 12.808 min Scan# 1851
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08



Tgt Ion: 91 Resp: 55870
Ion Ratio Lower Upper
91 100
120 23.2 11.8 35.3









#79
2-Chlorotoluene
Concen: 3.862 ug/l
RT: 12.896 min Scan# 1866
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022

Tgt Ion: 91 Resp: 34075
Ion Ratio Lower Upper
91 100
126 34.2 17.4 52.3




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#80
1,3,5-Trimethylbenzene
Concen: 3.347 ug/l
RT: 12.949 min Scan# 1875
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion:105 Resp: 35559
Ion Ratio Lower Upper
105 100
120 54.1 24.5 73.5





#81
trans-1,4-Dichloro-2-butene
Concen: 4.093 ug/l
RT: 12.502 min Scan# 1799
Delta R.T. -0.012 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion: 75 Resp: 296
Ion Ratio Lower Upper
75 100
53 85.8 77.0 115.6
89 52.1 37.8 56.8




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#82
4-Chlorotoluene
Concen: 3.818 ug/l
RT: 12.991 min Scan# 1882
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 91 Resp: 35815
Ion Ratio Lower Upper
91 100
126 32.9 16.8 50.4





#83
tert-Butylbenzene
Concen: 3.432 ug/l
RT: 13.214 min Scan# 1919
Delta R.T. 0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022



Tgt Ion:119 Resp: 3205
Ion Ratio Lower Upper
119 100
91 65.2 32.1 96.5
134 25.2 12.4 37.4




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#84
1,2,4-Trimethylbenzene
Concen: 3.441 ug/l
RT: 13.255 min Scan# 1927
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Tgt Ion:105 Resp: 35908
Ion Ratio Lower Upper
105 100
120 45.6 22.6 67.8









#85
 sec-Butylbenzene
 Concen: 3.580 ug/l
 RT: 13.391 min Scan# 1949
 Delta R.T. 0.006 min
 Lab File: VD073678.D
 Acq: 23 Jun 2022 21:08

Instrument :
 MSVOA_D
 ClientSampleId :
 MDL-SOIL-03-QT2-2022

Tgt Ion:105 Resp: 4917
 Ion Ratio Lower Upper
 105 100
 134 18.8 10.4 31.2




Manual Integrations
 APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
 Supervised By :Mahesh Dadoda 06/30/2022



#86
 p-Isopropyltoluene
 Concen: 3.310 ug/l
 RT: 13.502 min Scan# 1969
 Delta R.T. -0.000 min
 Lab File: VD073678.D
 Acq: 23 Jun 2022 21:08


Tgt Ion:119 Resp: 37851
 Ion Ratio Lower Upper
 119 100
 134 29.0 13.0 39.0
 91 24.8 12.1 36.3





#87
1,3-Dichlorobenzene
Concen: 3.928 ug/l
RT: 13.502 min Scan# 1969
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion:146 Resp: 24378
Ion Ratio Lower Upper
146 100
111 41.1 20.3 60.9
148 62.9 31.6 95.0

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#88
1,4-Dichlorobenzene
Concen: 4.249 ug/l
RT: 13.579 min Scan# 1982
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08



Tgt Ion:146 Resp: 26097
Ion Ratio Lower Upper
146 100
111 47.2 19.6 58.8
148 64.9 31.8 95.3









#89
n-Butylbenzene
Concen: 3.497 ug/l
RT: 13.826 min Scan# 2024
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Instrument : MSVOA_D
ClientSampleId : MDL-SOIL-03-QT2-2022

Tgt Ion: 91 Resp: 37450
Ion Ratio Lower Upper
91 100
92 50.7 26.4 79.2
134 26.1 12.7 38.0




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#90
Hexachloroethane
Concen: 4.038 ug/l
RT: 14.090 min Scan# 2069
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Tgt Ion:117 Resp: 9518
Ion Ratio Lower Upper
117 100
201 75.2 33.8 101.4









#91
1,2-Dichlorobenzene
Concen: 4.170 ug/l
RT: 13.867 min Scan# 2032
Delta R.T. -0.006 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08

Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022

Tgt Ion:146 Resp: 2226
Ion Ratio Lower Upper
146 100
111 42.3 21.1 63.3
148 64.5 31.6 94.7




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#92
1,2-Dibromo-3-Chloropropane
Concen: 4.455 ug/l
RT: 14.490 min Scan# 2137
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08


Tgt Ion: 75 Resp: 1739
Ion Ratio Lower Upper
75 100
155 68.2 41.2 123.6
157 102.2 55.5 166.5





#93
1,2,4-Trichlorobenzene
Concen: 3.850 ug/l
RT: 15.143 min Scan# 21
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08




Instrument :
MSVOA_D
ClientSampleId :
MDL-SOIL-03-QT2-2022




Tgt Ion:180 Resp: 12279
Ion Ratio Lower Upper
180 100
182 95.9 48.0 144.0
145 30.5 16.2 48.5

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022




#94
Hexachlorobutadiene
Concen: 4.234 ug/l
RT: 15.249 min Scan# 2266
Delta R.T. -0.000 min
Lab File: VD073678.D
Acq: 23 Jun 2022 21:08



Tgt Ion:225 Resp: 7657
Ion Ratio Lower Upper
225 100
223 61.8 32.6 97.8
227 56.6 32.6 97.8





#95

Naphthalene

Concen: 3.276 ug/l

RT: 15.385 min Scan# 2289

Delta R.T. 0.006 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Instrument :

MSVOA_D

ClientSampleId :





MDL-SOIL-03-QT2-2022

Tgt Ion:	128	Resp:	1867
Ion Ratio	Lower	Upper	
128	100		
127	13.2	10.6	16.0
129	12.7	8.9	13.3

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2022
Supervised By :Mahesh Dadoda 06/30/2022



#96

1,2,3-Trichlorobenzene

Concen: 3.984 ug/l

RT: 15.573 min Scan# 2321

Delta R.T. -0.000 min

Lab File: VD073678.D

Acq: 23 Jun 2022 21:08

Tgt Ion:	180	Resp:	11100
Ion Ratio	Lower	Upper	
180	100		
182	87.1	49.0	147.0
145	35.6	17.6	52.8

