

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD062718\
 Data File : VD059448.D
 Acq On : 27 Jun 2018 16:55
 Operator : VA/AP
 Sample : J3629-13
 Misc : 5.69g/5ml/MSVOA D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 A0C14-01

Quant Time: Jun 28 03:58:48 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D062518S.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 25 07:29:35 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.65	168	11149	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.69	114	17382	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.69	117	13406	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.90	152	5977	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.03	65	9719	85.24	ug/l	0.00
Spiked Amount	50.000		Recovery	=	170.48%	
35) Dibromofluoromethane	5.56	113	5107	36.07	ug/l	0.00
Spiked Amount	50.000		Recovery	=	72.14%	
50) Toluene-d8	8.71	98	11671	35.26	ug/l	0.00
Spiked Amount	50.000		Recovery	=	70.52%	
62) 4-Bromofluorobenzene	11.93	95	5091	36.98	ug/l	0.00
Spiked Amount	50.000		Recovery	=	73.96%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD062718\
Data File : VD059448.D
Acq On : 27 Jun 2018 16:55
Operator : VA/AP
Sample : J3629-13
Misc : 5.69g/5ml/MSVOA D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
A0C14-01

Quant Time: Jun 28 03:58:48 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D062518S.M
Quant Title : SW846 8260
QLast Update : Mon Jun 25 07:29:35 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.65 min Scan# 551

Delta R.T. -0.01 min

Lab File: VD059448.D

Acq: 27 Jun 2018 16:55

Instrument :

MSVOA_D

ClientSampleId :


A0C14-01

Tot Ion:168 Resp: 11149

Ion Ratio Lower Upper




168 100

99 45.2 41.0 61.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#33

1,2-Dichloroethane-d4

Concen: N.D. ug/l

RT: 6.03 min Scan# 590

Delta R.T. 0.00 min

Lab File: VD059448.D


Acq: 27 Jun 2018 16:55

Tgt Ion: 65 Resp: 9719

Ion Ratio Lower Upper



65 100


67 23.1 0.0 93.8



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC









#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 6.69 min Scan# 657
 Delta R.T. -0.01 min
 Lab File: VD059448.D
 Acq: 27 Jun 2018 16:55

Instrument :
 MSVOA_D
 ClientSampleId :
 A0C14-01

Tot Ion:114 Resp: 17382
 Ion Ratio Lower Upper
 114 100
 63 30.2 0.0 42.4
 88 18.3 0.0 38.0




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 50.00 ug/l
 RT: 5.56 min Scan# 542
 Delta R.T. 0.00 min
 Lab File: VD059448.D
 Acq: 27 Jun 2018 16:55

Tgt Ion:113 Resp: 5107
 Ion Ratio Lower Upper
 113 100
 111 97.4 85.7 128.5
 192 19.8 16.9 25.3



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 8.71 min Scan# 862
Delta R.T. -0.01 min
Lab File: VD059448.D
Acq: 27 Jun 2018 16:55

Instrument :
MSVOA_D
ClientSampled :
A0C14-01

Tot Ion: 98 Resp: 11671
Ion Ratio Lower Upper
98 100
100 82.5 54.4 81.6#




Abundance Ion 98.05 (97.75 to 98.75): VDC
Ion 100.05 (99.75 to 100.75): VDC






#62
4-Bromofluorobenzene
Concen: N.D. ug/l
RT: 11.93 min Scan# 1189
Delta R.T. -0.01 min
Lab File: VD059448.D
Acq: 27 Jun 2018 16:55

Tgt Ion: 95 Resp: 5091
Ion Ratio Lower Upper
95 100
174 96.1 0.0 190.4
176 109.1 0.0 183.2



Abundance Ion 95.00 (94.70 to 95.70): VDC
Ion 173.90 (173.60 to 174.60): VDC
Ion 175.90 (175.60 to 176.60): VDC









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.69 min Scan# 1063
Delta R.T. -0.01 min
Lab File: VD059448.D
Acq: 27 Jun 2018 16:55

Instrument :
MSVOA_D
ClientSampleId :
A0C14-01

Tot Ion:117 Resp: 13406
Ion Ratio Lower Upper
117 100
82 60.2 49.0 73.6
119 30.5 26.2 39.4




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.90 min Scan# 1288
Delta R.T. -0.01 min
Lab File: VD059448.D
Acq: 27 Jun 2018 16:55

Tgt Ion:152 Resp: 5977
Ion Ratio Lower Upper
152 100
115 39.3 29.4 88.3
150 129.4 0.0 308.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

