

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD062918\
 Data File : VD059496.D
 Acq On : 29 Jun 2018 17:18
 Operator : VA/AP
 Sample : J3248-11RE
 Misc : 7.58g/5ml/MSVOA D/SOIL
 ALS Vial : 14 Sample Multiplier: 1


Quant Time: Jun 30 01:30:33 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D062518S.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 25 07:29:35 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.63	168	148307	50.00	ug/l	-0.02
34) 1,4-Difluorobenzene	6.68	114	211738	50.00	ug/l	-0.02
63) Chlorobenzene-d5	10.68	117	197500	50.00	ug/l	-0.01
72) 1,4-Dichlorobenzene-d4	12.91	152	101347	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.01	65	151238	99.72	ug/l	-0.02
Spiked Amount 50.000			Recovery	=	199.44%	
35) Dibromofluoromethane	5.53	113	119458	69.26	ug/l	-0.02
Spiked Amount 50.000			Recovery	=	138.52%	
50) Toluene-d8	8.70	98	232911	57.77	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	115.54%	
62) 4-Bromofluorobenzene	11.92	95	108697	64.81	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	129.62%	
Target Compounds						
16) Acetone	2.60	43	69101	361.00	ug/l	Qvalue 96
20) Methylene Chloride	3.05	84	3194	3.71	ug/l #	64

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD062918\
Data File : VD059496.D
Acq On : 29 Jun 2018 17:18
Operator : VA/AP
Sample : J3248-11RE
Misc : 7.58g/5ml/MSVOA D/SOIL
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jun 30 01:30:33 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D062518S.M
Quant Title : SW846 8260
QLast Update : Mon Jun 25 07:29:35 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.63 min Scan# 549

Delta R.T. -0.02 min

Lab File: VD059496.D


Acq: 29 Jun 2018 17:18

Tot Ion:168 Resp: 148307

Ion Ratio Lower Upper

168 100

99 48.2 41.0 61.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

5.63

60000

50000

40000

30000



20000

10000

0

Time-->

5.50 5.60 5.70 5.80



#16

Acetone

Concen: 361.00 ug/l

RT: 2.60 min Scan# 241

Delta R.T. -0.01 min

Lab File: VD059496.D


Acq: 29 Jun 2018 17:18

Tgt Ion: 43 Resp: 69101

Ion Ratio Lower Upper

43 100

58 19.2 16.8 25.2



Abundance Ion 42.95 (42.65 to 43.65): VDC

Ion 57.95 (57.65 to 58.65): VDC

2.60

25000

20000

15000


10000


5000

0

Time-->


2.50 2.60 2.70








#20
Methylene Chloride
Concen: 3.71 ug/l
RT: 3.05 min Scan# 287
Delta R.T. -0.02 min
Lab File: VD059496.D
Acq: 29 Jun 2018 17:18

Tot Ion: 84 Resp: 3194
Ion Ratio Lower Upper
84 100
49 111.4 140.3 210.5#
51 75.1 41.6 62.4#
86 69.1 49.4 74.2




Abundance Ion 83.95 (83.65 to 84.65): VDC
Ion 48.90 (48.60 to 49.60): VDC
Ion 50.90 (50.60 to 51.60): VDC
Ion 85.90 (85.60 to 86.60): VDC






#33
1,2-Dichloroethane-d4
Concen: N.D. ug/l
RT: 6.01 min Scan# 587
Delta R.T. -0.02 min
Lab File: VD059496.D
Acq: 29 Jun 2018 17:18

Tgt Ion: 65 Resp: 151238
Ion Ratio Lower Upper
65 100
67 46.1 0.0 93.8




Abundance Ion 64.95 (64.65 to 65.65): VDC
Ion 66.90 (66.60 to 67.60): VDC








#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 6.68 min Scan# 655
 Delta R.T. -0.02 min
 Lab File: VD059496.D
 Acq: 29 Jun 2018 17:18

Tot Ion:114 Resp: 211738
 Ion Ratio Lower Upper
 114 100
 63 21.2 0.0 42.4
 88 19.0 0.0 38.0




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 50.00 ug/l
 RT: 5.53 min Scan# 539
 Delta R.T. -0.02 min
 Lab File: VD059496.D
 Acq: 29 Jun 2018 17:18

Tgt Ion:113 Resp: 119458
 Ion Ratio Lower Upper
 113 100
 111 102.1 85.7 128.5
 192 20.9 16.9 25.3




Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V








#50
Toluene-d8
Concen: N.D. ug/l
RT: 8.70 min Scan# 861
Delta R.T. -0.01 min
Lab File: VD059496.D
Acq: 29 Jun 2018 17:18

Tot Ion: 98 Resp: 232911
Ion Ratio Lower Upper
98 100
100 61.9 54.4 81.6




Abundance Ion 98.05 (97.75 to 98.75): VD059389.D (-855) (-)
Ion 100.05 (99.75 to 100.75): VD059389.D (-855) (-)






#62
4-Bromofluorobenzene
Concen: N.D. ug/l
RT: 11.92 min Scan# 1188
Delta R.T. -0.01 min
Lab File: VD059496.D
Acq: 29 Jun 2018 17:18

Tgt Ion: 95 Resp: 108697
Ion Ratio Lower Upper
95 100
174 87.2 0.0 190.4
176 81.9 0.0 183.2




Abundance Ion 95.00 (94.70 to 95.70): VD059389.D (-1184) (-)
Ion 173.90 (173.60 to 174.60): VD059389.D (-1184) (-)
Ion 175.90 (175.60 to 176.60): VD059389.D (-1184) (-)








#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.68 min Scan# 1062
Delta R.T. -0.01 min
Lab File: VD059496.D
Acq: 29 Jun 2018 17:18

Tot Ion:117 Resp: 197500
Ion Ratio Lower Upper
117 100
82 55.8 49.0 73.6
119 31.8 26.2 39.4




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.91 min Scan# 1288
Delta R.T. -0.00 min
Lab File: VD059496.D
Acq: 29 Jun 2018 17:18

Tgt Ion:152 Resp: 101347
Ion Ratio Lower Upper
152 100
115 42.8 29.4 88.3
150 155.7 0.0 308.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

