

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062923\
 Data File : VD076645.D
 Acq On : 29 Jun 2023 18:24
 Operator : KP/SY
 Sample : 03472-10
 Misc : 5.49G/10.0ml/MSVOA_D/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 A46Q4

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 06/30/2023
 Supervised By :Mahesh Dadoda 06/30/2023

Quant Time: Jun 30 01:16:30 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM061523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 16 01:50:34 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.775	114	404046	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.581	117	376060	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.516	152	186544	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.264	65	100925	10.257	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	41.040%
7) Chloroethane-d5	2.787	69	103919	13.061	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	52.240%
11) 1,1-Dichloroethene-d2	3.899	65	35613	13.866	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.480%
21) 2-Butanone-d5	6.981	46	102481	68.770	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	137.540%#
24) Chloroform-d	7.563	84	205024	19.260	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	77.040%
26) 1,2-Dichloroethane-d4	8.228	65	121442	23.125	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.520%
32) Benzene-d6	8.199	84	353055	15.347	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	61.400%
36) 1,2-Dichloropropane-d6	9.204	67	125925	17.149	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	68.600%#
41) Toluene-d8	10.269	98	317470	14.904	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	59.600%
43) trans-1,3-Dichloroprop...	10.522	79	53644	17.564	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	70.240%
47) 2-Hexanone-d5	10.875	63	70926	62.225	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	124.440%
56) 1,1,2,2-Tetrachloroeth...	12.651	84	142023	27.186	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	108.760%
66) 1,2-Dichlorobenzene-d4	13.810	152	133883	19.580	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	78.320%
Target Compounds					Qvalue	
13) Acetone	4.017	43	10524m	8.744	ug/L	
18) Methyl tert-butyl Ether	5.305	73	15611m	1.173	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062923\
Data File : VD076645.D
Acq On : 29 Jun 2023 18:24
Operator : KP/SY
Sample : 03472-10
Misc : 5.49G/10.0ml/MSVOA_D/SOIL
ALS Vial : 20 Sample Multiplier: 1


Instrument :
MSVOA_D
ClientSampleId :
A46Q4

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 06/30/2023
Supervised By :Mahesh Dadoda 06/30/2023

Quant Time: Jun 30 01:16:30 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM061523SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 16 01:50:34 2023
Response via : Initial Calibration









#13
Acetone
Concen: 8.744 ug/L m
RT: 4.017 min Scan# 41
Delta R.T. -0.006 min
Lab File: VD076645.D
Acq: 29 Jun 2023 18:24

Instrument :
MSVOA_D
ClientSampleId :
A46Q4

Tgt Ion: 43 Resp: 10524
Ion Ratio Lower Upper
43 100
58 25.8 0.0 67.4

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 06/30/2023
Supervised By :Mahesh Dadoda 06/30/2023



#18
Methyl tert-butyl Ether
Concen: 1.173 ug/L m
RT: 5.305 min Scan# 632
Delta R.T. -0.012 min
Lab File: VD076645.D
Acq: 29 Jun 2023 18:24

Tgt Ion: 73 Resp: 15611
Ion Ratio Lower Upper
73 100
43 5.7 7.2 10.8#
57 13.8 18.6 28.0#

