

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD071719\
 Data File : VD063125.D
 Acq On : 17 Jul 2019 12:20
 Operator : VA/AP
 Sample : K3623-05
 Misc : 6.28g/5ml/MSVOA D/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 EO-02-071519-C

Quant Time: Jul 18 07:15:44 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D071519S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 16 08:11:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.05	168	897404	50.00	ug/l	0.01
34) 1,4-Difluorobenzene	8.22	114	1243404	50.00	ug/l	0.01
63) Chlorobenzene-d5	12.36	117	861604	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	14.52	152	298626	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	7.45	65	475361	42.52	ug/l	0.00
Spiked Amount	50.000		Recovery	=	85.04%	
35) Dibromofluoromethane	6.92	113	528731	42.69	ug/l	0.00
Spiked Amount	50.000		Recovery	=	85.38%	
50) Toluene-d8	10.40	98	966111	36.32	ug/l	0.00
Spiked Amount	50.000		Recovery	=	72.64%	
62) 4-Bromofluorobenzene	13.55	95	333091	27.06	ug/l	0.00
Spiked Amount	50.000		Recovery	=	54.12%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD071719\
Data File : VD063125.D
Acq On : 17 Jul 2019 12:20
Operator : VA/AP
Sample : K3623-05
Misc : 6.28g/5ml/MSVOA D/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
EO-02-071519-C

Quant Time: Jul 18 07:15:44 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D071519S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 16 08:11:56 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.05 min Scan# 571

Delta R.T. 0.01 min

Lab File: VD063125.D

Acq: 17 Jul 2019 12:20

Instrument :

MSVOA_D

ClientSampleId :


EO-02-071519-C

Tot Ion:168 Resp: 897404

Ion Ratio Lower Upper

168 100

99 55.1 50.8 76.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

7.05



300000

200000

100000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 42.523 ug/l

RT: 7.45 min Scan# 612

Delta R.T. 0.00 min

Lab File: VD063125.D


Acq: 17 Jul 2019 12:20

Tgt Ion: 65 Resp: 475361

Ion Ratio Lower Upper

65 100

67 44.4 0.0 86.0



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC

7.45

200000


150000


100000

50000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.22 min Scan# 690
 Delta R.T. 0.01 min
 Lab File: VD063125.D
 Acq: 17 Jul 2019 12:20




Instrument :
 MSVOA_D
 ClientSampleId :
 EO-02-071519-C


Tot Ion:114 Resp: 1243404
 Ion Ratio Lower Upper
 114 100
 63 17.0 0.0 40.6
 88 16.2 0.0 32.6



#35
 Dibromofluoromethane
 Concen: 42.693 ug/l
 RT: 6.92 min Scan# 558
 Delta R.T. 0.00 min
 Lab File: VD063125.D
 Acq: 17 Jul 2019 12:20

Tgt Ion:113 Resp: 528731
 Ion Ratio Lower Upper
 113 100
 111 92.2 84.8 127.2
 192 14.9 13.4 20.0









#50
Toluene-d8
Concen: 36.317 ug/l
RT: 10.40 min Scan# 912
Delta R.T. 0.00 min
Lab File: VD063125.D
Acq: 17 Jul 2019 12:20




Instrument :
MSVOA_D
ClientSampleId :
EO-02-071519-C


Tot Ion: 98 Resp: 966111
Ion Ratio Lower Upper
98 100
100 65.9 53.5 80.3



#62
4-Bromofluorobenzene
Concen: 27.065 ug/l
RT: 13.55 min Scan# 1232
Delta R.T. 0.00 min
Lab File: VD063125.D
Acq: 17 Jul 2019 12:20

Tgt Ion: 95 Resp: 333091
Ion Ratio Lower Upper
95 100
174 84.0 0.0 180.6
176 86.6 0.0 172.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 12.36 min Scan# 1111
Delta R.T. 0.00 min
Lab File: VD063125.D
Acq: 17 Jul 2019 12:20

Instrument :
MSVOA_D
ClientSampleId :
EO-02-071519-C

Tot Ion:117 Resp: 861604
Ion Ratio Lower Upper
117 100
82 55.3 42.3 63.5
119 31.2 25.2 37.8




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 14.52 min Scan# 1330
Delta R.T. 0.00 min
Lab File: VD063125.D
Acq: 17 Jul 2019 12:20

Tgt Ion:152 Resp: 298626
Ion Ratio Lower Upper
152 100
115 55.3 28.9 86.8
150 155.9 0.0 313.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

