

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD072420\
 Data File : VD066060.D
 Acq On : 24 Jul 2020 21:08
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 25 01:04:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D072120S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 21 12:34:13 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	68	0.00
2 T	Dichlorodifluoromethane	0.379	0.296	21.9#	57	0.00
3 P	Chloromethane	0.310	0.265	14.5	61	0.00
4 C	Vinyl Chloride	0.295	0.255	13.6#	60	0.00
5 T	Bromomethane	0.234	0.200	14.5	59	0.00
6 T	Chloroethane	0.176	0.171	2.8	65	0.00
7 T	Trichlorofluoromethane	0.717	0.649	9.5	61	0.00
8 T	Diethyl Ether	0.198	0.202	-2.0	69	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.433	0.376	13.2	59	0.00
10 T	Methyl Iodide	0.324	0.459	-41.7#	83	0.00
11 T	Tert butyl alcohol	0.033	0.025	24.2#	64	-0.01
12 CM	1,1-Dichloroethene	0.413	0.372	9.9#	61	0.00
13 T	Acrolein	0.034	0.031	8.8	69	0.00
14 T	Allyl chloride	0.646	0.614	5.0	62	0.00
15 T	Acrylonitrile	0.085	0.087	-2.4	69	-0.01
16 T	Acetone	0.082	0.066	19.5	52	0.00
17 T	Carbon Disulfide	1.341	1.167	13.0	59	0.00
18 T	Methyl Acetate	0.192	0.187	2.6	70	0.00
19 T	Methyl tert-butyl Ether	0.849	0.932	-9.8	73	0.00
20 T	Methylene Chloride	0.521	0.504	3.3	74	0.00
21 T	trans-1,2-Dichloroethene	0.467	0.476	-1.9	68	0.00
22 T	Diisopropyl ether	1.228	1.289	-5.0	68	0.00
23 T	Vinyl Acetate	0.692	0.733	-5.9	68	0.00
24 P	1,1-Dichloroethane	0.744	0.780	-4.8	69	0.00
25 T	2-Butanone	0.109	0.100	8.3	60	0.00
26 T	2,2-Dichloropropane	0.669	0.604	9.7	60	0.00
27 T	cis-1,2-Dichloroethene	0.495	0.531	-7.3	71	0.00
28 T	Bromochloromethane	0.316	0.352	-11.4	81	0.00
29 T	Tetrahydrofuran	0.067	0.066	1.5	64	0.00
30 C	Chloroform	0.778	0.850	-9.3#	74	0.00
31 T	Cyclohexane	0.732	0.579	20.9#	54	0.00
32 T	1,1,1-Trichloroethane	0.720	0.736	-2.2	69	0.00
33 S	1,2-Dichloroethane-d4	0.407	0.473	-16.2	89	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	73	0.00
35 S	Dibromofluoromethane	0.303	0.329	-8.6	90	0.00
36 T	1,1-Dichloropropene	0.427	0.387	9.4	64	0.00
37 T	Ethyl Acetate	0.163	0.164	-0.6	73	0.00
38 T	Carbon Tetrachloride	0.463	0.437	5.6	67	0.00
39 T	Methylcyclohexane	0.517	0.435	15.9	57	0.00
40 TM	Benzene	1.194	1.162	2.7	69	0.00
41 T	Methacrylonitrile	0.093	0.082	11.8	61	-0.01
42 TM	1,2-Dichloroethane	0.327	0.348	-6.4	76	0.00
43 T	Isopropyl Acetate	0.318	0.316	0.6	70	0.00
44 TM	Trichloroethene	0.361	0.357	1.1	71	0.00
45 C	1,2-Dichloropropane	0.289	0.291	-0.7#	71	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD072420\
 Data File : VD066060.D
 Acq On : 24 Jul 2020 21:08
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 25 01:04:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D072120S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 21 12:34:13 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.156	0.165	-5.8	75	0.00
47 T	Bromodichloromethane	0.412	0.431	-4.6	75	0.00
48 T	Methyl methacrylate	0.161	0.149	7.5	65	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	62	0.00
50 S	Toluene-d8	1.130	1.230	-8.8	86	0.00
51 T	4-Methyl-2-Pentanone	0.160	0.159	0.6	69	0.00
52 CM	Toluene	0.779	0.807	-3.6#	71	0.00
53 T	t-1,3-Dichloropropene	0.383	0.404	-5.5	75	0.00
54 T	cis-1,3-Dichloropropene	0.465	0.473	-1.7	71	0.00
55 T	1,1,2-Trichloroethane	0.221	0.231	-4.5	75	0.00
56 T	Ethyl methacrylate	0.257	0.279	-8.6	73	0.00
57 T	1,3-Dichloropropane	0.365	0.378	-3.6	74	0.00
58 T	2-Chloroethyl Vinyl ether	0.123	0.123	0.0	81	0.00
59 T	2-Hexanone	0.111	0.108	2.7	66	0.00
60 T	Dibromochloromethane	0.298	0.321	-7.7	78	0.00
61 T	1,2-Dibromoethane	0.213	0.224	-5.2	74	0.00
62 S	4-Bromofluorobenzene	0.392	0.443	-13.0	93	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	77	0.00
64 T	Tetrachloroethene	0.339	0.333	1.8	73	0.00
65 PM	Chlorobenzene	0.915	0.915	0.0	74	0.00
66 T	1,1,1,2-Tetrachloroethane	0.338	0.369	-9.2	80	0.00
67 C	Ethyl Benzene	1.575	1.579	-0.3#	73	0.00
68 T	m/p-Xylenes	0.606	0.620	-2.3	74	0.00
69 T	o-Xylene	0.551	0.584	-6.0	76	0.00
70 T	Styrene	0.946	1.023	-8.1	77	0.00
71 P	Bromoform	0.198	0.211	-6.6	82	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	83	0.00
73 T	Isopropylbenzene	3.025	2.871	5.1	72	0.00
74 T	N-amyl acetate	0.627	0.606	3.3	74	0.00
75 P	1,1,2,2-Tetrachloroethane	0.500	0.470	6.0	75	0.00
76 T	1,2,3-Trichloropropane	0.376	0.289	23.1#	64	0.00
77 T	Bromobenzene	0.773	0.782	-1.2	81	0.00
78 T	n-propylbenzene	3.511	3.303	5.9	72	0.00
79 T	2-Chlorotoluene	2.006	1.962	2.2	76	0.00
80 T	1,3,5-Trimethylbenzene	2.486	2.441	1.8	74	0.00
81 T	trans-1,4-Dichloro-2-butene	0.164	0.153	6.7	74	0.00
82 T	4-Chlorotoluene	2.117	2.062	2.6	76	0.00
83 T	tert-Butylbenzene	2.175	2.177	-0.1	75	0.00
84 T	1,2,4-Trimethylbenzene	2.452	2.510	-2.4	79	0.00
85 T	sec-Butylbenzene	2.996	2.834	5.4	72	0.00
86 T	p-Isopropyltoluene	2.722	2.732	-0.4	76	0.00
87 T	1,3-Dichlorobenzene	1.436	1.425	0.8	79	0.00
88 T	1,4-Dichlorobenzene	1.451	1.402	3.4	78	0.00
89 T	n-Butylbenzene	2.531	2.349	7.2	71	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD072420\
Data File : VD066060.D
Acq On : 24 Jul 2020 21:08
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jul 25 01:04:43 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D072120S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 21 12:34:13 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.563	0.541	3.9	77	0.00
91 T	1,2-Dichlorobenzene	1.244	1.253	-0.7	80	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.082	0.079	3.7	79	0.00
93 T	1,2,4-Trichlorobenzene	0.893	0.888	0.6	79	0.00
94 T	Hexachlorobutadiene	0.552	0.509	7.8	73	0.00
95 T	Naphthalene	1.425	1.487	-4.4	80	0.00
96 T	1,2,3-Trichlorobenzene	0.776	0.802	-3.4	82	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6