

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD072721\
 Data File : VD069876.D
 Acq On : 27 Jul 2021 19:46
 Operator : VA/SY
 Sample : M3178-02
 Misc : 5.01G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 VOC

Quant Time: Jul 28 04:01:38 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D072221S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 23 04:51:13 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	658316	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.861	114	1303239	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.637	117	1171859	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.567	152	471024	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.326	65	434096	57.335	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.660%
35) Dibromofluoromethane	7.914	113	430644	52.418	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.840%
50) Toluene-d8	10.338	98	1668341	52.664	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	105.320%
62) 4-Bromofluorobenzene	12.626	95	490547	46.334	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	92.660%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD072721\
Data File : VD069876.D
Acq On : 27 Jul 2021 19:46
Operator : VA/SY
Sample : M3178-02
Misc : 5.01G/5.00ml/MSVOA_D/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
VOC

Quant Time: Jul 28 04:01:38 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D072221S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 23 04:51:13 2021
Response via : Initial Calibration

