

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD072920\
 Data File : VD066082.D
 Acq On : 29 Jul 2020 09:50
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 30 01:39:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D072120S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 21 12:34:13 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	68	0.00
2 T	Dichlorodifluoromethane	0.379	0.309	18.5	59	0.00
3 P	Chloromethane	0.310	0.250	19.4	57	0.00
4 C	Vinyl Chloride	0.295	0.271	8.1#	63	0.00
5 T	Bromomethane	0.234	0.196	16.2	58	0.00
6 T	Chloroethane	0.176	0.175	0.6	66	0.00
7 T	Trichlorofluoromethane	0.717	0.730	-1.8	69	0.00
8 T	Diethyl Ether	0.198	0.181	8.6	62	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.433	0.420	3.0	66	0.00
10 T	Methyl Iodide	0.324	0.460	-42.0#	83	0.00
11 T	Tert butyl alcohol	0.033	0.024	27.3#	63	-0.02
12 CM	1,1-Dichloroethene	0.413	0.392	5.1#	64	0.00
13 T	Acrolein	0.034	0.029	14.7	64	0.00
14 T	Allyl chloride	0.646	0.560	13.3	57	0.00
15 T	Acrylonitrile	0.085	0.078	8.2	62	0.00
16 T	Acetone	0.082	0.098	-19.5	77	0.00
17 T	Carbon Disulfide	1.341	1.099	18.0	55	0.00
18 T	Methyl Acetate	0.192	0.174	9.4	65	0.00
19 T	Methyl tert-butyl Ether	0.849	0.863	-1.6	68	0.00
20 T	Methylene Chloride	0.521	0.415	20.3#	61	0.00
21 T	trans-1,2-Dichloroethene	0.467	0.435	6.9	63	0.00
22 T	Diisopropyl ether	1.228	1.128	8.1	60	0.00
23 T	Vinyl Acetate	0.692	0.667	3.6	62	0.00
24 P	1,1-Dichloroethane	0.744	0.705	5.2	62	0.00
25 T	2-Butanone	0.109	0.106	2.8	64	-0.01
26 T	2,2-Dichloropropane	0.669	0.703	-5.1	70	0.00
27 T	cis-1,2-Dichloroethene	0.495	0.479	3.2	64	0.00
28 T	Bromochloromethane	0.316	0.294	7.0	68	0.00
29 T	Tetrahydrofuran	0.067	0.059	11.9	58	0.00
30 C	Chloroform	0.778	0.766	1.5#	66	0.00
31 T	Cyclohexane	0.732	0.627	14.3	59	0.00
32 T	1,1,1-Trichloroethane	0.720	0.752	-4.4	70	0.00
33 S	1,2-Dichloroethane-d4	0.407	0.436	-7.1	82	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	65	0.00
35 S	Dibromofluoromethane	0.303	0.326	-7.6	80	0.00
36 T	1,1-Dichloropropene	0.427	0.446	-4.4	65	0.00
37 T	Ethyl Acetate	0.163	0.168	-3.1	66	0.00
38 T	Carbon Tetrachloride	0.463	0.537	-16.0	73	0.00
39 T	Methylcyclohexane	0.517	0.525	-1.5	61	0.00
40 TM	Benzene	1.194	1.211	-1.4	64	0.00
41 T	Methacrylonitrile	0.093	0.109	-17.2	71	0.00
42 TM	1,2-Dichloroethane	0.327	0.367	-12.2	71	0.00
43 T	Isopropyl Acetate	0.318	0.318	0.0	63	0.00
44 TM	Trichloroethene	0.361	0.380	-5.3	67	0.00
45 C	1,2-Dichloropropane	0.289	0.289	0.0	62	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD072920\
 Data File : VD066082.D
 Acq On : 29 Jul 2020 09:50
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 30 01:39:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D072120S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 21 12:34:13 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.156	0.164	-5.1	66	0.00
47 T	Bromodichloromethane	0.412	0.445	-8.0	68	0.00
48 T	Methyl methacrylate	0.161	0.148	8.1	57	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	64	0.00
50 S	Toluene-d8	1.130	1.248	-10.4	78	0.00
51 T	4-Methyl-2-Pentanone	0.160	0.165	-3.1	63	0.00
52 CM	Toluene	0.779	0.826	-6.0#	65	0.00
53 T	t-1,3-Dichloropropene	0.383	0.425	-11.0	70	0.00
54 T	cis-1,3-Dichloropropene	0.465	0.495	-6.5	66	0.00
55 T	1,1,2-Trichloroethane	0.221	0.236	-6.8	68	0.00
56 T	Ethyl methacrylate	0.257	0.284	-10.5	66	0.00
57 T	1,3-Dichloropropane	0.365	0.385	-5.5	67	0.00
58 T	2-Chloroethyl Vinyl ether	0.123	0.119	3.3	69	0.00
59 T	2-Hexanone	0.111	0.123	-10.8	66	0.00
60 T	Dibromochloromethane	0.298	0.334	-12.1	72	0.00
61 T	1,2-Dibromoethane	0.213	0.230	-8.0	68	0.00
62 S	4-Bromofluorobenzene	0.392	0.447	-14.0	83	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	66	0.00
64 T	Tetrachloroethene	0.339	0.373	-10.0	70	0.00
65 PM	Chlorobenzene	0.915	0.963	-5.2	67	0.00
66 T	1,1,1,2-Tetrachloroethane	0.338	0.380	-12.4	71	0.00
67 C	Ethyl Benzene	1.575	1.734	-10.1#	69	0.00
68 T	m/p-Xylenes	0.606	0.673	-11.1	69	0.00
69 T	o-Xylene	0.551	0.609	-10.5	68	0.00
70 T	Styrene	0.946	1.082	-14.4	71	0.00
71 P	Bromoform	0.198	0.222	-12.1	74	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	75	0.00
73 T	Isopropylbenzene	3.025	3.124	-3.3	71	0.00
74 T	N-amyl acetate	0.627	0.608	3.0	67	0.00
75 P	1,1,2,2-Tetrachloroethane	0.500	0.468	6.4	68	0.00
76 T	1,2,3-Trichloropropane	0.376	0.309	17.8	61	0.00
77 T	Bromobenzene	0.773	0.773	0.0	72	0.00
78 T	n-propylbenzene	3.511	3.638	-3.6	71	0.00
79 T	2-Chlorotoluene	2.006	2.021	-0.7	71	0.00
80 T	1,3,5-Trimethylbenzene	2.486	2.648	-6.5	73	0.00
81 T	trans-1,4-Dichloro-2-butene	0.164	0.169	-3.0	74	0.00
82 T	4-Chlorotoluene	2.117	2.153	-1.7	71	0.00
83 T	tert-Butylbenzene	2.175	2.284	-5.0	71	0.00
84 T	1,2,4-Trimethylbenzene	2.452	2.587	-5.5	73	0.00
85 T	sec-Butylbenzene	2.996	3.204	-6.9	74	0.00
86 T	p-Isopropyltoluene	2.722	2.952	-8.4	74	0.00
87 T	1,3-Dichlorobenzene	1.436	1.458	-1.5	73	0.00
88 T	1,4-Dichlorobenzene	1.451	1.484	-2.3	74	0.00
89 T	n-Butylbenzene	2.531	2.694	-6.4	73	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD072920\
Data File : VD066082.D
Acq On : 29 Jul 2020 09:50
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jul 30 01:39:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D072120S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 21 12:34:13 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.563	0.567	-0.7	73	0.00
91 T	1,2-Dichlorobenzene	1.244	1.285	-3.3	74	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.082	0.078	4.9	70	0.00
93 T	1,2,4-Trichlorobenzene	0.893	0.970	-8.6	77	0.00
94 T	Hexachlorobutadiene	0.552	0.610	-10.5	78	0.00
95 T	Naphthalene	1.425	1.543	-8.3	75	0.00
96 T	1,2,3-Trichlorobenzene	0.776	0.826	-6.4	76	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5