

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD080219\
 Data File : VD063343.D
 Acq On : 3 Aug 2019 5:05
 Operator : VA/AP
 Sample : K4129-04
 Misc : 5.64g/5ml/MSVOA D/SOIL
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 2S-E1-(0-1)

Quant Time: Aug 04 05:06:54 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D072919S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 30 03:04:50 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.03	168	923135	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.21	114	1322401	50.00	ug/l	0.00
63) Chlorobenzene-d5	12.36	117	1000116	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	14.51	152	449951	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	7.44	65	525699	51.32	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.64%	
35) Dibromofluoromethane	6.92	113	547420	48.49	ug/l	0.01
Spiked Amount 50.000			Recovery	=	96.98%	
50) Toluene-d8	10.40	98	1122874	44.44	ug/l	0.00
Spiked Amount 50.000			Recovery	=	88.88%	
62) 4-Bromofluorobenzene	13.55	95	420840	36.55	ug/l	0.00
Spiked Amount 50.000			Recovery	=	73.10%	
Target Compounds						
20) Methylene Chloride	3.80	84	31845	3.948	ug/l #	Qvalue 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD080219\
Data File : VD063343.D
Acq On : 3 Aug 2019 5:05
Operator : VA/AP
Sample : K4129-04
Misc : 5.64g/5ml/MSVOA D/SOIL
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
2S-E1-(0-1)

Quant Time: Aug 04 05:06:54 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D072919S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 30 03:04:50 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.03 min Scan# 569

Delta R.T. -0.01 min

Lab File: VD063343.D

Acq: 3 Aug 2019 5:05

Instrument :

MSVOA_D

ClientSampleId :


2S-E1-(0-1)

Tot Ion:168 Resp: 923135

Ion Ratio Lower Upper




168 100

99 60.7 43.7 65.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#20

Methylene Chloride

Concen: 3.948 ug/l

RT: 3.80 min Scan# 241

Delta R.T. 0.00 min

Lab File: VD063343.D

Acq: 3 Aug 2019 5:05

Tgt Ion: 84 Resp: 31845


Ion Ratio Lower Upper

84 100

49 152.2 112.5 168.7

51 54.5 29.6 44.4#

86 65.2 50.4 75.6






Abundance Ion 83.95 (83.65 to 84.65): VDC

Ion 48.90 (48.60 to 49.60): VDC

Ion 50.90 (50.60 to 51.60): VDC

Ion 85.90 (85.60 to 86.60): VDC





#33

1,2-Dichloroethane-d4

Concen: 51.322 ug/l

RT: 7.44 min Scan# 611

Delta R.T. 0.00 min

Lab File: VD063343.D

Acq: 3 Aug 2019 5:05

Instrument :

MSVOA_D

ClientSampleId :


2S-E1-(0-1)

Tot Ion: 65 Resp: 525699

Ion Ratio Lower Upper

65 100

67 40.3 0.0 85.8



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC

7.44

200000

150000



100000

50000

0

Time-->

7.30 7.40 7.50 7.60



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.21 min Scan# 689

Delta R.T. 0.00 min

Lab File: VD063343.D

Acq: 3 Aug 2019 5:05


Tgt Ion: 114 Resp: 1322401

Ion Ratio Lower Upper

114 100

63 18.5 0.0 35.2

88 17.7 0.0 34.6



Abundance Ion 114.00 (113.70 to 114.70): V

Ion 62.95 (62.65 to 63.65): VDC

Ion 87.90 (87.60 to 88.60): VDC

8.21

600000


400000

200000

0

Time-->

8.20 8.40





#35

Dibromofluoromethane

Concen: 48.485 ug/l

RT: 6.92 min Scan# 558

Delta R.T. 0.01 min

Lab File: VD063343.D

Acq: 3 Aug 2019 5:05

Instrument :

MSVOA_D

ClientSampleId :

2S-E1-(0-1)


Tot Ion:113 Resp: 547420

Ion Ratio Lower Upper

113 100

111 101.1 83.2 124.8




192 17.8 11.8 17.8#



Abundance Ion 112.90 (112.60 to 113.60): V

Ion 110.90 (110.60 to 111.60): V

Ion 191.80 (191.50 to 192.50): V



#50

Toluene-d8

Concen: 44.439 ug/l

RT: 10.40 min Scan# 911

Delta R.T. -0.01 min

Lab File: VD063343.D


Acq: 3 Aug 2019 5:05

Tgt Ion: 98 Resp: 1122874

Ion Ratio Lower Upper



98 100


100 66.4 53.2 79.8



Abundance Ion 98.05 (97.75 to 98.75): V

Ion 100.05 (99.75 to 100.75): V





#62

4-Bromofluorobenzene

Concen: 36.549 ug/l

RT: 13.55 min Scan# 1231

Delta R.T. -0.01 min

Lab File: VD063343.D

Acq: 3 Aug 2019 5:05

Instrument :

MSVOA_D

ClientSampleId :

2S-E1-(0-1)


Tot Ion: 95 Resp: 420840

Ion Ratio Lower Upper

95 100

174 84.4 0.0 205.4




176 83.8 0.0 211.8



Abundance Ion 95.00 (94.70 to 95.70): V

Ion 173.90 (173.60 to 174.60): V

Ion 175.90 (175.60 to 176.60): V



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 12.36 min Scan# 1110

Delta R.T. -0.01 min

Lab File: VD063343.D

Acq: 3 Aug 2019 5:05


Tgt Ion: 117 Resp: 1000116

Ion Ratio Lower Upper

117 100

82 55.2 40.1 60.1



119 31.0 26.5 39.7






Abundance Ion 116.95 (116.65 to 117.65): V

Ion 82.05 (81.75 to 82.75): V

Ion 118.95 (118.65 to 119.65): V





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 14.51 min Scan# 1329

Delta R.T. -0.01 min

Lab File: VD063343.D

Acq: 3 Aug 2019 5:05

Instrument :

MSVOA_D

ClientSampleId :

2S-E1-(0-1)

Tot Ion:152 Resp: 449951

Ion Ratio Lower Upper

152 100

115 60.1 27.5 82.4

150 165.5 0.0 320.6

