

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD080221\
 Data File : VD069953.D
 Acq On : 02 Aug 2021 15:28
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 03 02:56:32 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D072221S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 23 04:51:13 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	88	0.00
2 T	Dichlorodifluoromethane	0.526	0.457	13.1	85	0.00
3 P	Chloromethane	0.763	0.707	7.3	91	0.00
4 C	Vinyl Chloride	0.803	0.773	3.7#	91	0.00
5 T	Bromomethane	0.526	0.492	6.5	94	0.00
6 T	Chloroethane	0.520	0.523	-0.6	94	0.00
7 T	Trichlorofluoromethane	0.991	0.957	3.4	92	0.00
8 T	Diethyl Ether	0.279	0.309	-10.8	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.630	0.625	0.8	95	0.00
10 T	Methyl Iodide	0.550	0.659	-19.8	96	0.00
11 T	Tert butyl alcohol	0.030	0.030	0.0	100	0.00
12 CM	1,1-Dichloroethene	0.572	0.581	-1.6#	92	0.00
13 T	Acrolein	0.042	0.038	9.5	85	-0.01
14 T	Allyl chloride	0.839	0.929	-10.7	98	0.00
15 T	Acrylonitrile	0.131	0.148	-13.0	105	0.00
16 T	Acetone	0.104	0.096	7.7	81	-0.01
17 T	Carbon Disulfide	2.045	1.993	2.5	90	0.00
18 T	Methyl Acetate	0.301	0.321	-6.6	107	0.00
19 T	Methyl tert-butyl Ether	1.185	1.385	-16.9	104	0.00
20 T	Methylene Chloride	0.946	0.852	9.9	100	0.00
21 T	trans-1,2-Dichloroethene	0.674	0.721	-7.0	96	0.00
22 T	Diisopropyl ether	1.823	2.164	-18.7	102	-0.01
23 T	Vinyl Acetate	0.873	1.080	-23.7	103	0.00
24 P	1,1-Dichloroethane	1.259	1.366	-8.5	100	0.00
25 T	2-Butanone	0.141	0.156	-10.6	99	-0.01
26 T	2,2-Dichloropropane	0.957	0.994	-3.9	95	0.00
27 T	cis-1,2-Dichloroethene	0.719	0.797	-10.8	100	0.00
28 T	Bromochloromethane	0.478	0.512	-7.1	96	0.00
29 T	Tetrahydrofuran	0.091	0.108	-18.7	104	0.00
30 C	Chloroform	1.266	1.366	-7.9#	101	0.00
31 T	Cyclohexane	1.124	1.097	2.4	91	0.00
32 T	1,1,1-Trichloroethane	1.048	1.095	-4.5	96	0.00
33 S	1,2-Dichloroethane-d4	0.575	0.607	-5.6	104	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	90	0.00
35 S	Dibromofluoromethane	0.315	0.348	-10.5	104	0.00
36 T	1,1-Dichloropropene	0.540	0.561	-3.9	95	0.00
37 T	Ethyl Acetate	0.196	0.210	-7.1	99	0.00
38 T	Carbon Tetrachloride	0.493	0.520	-5.5	97	0.00
39 T	Methylcyclohexane	0.618	0.645	-4.4	91	0.00
40 TM	Benzene	1.563	1.705	-9.1	101	0.00
41 T	Methacrylonitrile	0.103	0.124	-20.4	115	-0.01
42 TM	1,2-Dichloroethane	0.413	0.444	-7.5	101	0.00
43 T	Isopropyl Acetate	0.352	0.391	-11.1	103	0.00
44 TM	Trichloroethene	0.385	0.399	-3.6	97	0.00
45 C	1,2-Dichloropropane	0.411	0.450	-9.5#	103	0.00
46 T	Dibromomethane	0.202	0.218	-7.9	102	0.00
47 T	Bromodichloromethane	0.524	0.578	-10.3	103	0.00
48 T	Methyl methacrylate	0.169	0.199	-17.8	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD080221\
 Data File : VD069953.D
 Acq On : 02 Aug 2021 15:28
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 03 02:56:32 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D072221S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 23 04:51:13 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	105	0.00
50 S	Toluene-d8	1.215	1.327	-9.2	102	0.00
51 T	4-Methyl-2-Pentanone	0.183	0.213	-16.4	104	0.00
52 CM	Toluene	0.948	1.063	-12.1#	100	0.00
53 T	t-1,3-Dichloropropene	0.440	0.515	-17.0	109	0.00
54 T	cis-1,3-Dichloropropene	0.533	0.629	-18.0	111	0.00
55 T	1,1,2-Trichloroethane	0.285	0.313	-9.8	104	0.00
56 T	Ethyl methacrylate	0.312	0.371	-18.9	105	0.00
57 T	1,3-Dichloropropane	0.482	0.534	-10.8	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.134	0.166	-23.9	103	0.00
59 T	2-Hexanone	0.121	0.142	-17.4	102	0.00
60 T	Dibromochloromethane	0.323	0.359	-11.1	104	0.00
61 T	1,2-Dibromoethane	0.257	0.287	-11.7	104	0.00
62 S	4-Bromofluorobenzene	0.406	0.450	-10.8	103	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.319	0.330	-3.4	97	0.00
65 PM	Chlorobenzene	1.036	1.100	-6.2	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.373	0.397	-6.4	101	0.00
67 C	Ethyl Benzene	1.824	2.033	-11.5#	100	0.00
68 T	m/p-Xylenes	0.707	0.790	-11.7	99	0.00
69 T	o-Xylene	0.643	0.731	-13.7	102	0.00
70 T	Styrene	1.114	1.302	-16.9	103	0.00
71 P	Bromoform	0.181	0.192	-6.1	101	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.593	3.981	-10.8	98	0.00
74 T	N-amyl acetate	0.739	0.835	-13.0	104	0.00
75 P	1,1,2,2-Tetrachloroethane	0.717	0.750	-4.6	102	0.00
76 T	1,2,3-Trichloropropane	0.531	0.513	3.4	102	0.00
77 T	Bromobenzene	0.809	0.867	-7.2	101	0.00
78 T	n-propylbenzene	4.614	5.127	-11.1	98	0.00
79 T	2-Chlorotoluene	2.680	2.908	-8.5	99	0.00
80 T	1,3,5-Trimethylbenzene	3.073	3.431	-11.6	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.175	0.221	-26.3#	116	0.00
82 T	4-Chlorotoluene	2.802	3.046	-8.7	99	0.00
83 T	tert-Butylbenzene	2.499	2.741	-9.7	98	0.00
84 T	1,2,4-Trimethylbenzene	3.032	3.451	-13.8	101	0.00
85 T	sec-Butylbenzene	3.950	4.335	-9.7	98	0.00
86 T	p-Isopropyltoluene	3.209	3.548	-10.6	98	0.00
87 T	1,3-Dichlorobenzene	1.699	1.809	-6.5	102	0.00
88 T	1,4-Dichlorobenzene	1.693	1.753	-3.5	101	0.00
89 T	n-Butylbenzene	3.167	3.449	-8.9	97	0.00
90 T	Hexachloroethane	0.680	0.705	-3.7	101	0.00
91 T	1,2-Dichlorobenzene	1.466	1.575	-7.4	102	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.103	0.106	-2.9	98	0.00
93 T	1,2,4-Trichlorobenzene	0.791	0.873	-10.4	103	0.00
94 T	Hexachlorobutadiene	0.484	0.489	-1.0	95	0.00
95 T	Naphthalene	1.412	1.638	-16.0	106	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD080221\
Data File : VD069953.D
Acq On : 02 Aug 2021 15:28
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Aug 03 02:56:32 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D072221S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 23 04:51:13 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.684	0.766	-12.0	103	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6