

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_D\DATA\VD080918\
 Data File : VD059726.D
 Acq On : 9 Aug 2018 20:14
 Operator : VA/AP
 Sample : J4388-03
 Misc : 2.01g/5ml/MSVOA_D/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 S-2A

Quant Time: Aug 10 01:17:59 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080618S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 08 02:03:19 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	0.00	168	0	0.00	ug/l	-5.62
34) 1,4-Difluorobenzene	0.00	114	0	0.00	ug/l	-6.68
63) Chlorobenzene-d5	0.00	117	0	0.00	ug/l	-10.68
72) 1,4-Dichlorobenzene-d4	0.00	152	0	0.00	ug/l	-12.90

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	0.00	65	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	
35) Dibromofluoromethane	0.00	113	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	
50) Toluene-d8	0.00	98	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	
62) 4-Bromofluorobenzene	0.00	95	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_D\DATA\VD080918\
Data File : VD059726.D
Acq On : 9 Aug 2018 20:14
Operator : VA/AP
Sample : J4388-03
Misc : 2.01g/5ml/MSVOA_D/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
S-2A

Quant Time: Aug 10 01:17:59 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D080618S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 08 02:03:19 2018
Response via : Initial Calibration







#1
Pentafluorobenzene
Concen: 0.000 ug/l
Expected RT: 5.62 min

Lab File: VD059726.D
Acq: 9 Aug 2018 20:14

Instrument :
MSVOA_D
ClientSampleId :
S-2A


Tgt Ion:	168
Sig	Exp Ratio
168	100
99	66.8




#33
1,2-Dichloroethane-d4
Concen: N.D. ug/l
Expected RT: 6.00 min

Lab File: VD059726.D
Acq: 9 Aug 2018 20:14

Tgt Ion:	65
Sig	Exp Ratio
65	100
67	40.2





#34

1,4-Difluorobenzene

Concen: 0.000 ug/l

Expected RT: 6.68 min

Lab File: VD059726.D

Acq: 9 Aug 2018 20:14

Instrument :

MSVOA_D

ClientSampleId :

S-2A



Tgt Ion: 114

Sig Exp Ratio

114 100

63 21.3

88 19.4



#35

Dibromofluoromethane

Concen: 0.000 ug/l

Expected RT: 5.53 min

Lab File: VD059726.D

Acq: 9 Aug 2018 20:14


Tgt Ion: 113


Sig Exp Ratio

113 100

111 103.5

192 18.3







#50
Toluene-d8
Concen: N.D. ug/l
Expected RT: 8.69 min

Lab File: VD059726.D
Acq: 9 Aug 2018 20:14

Instrument :
MSVOA_D
ClientSampleId :
S-2A


Tgt Ion: 98
Sig Exp Ratio
98 100
100 65.6




#62
4-Bromofluorobenzene
Concen: N.D. ug/l
Expected RT: 11.92 min

Lab File: VD059726.D
Acq: 9 Aug 2018 20:14

Tgt Ion: 95
Sig Exp Ratio
95 100
174 79.2
176 76.5







#63
 Chlorobenzene-d5
 Concen: 0.000 ug/l
 Expected RT: 10.68 min
 Lab File: VD059726.D
 Acq: 9 Aug 2018 20:14

Instrument :
 MSVOA_D
 ClientSampleId :
 S-2A

Tgt Ion: 117

Sig	Exp Ratio
117	100
82	59.6
119	33.3



#72
 1,4-Dichlorobenzene-d4
 Concen: 0.000 ug/l
 Expected RT: 12.90 min
 Lab File: VD059726.D
 Acq: 9 Aug 2018 20:14

Tgt Ion: 152

Sig	Exp Ratio
152	100
115	57.6
150	159.0

