

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD081023\
 Data File : VD076968.D
 Acq On : 10 Aug 2023 17:53
 Operator : JC/SY
 Sample : 03965-12
 Misc : 5.40G/10.0ml/MSVOA_D/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 A48K1

Quant Time: Aug 11 03:06:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM080323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 11 02:51:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.775	114	255718	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.581	117	253511	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.516	152	106149	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.269	65	153172	21.781	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.120%
7) Chloroethane-d5	2.793	69	148256	22.804	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.200%
11) 1,1-Dichloroethene-d2	3.905	65	36172	21.708	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	86.840%
21) 2-Butanone-d5	6.981	46	37270	33.010	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	66.020%
24) Chloroform-d	7.563	84	187334	22.497	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.000%
26) 1,2-Dichloroethane-d4	8.228	65	94990	22.884	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.520%
32) Benzene-d6	8.199	84	367890	23.081	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.320%
36) 1,2-Dichloropropane-d6	9.210	67	115245	23.517	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.080%
41) Toluene-d8	10.269	98	336723	23.042	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.160%
43) trans-1,3-Dichloroprop...	10.522	79	39632	17.888	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	71.560%
47) 2-Hexanone-d5	10.875	63	29909	31.951	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	63.900%
56) 1,1,2,2-Tetrachloroeth...	12.651	84	96086	20.291	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.160%
66) 1,2-Dichlorobenzene-d4	13.816	152	97897	25.226	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.920%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD081023\
Data File : VD076968.D
Acq On : 10 Aug 2023 17:53
Operator : JC/SY
Sample : 03965-12
Misc : 5.40G/10.0ml/MSVOA_D/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
A48K1

Quant Time: Aug 11 03:06:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM080323SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 11 02:51:25 2023
Response via : Initial Calibration

