

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD081418\
 Data File : VD059776.D
 Acq On : 14 Aug 2018 19:39
 Operator : VA/AP
 Sample : J4447-26
 Misc : 4.82g/5ml/MSVOA D/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :

Quant Time: Aug 15 10:51:18 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D081018S.M
 Quant Title : SW846 8260
 QLast Update : Sat Aug 11 05:42:24 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.64	168	4070	50.00	ug/l	0.02
34) 1,4-Difluorobenzene	6.69	114	6300	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.69	117	5758	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.90	152	3375	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.02	65	3864	60.65	ug/l	0.02
Spiked Amount 50.000			Recovery	=	121.30%	
35) Dibromofluoromethane	5.54	113	1919	29.58	ug/l	0.00
Spiked Amount 50.000			Recovery	=	59.16%	
50) Toluene-d8	8.70	98	6086	47.30	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.60%	
62) 4-Bromofluorobenzene	11.93	95	2509	38.88	ug/l	0.00
Spiked Amount 50.000			Recovery	=	77.76%	
Target Compounds						
81) trans-1,4-Dichloro-2-buten	11.93	75	1461	129.923	ug/l #	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD081418\
Data File : VD059776.D
Acq On : 14 Aug 2018 19:39
Operator : VA/AP
Sample : J4447-26
Misc : 4.82g/5ml/MSVOA D/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :

Quant Time: Aug 15 10:51:18 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D081018S.M
Quant Title : SW846 8260
QLast Update : Sat Aug 11 05:42:24 2018
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.64 min Scan# 551
Delta R.T. 0.02 min
Lab File: VD059776.D
Acq: 14 Aug 2018 19:39




Instrument :
MSVOA_D
ClientSampleId :


Tot Ion:168 Resp: 4070
Ion Ratio Lower Upper
168 100
99 45.3 61.4 92.2#



#33
1,2-Dichloroethane-d4
Concen: N.D. ug/l
RT: 6.02 min Scan# 589
Delta R.T. 0.02 min
Lab File: VD059776.D
Acq: 14 Aug 2018 19:39

Tgt Ion: 65 Resp: 3864
Ion Ratio Lower Upper
65 100
67 36.9 0.0 77.4









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.69 min Scan# 657
 Delta R.T. 0.01 min
 Lab File: VD059776.D
 Acq: 14 Aug 2018 19:39

Instrument :
 MSVOA_D
 ClientSampleId :

Tot Ion:114 Resp: 6300
 Ion Ratio Lower Upper
 114 100
 63 24.4 0.0 50.6
 88 26.5 0.0 43.4




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 5.54 min Scan# 541
 Delta R.T. 0.01 min
 Lab File: VD059776.D
 Acq: 14 Aug 2018 19:39

Tgt Ion:113 Resp: 1919
 Ion Ratio Lower Upper
 113 100
 111 97.0 85.3 127.9
 192 0.0 13.9 20.9#



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 8.70 min Scan# 862
Delta R.T. 0.01 min
Lab File: VD059776.D
Acq: 14 Aug 2018 19:39

Instrument :
MSVOA_D
ClientSampleId :

Tot Ion: 98 Resp: 6086
Ion Ratio Lower Upper
98 100
100 69.2 52.2 78.2




Abundance Ion 98.05 (97.75 to 98.75): VD0
Ion 100.05 (99.75 to 100.75): VD






#62
4-Bromofluorobenzene
Concen: N.D. ug/l
RT: 11.93 min Scan# 1190
Delta R.T. 0.01 min
Lab File: VD059776.D
Acq: 14 Aug 2018 19:39

Tgt Ion: 95 Resp: 2509
Ion Ratio Lower Upper
95 100
174 101.7 0.0 143.2
176 91.8 0.0 147.2



Abundance Ion 95.00 (94.70 to 95.70): VD0
Ion 173.90 (173.60 to 174.60): V
Ion 175.90 (175.60 to 176.60): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.69 min Scan# 1064
Delta R.T. 0.01 min
Lab File: VD059776.D
Acq: 14 Aug 2018 19:39

Instrument :
MSVOA_D
ClientSampleId :

Tot Ion:117 Resp: 5758
Ion Ratio Lower Upper
117 100
82 61.6 51.9 77.9
119 31.8 27.4 41.0




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V








#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.90 min Scan# 1289
Delta R.T. -0.00 min
Lab File: VD059776.D
Acq: 14 Aug 2018 19:39

Tgt Ion:152 Resp: 3375
Ion Ratio Lower Upper
152 100
115 52.4 29.8 89.3
150 142.7 0.0 320.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V





#81

trans-1,4-Dichloro-2-butene

Concen: 129.923 ug/l

RT: 11.93 min Scan# 1190

Delta R.T. 0.09 min

Lab File: VD059776.D

Acq: 14 Aug 2018 19:39

Instrument :

MSVOA_D

ClientSampleId :

Tot Ion: 75 Resp: 1461

Ion Ratio Lower Upper

75 100

53 0.0 137.5 206.3#

89 0.0 48.3 72.5#

