

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD081423\
 Data File : VD076996.D
 Acq On : 14 Aug 2023 12:58
 Operator : JC/SY
 Sample : 03974-01
 Misc : 5.06G/5.0ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 EO-01-081023

Quant Time: Aug 14 13:11:42 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D080823S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 09 07:25:36 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.881	168	8544	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.781	114	17118	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.587	117	17419	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.522	152	8293	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.222	65	5775	85.682	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 171.360%#	
35) Dibromofluoromethane	7.804	113	6103	66.316	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 132.640%	
50) Toluene-d8	10.269	98	19574	66.221	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 132.440%	
62) 4-Bromofluorobenzene	12.575	95	5488	53.110	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 106.220%	

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD081423\
Data File : VD076996.D
Acq On : 14 Aug 2023 12:58
Operator : JC/SY
Sample : 03974-01
Misc : 5.06G/5.0ml/MSVOA_D/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
EO-01-081023

Quant Time: Aug 14 13:11:42 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D080823S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 09 07:25:36 2023
Response via : Initial Calibration

