

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD081618\
 Data File : VD059815.D
 Acq On : 16 Aug 2018 17:19
 Operator : VA/AP
 Sample : J4460-11
 Misc : 5.05g/5ml/MSVOA D/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 RA-081018-FL-011

Quant Time: Aug 17 06:21:11 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D081518S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 15 16:08:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.62	168	273579	50.00	ug/l	-0.02
34) 1,4-Difluorobenzene	6.67	114	344282	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.68	117	268462	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.90	152	132759	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.00	65	167121	47.54	ug/l	-0.02
Spiked Amount	50.000		Recovery	=	95.08%	
35) Dibromofluoromethane	5.52	113	148847	49.61	ug/l	-0.02
Spiked Amount	50.000		Recovery	=	99.22%	
50) Toluene-d8	8.69	98	297349	41.84	ug/l	-0.02
Spiked Amount	50.000		Recovery	=	83.68%	
62) 4-Bromofluorobenzene	11.92	95	125288	39.36	ug/l	0.00
Spiked Amount	50.000		Recovery	=	78.72%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD081618\
Data File : VD059815.D
Acq On : 16 Aug 2018 17:19
Operator : VA/AP
Sample : J4460-11
Misc : 5.05g/5ml/MSVOA D/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
RA-081018-FL-011

Quant Time: Aug 17 06:21:11 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D081518S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 15 16:08:23 2018
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 5.62 min Scan# 549
Delta R.T. -0.02 min
Lab File: VD059815.D
Acq: 16 Aug 2018 17:19




Instrument :
MSVOA_D
ClientSampleId :
RA-081018-FL-011


Tot Ion:168 Resp: 273579
Ion Ratio Lower Upper
168 100
99 67.4 50.3 75.5



#33
1,2-Dichloroethane-d4
Concen: N.D. ug/l
RT: 6.00 min Scan# 587
Delta R.T. -0.02 min
Lab File: VD059815.D
Acq: 16 Aug 2018 17:19

Tgt Ion: 65 Resp: 167121
Ion Ratio Lower Upper
65 100
67 42.9 0.0 87.8









#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 6.67 min Scan# 656
 Delta R.T. -0.01 min
 Lab File: VD059815.D
 Acq: 16 Aug 2018 17:19

Instrument :
 MSVOA_D
 ClientSampleId :
 RA-081018-FL-011

Tot Ion:114 Resp: 344282
 Ion Ratio Lower Upper
 114 100
 63 22.6 0.0 45.0
 88 20.0 0.0 41.2




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 50.00 ug/l
 RT: 5.52 min Scan# 539
 Delta R.T. -0.02 min
 Lab File: VD059815.D
 Acq: 16 Aug 2018 17:19

Tgt Ion:113 Resp: 148847
 Ion Ratio Lower Upper
 113 100
 111 100.1 87.7 131.5
 192 15.9 14.6 21.8



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 8.69 min Scan# 861
Delta R.T. -0.02 min
Lab File: VD059815.D
Acq: 16 Aug 2018 17:19

Instrument :
MSVOA_D
ClientSampleId :
RA-081018-FL-011

Tot Ion: 98 Resp: 297349
Ion Ratio Lower Upper
98 100
100 65.9 54.2 81.4




Abundance Ion 98.05 (97.75 to 98.75): VDC
Ion 100.05 (99.75 to 100.75): VDC






#62
4-Bromofluorobenzene
Concen: N.D. ug/l
RT: 11.92 min Scan# 1189
Delta R.T. -0.01 min
Lab File: VD059815.D
Acq: 16 Aug 2018 17:19

Tgt Ion: 95 Resp: 125288
Ion Ratio Lower Upper
95 100
174 80.1 0.0 142.2
176 76.8 0.0 137.4



Abundance Ion 95.00 (94.70 to 95.70): VDC
Ion 173.90 (173.60 to 174.60): VDC
Ion 175.90 (175.60 to 176.60): VDC





#63

Chlorobenzene-d5

Concen: 50.00 ug/l

RT: 10.68 min Scan# 1063

Delta R.T. -0.01 min

Lab File: VD059815.D

Acq: 16 Aug 2018 17:19

Instrument :

MSVOA_D

ClientSampleId :

RA-081018-FL-011


Tot Ion:117 Resp: 268462

Ion Ratio Lower Upper

117 100

82 59.7 49.0 73.6




119 32.7 26.2 39.2



Abundance Ion 116.95 (116.65 to 117.65): V

Ion 82.05 (81.75 to 82.75): V

Ion 118.95 (118.65 to 119.65): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.00 ug/l

RT: 12.90 min Scan# 1289

Delta R.T. -0.01 min

Lab File: VD059815.D

Acq: 16 Aug 2018 17:19


Tgt Ion:152 Resp: 132759

Ion Ratio Lower Upper

152 100

115 54.0 27.2 81.5

150 160.7 0.0 312.4



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 115.00 (114.70 to 115.70): V

Ion 149.90 (149.60 to 150.60): V

