

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD081721\
 Data File : VD070106.D
 Acq On : 18 Aug 2021 01:41
 Operator : VA/SY
 Sample : M3390-12
 Misc : 5.65G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 SWCS-09-0205

Quant Time: Aug 18 04:33:42 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D081321S.M
 Quant Title : SW846 8260
 QLast Update : Sat Aug 14 02:33:51 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	422927	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.861	114	839804	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.638	117	820321	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.567	152	327084	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.326	65	332847	66.914	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	133.820%
35) Dibromofluoromethane	7.914	113	299348	55.172	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.340%
50) Toluene-d8	10.338	98	1075099	50.946	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	101.900%
62) 4-Bromofluorobenzene	12.626	95	335305	48.240	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	96.480%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD081721\
 Data File : VD070106.D
 Acq On : 18 Aug 2021 01:41
 Operator : VA/SY
 Sample : M3390-12
 Misc : 5.65G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_D
ClientSampleID :
 SWCS-09-0205

Quant Time: Aug 18 04:33:42 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D081321S.M
 Quant Title : SW846 8260
 QLast Update : Sat Aug 14 02:33:51 2021
 Response via : Initial Calibration

