

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD082120\
 Data File : VD066365.D
 Acq On : 21 Aug 2020 17:50
 Operator : VA/SY
 Sample : L3729-11
 Misc : 4.25G/5.00ml/MSVOA D/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 SB-5-(2-3)

Quant Time: Aug 22 02:37:05 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D082120S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 21 13:36:12 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.97	168	214963	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.86	114	325726	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.64	117	351974	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	200926	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.33	65	105575	50.10	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.20%	
35) Dibromofluoromethane	7.91	113	103120	50.63	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.26%	
50) Toluene-d8	10.34	98	392937	52.73	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.46%	
62) 4-Bromofluorobenzene	12.63	95	165372	62.54	ug/l	0.00
Spiked Amount	50.000		Recovery	=	125.08%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD082120\
Data File : VD066365.D
Acq On : 21 Aug 2020 17:50
Operator : VA/SY
Sample : L3729-11
Misc : 4.25G/5.00ml/MSVOA D/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
SB-5-(2-3)

Quant Time: Aug 22 02:37:05 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D082120S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 21 13:36:12 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.97 min Scan# 1029

Delta R.T. 0.00 min

Lab File: VD066365.D

Acq: 21 Aug 2020 17:50

Instrument :

MSVOA_D

ClientSampleId :


SB-5-(2-3)

Tot Ion:168 Resp: 214963

Ion Ratio Lower Upper




168 100

99 57.1 45.4 68.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 50.095 ug/l

RT: 8.33 min Scan# 1089

Delta R.T. 0.00 min

Lab File: VD066365.D


Acq: 21 Aug 2020 17:50

Tgt Ion: 65 Resp: 105575

Ion Ratio Lower Upper



65 100


67 47.0 0.0 101.6



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC






#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.86 min Scan# 1180
 Delta R.T. 0.00 min
 Lab File: VD066365.D
 Acq: 21 Aug 2020 17:50

Instrument :
 MSVOA_D
 ClientSampleId :
 SB-5-(2-3)




Tot Ion	Ratio	Lower	Upper
114	100		
63	19.6	0.0	40.8
88	14.5	0.0	35.4



Abundance Ion 113.90 (113.60 to 114.60): V


Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35
 Dibromofluoromethane
 Concen: 50.629 ug/l
 RT: 7.91 min Scan# 1018
 Delta R.T. -0.01 min
 Lab File: VD066365.D
 Acq: 21 Aug 2020 17:50



Tgt Ion	Ratio	Lower	Upper
113	100		
111	101.4	80.3	120.5
192	24.0	19.0	28.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 52.727 ug/l
RT: 10.34 min Scan# 1431
Delta R.T. 0.00 min
Lab File: VD066365.D
Acq: 21 Aug 2020 17:50




Instrument :
MSVOA_D
ClientSampleId :
SB-5-(2-3)


Tot Ion: 98 Resp: 392937
Ion Ratio Lower Upper
98 100
100 65.4 53.0 79.4



#62
4-Bromofluorobenzene
Concen: 62.536 ug/l
RT: 12.63 min Scan# 1821
Delta R.T. 0.00 min
Lab File: VD066365.D
Acq: 21 Aug 2020 17:50

Tgt Ion: 95 Resp: 165372
Ion Ratio Lower Upper
95 100
174 97.2 0.0 183.4
176 91.5 0.0 173.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.64 min Scan# 1653
Delta R.T. 0.00 min
Lab File: VD066365.D
Acq: 21 Aug 2020 17:50

Instrument :
MSVOA_D
ClientSampleId :
SB-5-(2-3)

Tot Ion:117 Resp: 351974
Ion Ratio Lower Upper
117 100
82 51.3 42.8 64.2
119 30.8 25.8 38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1982
Delta R.T. 0.00 min
Lab File: VD066365.D
Acq: 21 Aug 2020 17:50

Tgt Ion:152 Resp: 200926
Ion Ratio Lower Upper
152 100
115 55.9 28.3 85.0
150 154.4 0.0 343.2

