

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD082120\
 Data File : VD066366.D
 Acq On : 21 Aug 2020 18:18
 Operator : VA/SY
 Sample : L3729-12
 Misc : 4.27G/5.00ml/MSVOA D/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 SB-3-(2-3)

Quant Time: Aug 22 02:38:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D082120S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 21 13:36:12 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	213119	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.86	114	321610	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.64	117	340100	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	192376	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.33	65	106299	50.88	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	101.76%	
35) Dibromofluoromethane	7.91	113	99452	49.45	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	98.90%	
50) Toluene-d8	10.33	98	389016	52.87	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	105.74%	
62) 4-Bromofluorobenzene	12.63	95	157387	60.28	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	120.56%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD082120\
Data File : VD066366.D
Acq On : 21 Aug 2020 18:18
Operator : VA/SY
Sample : L3729-12
Misc : 4.27G/5.00ml/MSVOA D/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
SB-3-(2-3)

Quant Time: Aug 22 02:38:41 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D082120S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 21 13:36:12 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1030

Delta R.T. 0.01 min

Lab File: VD066366.D

Acq: 21 Aug 2020 18:18

Instrument :

MSVOA_D

ClientSampleId :


SB-3-(2-3)

Tot Ion:168 Resp: 213119

Ion Ratio Lower Upper




168 100

99 53.5 45.4 68.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 50.875 ug/l

RT: 8.33 min Scan# 1089

Delta R.T. -0.00 min

Lab File: VD066366.D


Acq: 21 Aug 2020 18:18

Tgt Ion: 65 Resp: 106299

Ion Ratio Lower Upper



65 100


67 47.2 0.0 101.6



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.86 min Scan# 1179

Delta R.T. -0.01 min

Lab File: VD066366.D

Acq: 21 Aug 2020 18:18

Instrument :

MSVOA_D

ClientSampleId :

SB-3-(2-3)


Tot Ion:114 Resp: 321610

Ion Ratio Lower Upper

114 100

63 18.8 0.0 40.8




88 15.3 0.0 35.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 49.453 ug/l

RT: 7.91 min Scan# 1019

Delta R.T. -0.00 min

Lab File: VD066366.D

Acq: 21 Aug 2020 18:18


Tgt Ion:113 Resp: 99452

Ion Ratio Lower Upper

113 100

111 104.5 80.3 120.5



192 23.5 19.0 28.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.869 ug/l

RT: 10.33 min Scan# 1430

Delta R.T. -0.01 min

Lab File: VD066366.D

Acq: 21 Aug 2020 18:18

Instrument :

MSVOA_D

ClientSampleId :





SB-3-(2-3)

Tot Ion: 98 Resp: 389016

Ion Ratio Lower Upper

98 100

100 65.6 53.0 79.4



#62

4-Bromofluorobenzene

Concen: 60.279 ug/l

RT: 12.63 min Scan# 1821

Delta R.T. -0.00 min

Lab File: VD066366.D

Acq: 21 Aug 2020 18:18




Tgt Ion: 95 Resp: 157387


Ion Ratio Lower Upper

95 100

174 97.0 0.0 183.4

176 93.6 0.0 173.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.64 min Scan# 1653
Delta R.T. -0.00 min
Lab File: VD066366.D
Acq: 21 Aug 2020 18:18

Instrument :
MSVOA_D
ClientSampled :
SB-3-(2-3)

Tot Ion:117 Resp: 340100
Ion Ratio Lower Upper
117 100
82 49.7 42.8 64.2
119 32.7 25.8 38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1982
Delta R.T. -0.00 min
Lab File: VD066366.D
Acq: 21 Aug 2020 18:18

Tgt Ion:152 Resp: 192376
Ion Ratio Lower Upper
152 100
115 56.2 28.3 85.0
150 157.4 0.0 343.2

