

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD082321\
 Data File : VD070221.D
 Acq On : 23 Aug 2021 14:55
 Operator : VA/SY
 Sample : M3463-29
 Misc : 7.55G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 SWCS-25-0002

Quant Time: Aug 24 01:31:15 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D081321S.M
 Quant Title : SW846 8260
 QLast Update : Sat Aug 14 02:33:51 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	486948	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.861	114	980677	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.637	117	959717	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.567	152	391513	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.332	65	322836	56.368	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.740%
35) Dibromofluoromethane	7.914	113	322309	50.871	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.740%
50) Toluene-d8	10.337	98	1276917	51.817	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	103.640%
62) 4-Bromofluorobenzene	12.626	95	407932	50.258	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	100.520%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD082321\
Data File : VD070221.D
Acq On : 23 Aug 2021 14:55
Operator : VA/SY
Sample : M3463-29
Misc : 7.55G/5.00ml/MSVOA_D/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
SWCS-25-0002

Quant Time: Aug 24 01:31:15 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D081321S.M
Quant Title : SW846 8260
QLast Update : Sat Aug 14 02:33:51 2021
Response via : Initial Calibration

