

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD090120\
 Data File : VD066503.D
 Acq On : 01 Sep 2020 18:29
 Operator : VA/SY
 Sample : L3852-01
 Misc : 6.89G/5.00ml/MSVOA D/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 251378

Quant Time: Sep 02 01:50:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D082120S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 21 13:36:12 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.97	168	165631	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.86	114	237565	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.64	117	223183	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	105486	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.33	65	94021	57.90	ug/l	0.00
Spiked Amount	50.000		Recovery	=	115.80%	
35) Dibromofluoromethane	7.91	113	74222	49.96	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.92%	
50) Toluene-d8	10.34	98	280905	51.68	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.36%	
62) 4-Bromofluorobenzene	12.63	95	98362	51.00	ug/l	0.00
Spiked Amount	50.000		Recovery	=	102.00%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD090120\
Data File : VD066503.D
Acq On : 01 Sep 2020 18:29
Operator : VA/SY
Sample : L3852-01
Misc : 6.89G/5.00ml/MSVOA D/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
251378

Quant Time: Sep 02 01:50:53 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D082120S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 21 13:36:12 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.97 min Scan# 1029

Delta R.T. 0.00 min

Lab File: VD066503.D

Acq: 01 Sep 2020 18:29

Instrument :

MSVOA_D

ClientSampleId :


251378

Tot Ion:168 Resp: 165631

Ion Ratio Lower Upper




168 100

99 51.4 45.4 68.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 57.900 ug/l

RT: 8.33 min Scan# 1089

Delta R.T. 0.00 min

Lab File: VD066503.D


Acq: 01 Sep 2020 18:29

Tgt Ion: 65 Resp: 94021

Ion Ratio Lower Upper



65 100


67 44.1 0.0 101.6



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC






#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.86 min Scan# 1180
 Delta R.T. 0.00 min
 Lab File: VD066503.D
 Acq: 01 Sep 2020 18:29

Instrument :
 MSVOA_D
 ClientSampleId :
 251378




Tot Ion	Ratio	Lower	Upper
114	100		
63	20.0	0.0	40.8
88	14.5	0.0	35.4



Abundance Ion 113.90 (113.60 to 114.60): V


Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35
 Dibromofluoromethane
 Concen: 49.964 ug/l
 RT: 7.91 min Scan# 1019
 Delta R.T. 0.00 min
 Lab File: VD066503.D
 Acq: 01 Sep 2020 18:29



Tgt Ion	Ratio	Lower	Upper
113	100		
111	104.0	80.3	120.5
192	22.7	19.0	28.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 51.682 ug/l
RT: 10.34 min Scan# 1431
Delta R.T. 0.00 min
Lab File: VD066503.D
Acq: 01 Sep 2020 18:29




Instrument :
MSVOA_D
ClientSampleId :
251378


Tot Ion: 98 Resp: 280905
Ion Ratio Lower Upper
98 100
100 64.8 53.0 79.4



#62
4-Bromofluorobenzene
Concen: 51.000 ug/l
RT: 12.63 min Scan# 1821
Delta R.T. 0.00 min
Lab File: VD066503.D
Acq: 01 Sep 2020 18:29

Tgt Ion: 95 Resp: 98362
Ion Ratio Lower Upper
95 100
174 95.0 0.0 183.4
176 92.1 0.0 173.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.64 min Scan# 1653
Delta R.T. 0.00 min
Lab File: VD066503.D
Acq: 01 Sep 2020 18:29

Instrument :
MSVOA_D
ClientSampleId :
251378

Tot Ion:117 Resp: 223183
Ion Ratio Lower Upper
117 100
82 52.6 42.8 64.2
119 33.4 25.8 38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1982
Delta R.T. 0.00 min
Lab File: VD066503.D
Acq: 01 Sep 2020 18:29

Tgt Ion:152 Resp: 105486
Ion Ratio Lower Upper
152 100
115 55.5 28.3 85.0
150 153.5 0.0 343.2

