

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD090320\
 Data File : VD066552.D
 Acq On : 03 Sep 2020 23:40
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 04 06:28:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D090320S.M
 Quant Title : SW846 8260
 QLast Update : Fri Sep 04 01:57:04 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	84	0.00
2 T	Dichlorodifluoromethane	0.469	0.392	16.4	81	0.00
3 P	Chloromethane	0.632	0.642	-1.6	95	0.00
4 C	Vinyl Chloride	0.701	0.668	4.7#	85	0.00
5 T	Bromomethane	0.504	0.498	1.2	90	0.00
6 T	Chloroethane	0.445	0.444	0.2	89	0.00
7 T	Trichlorofluoromethane	1.036	0.922	11.0	80	0.00
8 T	Diethyl Ether	0.261	0.276	-5.7	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.561	0.500	10.9	81	0.00
10 T	Methyl Iodide	0.449	0.506	-12.7	90	0.00
11 T	Tert butyl alcohol	0.055	0.037	32.7#	89	0.00
12 CM	1,1-Dichloroethene	0.504	0.484	4.0#	86	0.00
13 T	Acrolein	0.025	0.022	12.0	88	0.00
14 T	Allyl chloride	0.826	0.840	-1.7	89	0.00
15 T	Acrylonitrile	0.112	0.123	-9.8	95	0.00
16 T	Acetone	0.111	0.100	9.9	81	0.00
17 T	Carbon Disulfide	1.656	1.618	2.3	87	0.00
18 T	Methyl Acetate	0.265	0.321	-21.1#	112	0.00
19 T	Methyl tert-butyl Ether	1.181	1.287	-9.0	93	0.00
20 T	Methylene Chloride	0.770	0.662	14.0	93	0.00
21 T	trans-1,2-Dichloroethene	0.598	0.614	-2.7	89	0.00
22 T	Diisopropyl ether	1.698	1.915	-12.8	95	0.00
23 T	Vinyl Acetate	0.966	1.061	-9.8	90	0.00
24 P	1,1-Dichloroethane	1.068	1.103	-3.3	91	0.00
25 T	2-Butanone	0.149	0.155	-4.0	93	0.00
26 T	2,2-Dichloropropane	0.979	0.869	11.2	80	0.00
27 T	cis-1,2-Dichloroethene	0.643	0.697	-8.4	95	0.00
28 T	Bromochloromethane	0.411	0.468	-13.9	96	0.00
29 T	Tetrahydrofuran	0.093	0.105	-12.9	97	0.00
30 C	Chloroform	1.130	1.200	-6.2#	94	0.00
31 T	Cyclohexane	0.987	0.889	9.9	81	0.00
32 T	1,1,1-Trichloroethane	1.062	1.011	4.8	87	0.00
33 S	1,2-Dichloroethane-d4	0.605	0.682	-12.7	101	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	91	0.00
35 S	Dibromofluoromethane	0.337	0.354	-5.0	101	0.00
36 T	1,1-Dichloropropene	0.520	0.483	7.1	86	0.00
37 T	Ethyl Acetate	0.207	0.210	-1.4	93	0.00
38 T	Carbon Tetrachloride	0.550	0.509	7.5	86	0.00
39 T	Methylcyclohexane	0.581	0.527	9.3	80	0.00
40 TM	Benzene	1.425	1.400	1.8	92	0.00
41 T	Methacrylonitrile	0.100	0.119	-19.0	96	0.00
42 TM	1,2-Dichloroethane	0.462	0.450	2.6	93	0.00
43 T	Isopropyl Acetate	0.397	0.408	-2.8	95	0.00
44 TM	Trichloroethene	0.374	0.364	2.7	91	0.00
45 C	1,2-Dichloropropane	0.358	0.364	-1.7#	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD090320\
 Data File : VD066552.D
 Acq On : 03 Sep 2020 23:40
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 04 06:28:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D090320S.M
 Quant Title : SW846 8260
 QLast Update : Fri Sep 04 01:57:04 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.198	0.200	-1.0	97	0.00
47 T	Bromodichloromethane	0.535	0.520	2.8	92	0.00
48 T	Methyl methacrylate	0.201	0.194	3.5	88	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	90	-0.01
50 S	Toluene-d8	1.206	1.327	-10.0	102	0.00
51 T	4-Methyl-2-Pentanone	0.200	0.213	-6.5	97	0.00
52 CM	Toluene	0.902	0.925	-2.5#	94	0.00
53 T	t-1,3-Dichloropropene	0.472	0.480	-1.7	93	0.00
54 T	cis-1,3-Dichloropropene	0.567	0.567	0.0	94	0.00
55 T	1,1,2-Trichloroethane	0.254	0.260	-2.4	98	0.00
56 T	Ethyl methacrylate	0.296	0.326	-10.1	97	0.00
57 T	1,3-Dichloropropane	0.445	0.467	-4.9	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.135	0.140	-3.7	96	0.00
59 T	2-Hexanone	0.135	0.143	-5.9	94	0.00
60 T	Dibromochloromethane	0.336	0.344	-2.4	97	0.00
61 T	1,2-Dibromoethane	0.247	0.249	-0.8	94	0.00
62 S	4-Bromofluorobenzene	0.400	0.450	-12.5	107	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.337	0.304	9.8	91	0.00
65 PM	Chlorobenzene	1.032	0.992	3.9	95	0.00
66 T	1,1,1,2-Tetrachloroethane	0.394	0.379	3.8	95	0.00
67 C	Ethyl Benzene	1.895	1.819	4.0#	92	0.00
68 T	m/p-Xylenes	0.704	0.692	1.7	92	0.00
69 T	o-Xylene	0.631	0.620	1.7	92	0.00
70 T	Styrene	1.096	1.120	-2.2	96	0.00
71 P	Bromoform	0.198	0.193	2.5	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.702	3.561	3.8	91	0.00
74 T	N-amyl acetate	0.838	0.809	3.5	93	0.00
75 P	1,1,2,2-Tetrachloroethane	0.654	0.617	5.7	94	0.00
76 T	1,2,3-Trichloropropane	0.481	0.409	15.0	79	0.00
77 T	Bromobenzene	0.825	0.810	1.8	97	0.00
78 T	n-propylbenzene	4.488	4.359	2.9	91	0.00
79 T	2-Chlorotoluene	2.518	2.456	2.5	94	0.00
80 T	1,3,5-Trimethylbenzene	3.116	3.036	2.6	92	0.00
81 T	trans-1,4-Dichloro-2-butene	0.206	0.194	5.8	96	0.00
82 T	4-Chlorotoluene	2.692	2.621	2.6	95	0.00
83 T	tert-Butylbenzene	2.544	2.436	4.2	91	0.00
84 T	1,2,4-Trimethylbenzene	3.102	3.098	0.1	95	0.00
85 T	sec-Butylbenzene	3.666	3.432	6.4	88	0.00
86 T	p-Isopropyltoluene	3.299	3.185	3.5	90	0.00
87 T	1,3-Dichlorobenzene	1.638	1.575	3.8	97	0.00
88 T	1,4-Dichlorobenzene	1.645	1.536	6.6	93	0.00
89 T	n-Butylbenzene	3.215	3.045	5.3	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD090320\
Data File : VD066552.D
Acq On : 03 Sep 2020 23:40
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Sep 04 06:28:25 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D090320S.M
Quant Title : SW846 8260
QLast Update : Fri Sep 04 01:57:04 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.711	0.657	7.6	91	0.00
91 T	1,2-Dichlorobenzene	1.432	1.356	5.3	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.111	0.104	6.3	97	0.00
93 T	1,2,4-Trichlorobenzene	0.859	0.829	3.5	93	0.00
94 T	Hexachlorobutadiene	0.516	0.444	14.0	83	0.00
95 T	Naphthalene	1.502	1.543	-2.7	95	0.00
96 T	1,2,3-Trichlorobenzene	0.733	0.738	-0.7	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6