

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD091323\
 Data File : VD077110.D
 Acq On : 13 Sep 2023 17:41
 Operator : JC/SY
 Sample : 04417-06
 Misc : 6.61G/5.0ml/MSVOA_D/SOIL
 ALS Vial : 13 Sample Multiplier: 1




Instrument :
 MSVOA_D
 ClientSampleId :
 EZYF5

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 09/16/2023
 Supervised By :Semsettin Yesilyurt 09/18/2023

Supervised By :Semsettin
 Yesilyurt

Quant Time: Sep 14 01:26:27 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM090123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 02 01:35:39 2023
 Response via : Initial Calibration



TIC: VD077110.D\data.ms

(16) Methylene chloride (T)

4.799min (-0.006) 1.54 ug/L

response 7874

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	64.70	76.59
49.00	98.90	93.20
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD091323\
Data File : VD077110.D
Acq On : 13 Sep 2023 17:41
Operator : JC/SY
Sample : 04417-06
Misc : 6.61G/5.0ml/MSVOA_D/SOIL
ALS Vial : 13 Sample Multiplier: 1




Instrument :
MSVOA_D
ClientSampleId :
EZYF5

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 09/16/2023
Supervised By :Semsettin Yesilyurt 09/18/2023

Supervised By :Semsettin
Yesilyurt

Quant Time: Sep 14 01:26:27 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM090123SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Sep 02 01:35:39 2023
Response via : Initial Calibration



TIC: VD077110.D\data.ms

(16) Methylene chloride (T)

4.799min (-0.006) 1.97 ug/L m

response 10108

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	64.70	76.59
49.00	98.90	93.20
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD091323\
 Data File : VD077110.D
 Acq On : 13 Sep 2023 17:41
 Operator : JC/SY
 Sample : 04417-06
 Misc : 6.61G/5.0ml/MSVOA_D/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 EZYF5

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 09/16/2023
 Supervised By :Semsettin Yesilyurt 09/18/2023

Supervised By :Semsettin
 Yesilyurt
 09/18/2023

Quant Time: Sep 14 01:26:27 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM090123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 02 01:35:39 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.775	114	251659	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.581	117	243574	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.516	152	105926	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.269	65	135592	21.866	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	87.480%		
7) Chloroethane-d5	2.793	69	119768	23.487	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	93.960%		
11) 1,1-Dichloroethene-d2	3.905	65	28269	20.069	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	80.280%		
21) 2-Butanone-d5	6.981	46	34061	43.601	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	87.200%		
24) Chloroform-d	7.563	84	152514	22.148	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	88.600%		
26) 1,2-Dichloroethane-d4	8.222	65	75803	23.225	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	92.920%		
32) Benzene-d6	8.198	84	290874	21.622	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	86.480%		
36) 1,2-Dichloropropane-d6	9.210	67	89994	23.327	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	93.320%		
41) Toluene-d8	10.269	98	250117	20.310	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	81.240%		
43) trans-1,3-Dichloroprop...	10.528	79	32883	18.706	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	74.840%		
47) 2-Hexanone-d5	10.881	63	25472	41.339	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	82.680%		
56) 1,1,2,2-Tetrachloroeth...	12.651	84	80026	23.268	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	93.080%		
66) 1,2-Dichlorobenzene-d4	13.816	152	74890	22.027	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	88.120%		
Target Compounds					Qvalue	
13) Acetone	4.028	43	8181	7.300	ug/L	69
14) Carbon disulfide	4.257	76	11518	1.053	ug/L	99
16) Methylene chloride	4.799	84	10108m	1.974	ug/L	
53) m,p-Xylene	11.786	106	4283	0.647	ug/L	88
54) o-Xylene	12.122	106	3173	0.496	ug/L	64
63) 1,2,4-Trimethylbenzene	13.216	105	4606	0.445	ug/L	92
64) 1,3-Dichlorobenzene	13.457	146	2790	0.429	ug/L #	74
70) 1,2,4-trichlorobenzene	15.098	180	16796	4.578	ug/L	94
72) 1,2,3-Trichlorobenzene	15.527	180	1508	0.448	ug/L #	80

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD091323\
Data File : VD077110.D
Acq On : 13 Sep 2023 17:41
Operator : JC/SY
Sample : 04417-06
Misc : 6.61G/5.0ml/MSVOA_D/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
EZYF5

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 09/16/2023
Supervised By :Semsettin Yesilyurt 09/18/2023

Supervised By :Semsettin
Yesilyurt
09/18/2023

Quant Time: Sep 14 01:26:27 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM090123SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Sep 02 01:35:39 2023
Response via : Initial Calibration

