

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD091418\
 Data File : VD060001.D
 Acq On : 14 Sep 2018 10:30
 Operator : JC/SY
 Sample : VSTDCCC050
 Misc : 5.00g/5ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 17 10:40:44 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D091318S.M
 Quant Title : SW846 8260
 QLast Update : Thu Sep 13 16:17:40 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	107	0.00
2 T	Dichlorodifluoromethane	0.528	0.504	4.5	96	0.00
3 P	Chloromethane	0.466	0.442	5.2	110	0.00
4 C	Vinyl Chloride	0.375	0.375	0.0	109	0.00
5 T	Bromomethane	0.044	0.064	-45.5#	112	0.00
6 T	Chloroethane	0.084	0.113	-34.5#	106	0.02
7 T	Trichlorofluoromethane	0.413	0.446	-8.0	106	0.00
8 T	Diethyl Ether	0.088	0.094	-6.8	107	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.260	0.276	-6.2	108	0.02
10 T	Methyl Iodide	0.276	0.286	-3.6	97	0.02
11 T	Tert butyl alcohol	0.031	0.028	9.7	93	0.00
12 CM	1,1-Dichloroethene	0.206	0.221	-7.3#	110	0.00
13 T	Acrolein	0.019	0.019	0.0	114	0.00
14 T	Allyl chloride	0.434	0.454	-4.6	105	0.00
15 T	Acrylonitrile	0.119	0.115	3.4	99	0.00
16 T	Acetone	0.075	0.086	-14.7	120	0.00
17 T	Carbon Disulfide	0.709	0.748	-5.5	106	0.02
18 T	Methyl Acetate	0.153	0.144	5.9	98	0.00
19 T	Methyl tert-butyl Ether	0.951	0.932	2.0	99	0.00
20 T	Methylene Chloride	0.638	0.530	16.9	94	0.02
21 T	trans-1,2-Dichloroethene	0.540	0.534	1.1	98	0.00
22 T	Diisopropyl ether	1.979	1.982	-0.2	99	0.00
23 T	Vinyl Acetate	1.121	1.128	-0.6	100	0.00
24 P	1,1-Dichloroethane	0.888	0.884	0.5	99	0.00
25 T	2-Butanone	0.203	0.192	5.4	101	0.00
26 T	2,2-Dichloropropane	0.690	0.691	-0.1	102	0.02
27 T	cis-1,2-Dichloroethene	0.565	0.557	1.4	98	0.00
28 T	Bromochloromethane	0.427	0.427	0.0	109	0.00
29	Tetrahydrofuran	0.109	0.101	7.3	95	0.00
30 C	Chloroform	0.901	0.906	-0.6#	100	0.00
31 T	Cyclohexane	0.866	0.827	4.5	98	0.00
32 T	1,1,1-Trichloroethane	0.747	0.758	-1.5	100	0.02
33 S	1,2-Dichloroethane-d4	0.390	0.413	-5.9	114	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	107	0.00
35 S	Dibromofluoromethane	0.391	0.417	-6.6	114	0.00
36 T	1,1-Dichloropropene	0.497	0.484	2.6	100	0.00
37 T	Ethyl Acetate	0.342	0.326	4.7	101	0.00
38 T	Carbon Tetrachloride	0.464	0.467	-0.6	101	0.00
39 T	Methylcyclohexane	0.562	0.570	-1.4	102	0.00
40 TM	Benzene	1.266	1.273	-0.6	100	0.00
41 T	Methacrylonitrile	0.179	0.172	3.9	94	0.00
42 TM	1,2-Dichloroethane	0.380	0.374	1.6	100	0.00
43 T	Isopropyl Acetate	0.457	0.438	4.2	94	0.00
44 TM	Trichloroethene	0.391	0.389	0.5	99	0.00
45 C	1,2-Dichloropropane	0.338	0.343	-1.5#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD091418\
 Data File : VD060001.D
 Acq On : 14 Sep 2018 10:30
 Operator : JC/SY
 Sample : VSTDCCC050
 Misc : 5.00g/5ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 17 10:40:44 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D091318S.M
 Quant Title : SW846 8260
 QLast Update : Thu Sep 13 16:17:40 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.221	0.218	1.4	97	0.00
47 T	Bromodichloromethane	0.476	0.486	-2.1	103	0.00
48 T	Methyl methacrylate	0.255	0.252	1.2	98	0.00
49 T	1,4-Dioxane	0.003	0.002	33.3#	93	0.00
50 S	Toluene-d8	1.083	1.168	-7.8	118	0.00
51 T	4-Methyl-2-Pentanone	0.311	0.271	12.9	98	0.00
52 CM	Toluene	0.811	0.817	-0.7#	101	0.00
53 T	t-1,3-Dichloropropene	0.444	0.443	0.2	102	0.00
54 T	cis-1,3-Dichloropropene	0.531	0.534	-0.6	100	0.00
55 T	1,1,2-Trichloroethane	0.282	0.259	8.2	98	0.00
56 T	Ethyl methacrylate	0.312	0.306	1.9	97	0.00
57 T	1,3-Dichloropropane	0.416	0.409	1.7	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.151	0.148	2.0	105	0.00
59 T	2-Hexanone	0.225	0.211	6.2	104	0.00
60 T	Dibromochloromethane	0.343	0.336	2.0	95	0.00
61 T	1,2-Dibromoethane	0.291	0.287	1.4	101	0.00
62 S	4-Bromofluorobenzene	0.414	0.446	-7.7	115	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	108	0.00
64 T	Tetrachloroethene	0.441	0.444	-0.7	101	0.00
65 PM	Chlorobenzene	1.075	1.080	-0.5	100	0.00
66 T	1,1,1,2-Tetrachloroethane	0.363	0.370	-1.9	100	0.00
67 C	Ethyl Benzene	1.730	1.765	-2.0#	101	0.00
68 T	m/p-Xylenes	0.639	0.660	-3.3	100	0.00
69 T	o-Xylene	0.633	0.646	-2.1	101	0.00
70 T	Styrene	1.064	1.075	-1.0	101	0.00
71 P	Bromoform	0.312	0.317	-1.6	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	106	0.00
73 T	Isopropylbenzene	3.279	3.274	0.2	98	0.00
74 T	N-amyl acetate	1.299	1.279	1.5	99	0.00
75 P	1,1,2,2-Tetrachloroethane	0.744	0.732	1.6	98	0.00
76 T	1,2,3-Trichloropropane	0.764	0.741	3.0	97	0.00
77 T	Bromobenzene	0.945	0.962	-1.8	102	0.00
78 T	n-propylbenzene	4.124	4.187	-1.5	101	0.00
79 T	2-Chlorotoluene	2.327	2.343	-0.7	100	0.00
80 T	1,3,5-Trimethylbenzene	2.513	2.619	-4.2	101	0.00
81 T	trans-1,4-Dichloro-2-butene	0.231	0.223	3.5	97	0.00
82 T	4-Chlorotoluene	2.559	2.583	-0.9	101	0.00
83 T	tert-Butylbenzene	2.912	2.902	0.3	98	0.00
84 T	1,2,4-Trimethylbenzene	2.682	2.660	0.8	100	0.00
85 T	sec-Butylbenzene	3.456	3.505	-1.4	101	0.00
86 T	p-Isopropyltoluene	2.796	2.778	0.6	95	0.00
87 T	1,3-Dichlorobenzene	1.643	1.626	1.0	98	0.00
88 T	1,4-Dichlorobenzene	1.666	1.570	5.8	94	0.00
89 T	n-Butylbenzene	2.727	2.758	-1.1	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD091418\
Data File : VD060001.D
Acq On : 14 Sep 2018 10:30
Operator : JC/SY
Sample : VSTDCCC050
Misc : 5.00g/5ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Sep 17 10:40:44 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D091318S.M
Quant Title : SW846 8260
QLast Update : Thu Sep 13 16:17:40 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.692	0.729	-5.3	100	0.00
91 T	1,2-Dichlorobenzene	1.363	1.354	0.7	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.113	0.100	11.5	99	0.00
93 T	1,2,4-Trichlorobenzene	1.171	1.171	0.0	97	0.00
94 T	Hexachlorobutadiene	0.774	0.769	0.6	97	0.00
95 T	Naphthalene	1.808	1.750	3.2	96	0.00
96 T	1,2,3-Trichlorobenzene	1.032	0.993	3.8	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5