

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD091421\
 Data File : VD070353.D
 Acq On : 14 Sep 2021 15:09
 Operator : VA/SY
 Sample : M3723-01
 Misc : 5.01G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 BU-03-091321

Quant Time: Sep 15 02:46:22 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D090821S.M
 Quant Title : SW846 8260
 QLast Update : Thu Sep 09 03:07:09 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	112001	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.861	114	205757	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.638	117	275931	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.567	152	129800	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.332	65	96682	67.228	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	134.460%
35) Dibromofluoromethane	7.914	113	88980	60.754	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	121.500%
50) Toluene-d8	10.338	98	281640	52.963	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	105.920%
62) 4-Bromofluorobenzene	12.626	95	121680	65.474	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	130.940%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD091421\
Data File : VD070353.D
Acq On : 14 Sep 2021 15:09
Operator : VA/SY
Sample : M3723-01
Misc : 5.01G/5.00ml/MSVOA_D/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
BU-03-091321

Quant Time: Sep 15 02:46:22 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D090821S.M
Quant Title : SW846 8260
QLast Update : Thu Sep 09 03:07:09 2021
Response via : Initial Calibration

