

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD092518\
 Data File : VD060090.D
 Acq On : 25 Sep 2018 13:45
 Operator : VA/AP
 Sample : J5017-04
 Misc : 5.05g/5ml/MSVOA D/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 RA-091918-S-SW-058

Quant Time: Sep 25 15:16:00 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D091318S.M
 Quant Title : SW846 8260
 QLast Update : Thu Sep 13 16:17:40 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.39	168	1732430	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	7.42	114	2457583	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.27	117	1858974	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.37	152	740145	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.76	65	742527	54.96	ug/l	0.00
Spiked Amount	50.000		Recovery	=	109.92%	
35) Dibromofluoromethane	6.30	113	945515	49.25	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.50%	
50) Toluene-d8	9.44	98	2490881	46.81	ug/l	0.00
Spiked Amount	50.000		Recovery	=	93.62%	
62) 4-Bromofluorobenzene	12.42	95	809569	39.82	ug/l	0.00
Spiked Amount	50.000		Recovery	=	79.64%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD092518\
Data File : VD060090.D
Acq On : 25 Sep 2018 13:45
Operator : VA/AP
Sample : J5017-04
Misc : 5.05g/5ml/MSVOA D/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
RA-091918-S-SW-058

Quant Time: Sep 25 15:16:00 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D091318S.M
Quant Title : SW846 8260
QLast Update : Thu Sep 13 16:17:40 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 6.39 min Scan# 494

Delta R.T. 0.01 min

Lab File: VD060090.D

Acq: 25 Sep 2018 13:45

Instrument :

MSVOA_D

ClientSampleId :


RA-091918-S-SW-058

Tot Ion:168 Resp: 1732430

Ion Ratio Lower Upper

168 100

99 47.7 38.5 57.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

6.39

800000



600000

400000

200000

0

Time--> 6.20 6.30 6.40 6.50 6.60



#33

1,2-Dichloroethane-d4

Concen: Below ug/l

RT: 6.76 min Scan# 532

Delta R.T. 0.00 min

Lab File: VD060090.D


Acq: 25 Sep 2018 13:45

Tgt Ion: 65 Resp: 742527

Ion Ratio Lower Upper

65 100

67 53.3 0.0 104.8



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC

6.76


300000


200000

100000

0

Time--> 6.60 6.70 6.80 6.90 7.00









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 7.42 min Scan# 599
 Delta R.T. 0.00 min
 Lab File: VD060090.D
 Acq: 25 Sep 2018 13:45

Instrument :
 MSVOA_D
 ClientSampleId :
 RA-091918-S-SW-058

Tot Ion:114 Resp: 2457583
 Ion Ratio Lower Upper
 114 100
 63 18.6 0.0 34.4
 88 18.3 0.0 35.8




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 6.30 min Scan# 485
 Delta R.T. 0.00 min
 Lab File: VD060090.D
 Acq: 25 Sep 2018 13:45

Tgt Ion:113 Resp: 945515
 Ion Ratio Lower Upper
 113 100
 111 102.9 81.3 121.9
 192 20.6 18.1 27.1



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 9.44 min Scan# 804
Delta R.T. 0.00 min
Lab File: VD060090.D
Acq: 25 Sep 2018 13:45

Instrument :
MSVOA_D
ClientSampleId :
RA-091918-S-SW-058

Tot Ion: 98 Resp: 2490881
Ion Ratio Lower Upper
98 100
100 69.7 55.8 83.6




Abundance Ion 98.05 (97.75 to 98.75): VDC
Ion 100.05 (99.75 to 100.75): VDC






#62
4-Bromofluorobenzene
Concen: Below ug/l
RT: 12.42 min Scan# 1107
Delta R.T. 0.01 min
Lab File: VD060090.D
Acq: 25 Sep 2018 13:45

Tgt Ion: 95 Resp: 809569
Ion Ratio Lower Upper
95 100
174 109.4 0.0 165.0
176 105.9 0.0 160.2



Abundance Ion 95.00 (94.70 to 95.70): VDC
Ion 173.90 (173.60 to 174.60): VDC
Ion 175.90 (175.60 to 176.60): VDC









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.27 min Scan# 990
Delta R.T. 0.00 min
Lab File: VD060090.D
Acq: 25 Sep 2018 13:45

Instrument :
MSVOA_D
ClientSampleId :
RA-091918-S-SW-058

Tot Ion:117 Resp: 1858974
Ion Ratio Lower Upper
117 100
82 55.1 41.7 62.5
119 32.8 26.0 39.0




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.37 min Scan# 1203
Delta R.T. 0.00 min
Lab File: VD060090.D
Acq: 25 Sep 2018 13:45

Tgt Ion:152 Resp: 740145
Ion Ratio Lower Upper
152 100
115 48.4 24.6 73.8
150 153.1 0.0 313.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

