

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD092920\  
 Data File : VD066931.D  
 Acq On : 29 Sep 2020 11:43  
 Operator : VA/SY  
 Sample : L3869-11  
 Misc : 8.79G/5.00ml/MSVOA D/SOIL  
 ALS Vial : 6 Sample Multiplier: 1

Instrument :  
 MSVOA\_D  
 ClientSampleId :  
 OR-03-092820

Quant Time: Sep 30 03:22:30 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_D\METHOD\82D092220S.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Sep 23 01:34:05 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 7.98  | 168  | 441381   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.86  | 114  | 758862   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.64 | 117  | 747791   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.58 | 152  | 315233   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 8.33   | 65  | 222921   | 51.60 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 103.20% |      |
| 35) Dibromofluoromethane    | 7.91   | 113 | 243578   | 50.45 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 100.90% |      |
| 50) Toluene-d8              | 10.34  | 98  | 894160   | 54.36 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 108.72% |      |
| 62) 4-Bromofluorobenzene    | 12.63  | 95  | 314346   | 55.82 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 111.64% |      |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD092920\  
Data File : VD066931.D  
Acq On : 29 Sep 2020 11:43  
Operator : VA/SY  
Sample : L3869-11  
Misc : 8.79G/5.00ml/MSVOA D/SOIL  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
MSVOA\_D  
ClientSampleId :  
OR-03-092820

Quant Time: Sep 30 03:22:30 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_D\METHOD\82D092220S.M  
Quant Title : SW846 8260  
QLast Update : Wed Sep 23 01:34:05 2020  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.98 min Scan# 1030  
Delta R.T. 0.00 min  
Lab File: VD066931.D  
Acq: 29 Sep 2020 11:43

Instrument :  
MSVOA\_D  
ClientSampleId :  
OR-03-092820

Tot Ion:168 Resp: 441381  
Ion Ratio Lower Upper  
168 100  
99 56.7 46.6 69.8




Abundance Ion 167.90 (167.60 to 168.60): V  
Ion 98.90 (98.60 to 99.60): VDC






#33  
1,2-Dichloroethane-d4  
Concen: 51.601 ug/l  
RT: 8.33 min Scan# 1090  
Delta R.T. -0.00 min  
Lab File: VD066931.D  
Acq: 29 Sep 2020 11:43

Tgt Ion: 65 Resp: 222921  
Ion Ratio Lower Upper  
65 100  
67 51.4 0.0 107.2



Abundance Ion 64.90 (64.60 to 65.60): VDC  
Ion 66.90 (66.60 to 67.60): VDC





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.86 min Scan# 1180

Delta R.T. 0.00 min

Lab File: VD066931.D

Acq: 29 Sep 2020 11:43

Instrument :

MSVOA\_D

ClientSampleId :

OR-03-092820


Tot Ion:114 Resp: 758862

Ion Ratio Lower Upper

114 100

63 18.8 0.0 42.6




88 15.7 0.0 32.6



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 50.452 ug/l

RT: 7.91 min Scan# 1019

Delta R.T. 0.00 min

Lab File: VD066931.D

Acq: 29 Sep 2020 11:43


Tgt Ion:113 Resp: 243578

Ion Ratio Lower Upper

113 100

111 102.9 81.8 122.8



192 19.1 14.4 21.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 54.358 ug/l

RT: 10.34 min Scan# 1431

Delta R.T. 0.00 min

Lab File: VD066931.D

Acq: 29 Sep 2020 11:43

Instrument :

MSVOA\_D

ClientSampleID :


OR-03-092820

Tot Ion: 98 Resp: 894160

Ion Ratio Lower Upper

98 100

100 67.1 52.2 78.2



Abundance Ion 98.00 (97.70 to 98.70): VD066805.D (-1422) (-)

Ion 100.00 (99.70 to 100.70): VD066805.D (-1422) (-)

10.34

500000

400000



300000

200000

100000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 55.822 ug/l

RT: 12.63 min Scan# 1821

Delta R.T. 0.00 min

Lab File: VD066931.D

Acq: 29 Sep 2020 11:43


Tgt Ion: 95 Resp: 314346

Ion Ratio Lower Upper

95 100

174 81.9 0.0 159.8

176 78.8 0.0 154.4



Abundance Ion 94.90 (94.60 to 95.60): VD066805.D (-1813) (-)

Ion 173.80 (173.50 to 174.50): VD066805.D (-1813) (-)

Ion 175.80 (175.50 to 176.50): VD066805.D (-1813) (-)

12.63

250000

200000


150000


100000

50000

0

Time-->









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.64 min Scan# 1653  
Delta R.T. 0.00 min  
Lab File: VD066931.D  
Acq: 29 Sep 2020 11:43

Instrument :  
MSVOA\_D  
ClientSampleId :  
OR-03-092820

Tot Ion:117 Resp: 747791  
Ion Ratio Lower Upper  
117 100  
82 53.1 41.8 62.6  
119 32.7 24.6 37.0



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.58 min Scan# 1982  
Delta R.T. -0.00 min  
Lab File: VD066931.D  
Acq: 29 Sep 2020 11:43

Tgt Ion:152 Resp: 315233  
Ion Ratio Lower Upper  
152 100  
115 59.0 30.3 91.0  
150 155.1 0.0 346.2

