

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_D\Data\VD092921\  
 Data File : VD070515.D  
 Acq On : 29 Sep 2021 11:34  
 Operator : VA/SY  
 Sample : VSTDCCC050  
 Misc : 5.00G/5.00ml/MSVOA\_D/SOIL  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_D  
 LabSampleId :  
 VSTDCCC050

Quant Time: Sep 30 00:42:23 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_D\Method\82D090821S.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Sep 09 03:07:09 2021  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | AvgRF | CCRF  | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|-------|-------|----------|
| 1 I   | Pentafluorobenzene          | 1.000 | 1.000 | 0.0   | 92    | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 0.574 | 0.481 | 16.2  | 94    | 0.00     |
| 3 P   | Chloromethane               | 0.771 | 0.646 | 16.2  | 94    | 0.00     |
| 4 C   | Vinyl Chloride              | 0.787 | 0.728 | 7.5#  | 99    | 0.00     |
| 5 T   | Bromomethane                | 0.580 | 0.461 | 20.5  | 95    | 0.00     |
| 6 T   | Chloroethane                | 0.541 | 0.484 | 10.5  | 101   | 0.00     |
| 7 T   | Trichlorofluoromethane      | 1.041 | 1.027 | 1.3   | 99    | 0.00     |
| 8 T   | Diethyl Ether               | 0.288 | 0.279 | 3.1   | 90    | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 0.646 | 0.652 | -0.9  | 100   | 0.00     |
| 10 T  | Methyl Iodide               | 0.564 | 0.575 | -2.0  | 84    | 0.00     |
| 11 T  | Tert butyl alcohol          | 0.073 | 0.030 | 58.9# | 56    | 0.00     |
| 12 CM | 1,1-Dichloroethene          | 0.582 | 0.573 | 1.5#  | 95    | 0.00     |
| 13 T  | Acrolein                    | 0.032 | 0.025 | 21.9  | 77    | 0.00     |
| 14 T  | Allyl chloride              | 0.855 | 0.818 | 4.3   | 94    | 0.00     |
| 15 T  | Acrylonitrile               | 0.137 | 0.139 | -1.5  | 100   | 0.00     |
| 16 T  | Acetone                     | 0.115 | 0.133 | -15.7 | 119   | 0.00     |
| 17 T  | Carbon Disulfide            | 2.148 | 1.868 | 13.0  | 87    | 0.00     |
| 18 T  | Methyl Acetate              | 0.344 | 0.323 | 6.1   | 102   | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 1.258 | 1.328 | -5.6  | 95    | 0.00     |
| 20 T  | Methylene Chloride          | 0.913 | 0.737 | 19.3  | 94    | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 0.693 | 0.685 | 1.2   | 94    | 0.00     |
| 22 T  | Diisopropyl ether           | 1.831 | 1.869 | -2.1  | 97    | 0.00     |
| 23 T  | Vinyl Acetate               | 0.848 | 0.887 | -4.6  | 99    | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 1.295 | 1.235 | 4.6   | 96    | 0.00     |
| 25 T  | 2-Butanone                  | 0.153 | 0.160 | -4.6  | 106   | 0.00     |
| 26 T  | 2,2-Dichloropropane         | 1.047 | 1.060 | -1.2  | 103   | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 0.744 | 0.755 | -1.5  | 96    | 0.00     |
| 28 T  | Bromochloromethane          | 0.514 | 0.490 | 4.7   | 96    | 0.00     |
| 29 T  | Tetrahydrofuran             | 0.098 | 0.100 | -2.0  | 101   | 0.00     |
| 30 C  | Chloroform                  | 1.328 | 1.293 | 2.6#  | 98    | 0.00     |
| 31 T  | Cyclohexane                 | 1.106 | 1.057 | 4.4   | 95    | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 1.118 | 1.133 | -1.3  | 101   | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 0.642 | 0.580 | 9.7   | 95    | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 1.000 | 1.000 | 0.0   | 90    | 0.00     |
| 35 S  | Dibromofluoromethane        | 0.356 | 0.362 | -1.7  | 94    | 0.00     |
| 36 T  | 1,1-Dichloropropene         | 0.534 | 0.583 | -9.2  | 99    | 0.00     |
| 37 T  | Ethyl Acetate               | 0.200 | 0.211 | -5.5  | 102   | 0.00     |
| 38 T  | Carbon Tetrachloride        | 0.529 | 0.585 | -10.6 | 100   | 0.00     |
| 39 T  | Methylcyclohexane           | 0.597 | 0.663 | -11.1 | 94    | 0.00     |
| 40 TM | Benzene                     | 1.566 | 1.666 | -6.4  | 95    | 0.00     |
| 41 T  | Methacrylonitrile           | 0.105 | 0.110 | -4.8  | 102   | 0.00     |
| 42 TM | 1,2-Dichloroethane          | 0.419 | 0.440 | -5.0  | 100   | 0.00     |
| 43 T  | Isopropyl Acetate           | 0.370 | 0.383 | -3.5  | 99    | 0.00     |
| 44 TM | Trichloroethene             | 0.374 | 0.412 | -10.2 | 97    | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 0.411 | 0.431 | -4.9# | 97    | 0.00     |
| 46 T  | Dibromomethane              | 0.212 | 0.226 | -6.6  | 99    | 0.00     |
| 47 T  | Bromodichloromethane        | 0.540 | 0.572 | -5.9  | 98    | 0.00     |
| 48 T  | Methyl methacrylate         | 0.171 | 0.187 | -9.4  | 99    | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_D\Data\VD092921\  
 Data File : VD070515.D  
 Acq On : 29 Sep 2021 11:34  
 Operator : VA/SY  
 Sample : VSTDCCC050  
 Misc : 5.00G/5.00ml/MSVOA\_D/SOIL  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_D  
 LabSampleId :  
 VSTDCCC050

Quant Time: Sep 30 00:42:23 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_D\Method\82D090821S.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Sep 09 03:07:09 2021  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | AvgRF | CCRF  | %Dev   | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|--------|-------|----------|
| 49 T  | 1,4-Dioxane                 | 0.002 | 0.003 | -50.0# | 100   | 0.00     |
| 50 S  | Toluene-d8                  | 1.292 | 1.374 | -6.3   | 93    | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 0.191 | 0.209 | -9.4   | 100   | 0.00     |
| 52 CM | Toluene                     | 0.946 | 1.071 | -13.2# | 96    | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 0.464 | 0.518 | -11.6  | 100   | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 0.565 | 0.623 | -10.3  | 101   | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 0.291 | 0.311 | -6.9   | 96    | 0.00     |
| 56 T  | Ethyl methacrylate          | 0.318 | 0.372 | -17.0  | 97    | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 0.496 | 0.541 | -9.1   | 98    | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 0.153 | 0.180 | -17.6  | 104   | 0.00     |
| 59 T  | 2-Hexanone                  | 0.128 | 0.152 | -18.7  | 107   | 0.00     |
| 60 T  | Dibromochloromethane        | 0.339 | 0.375 | -10.6  | 97    | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 0.268 | 0.287 | -7.1   | 96    | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 0.452 | 0.465 | -2.9   | 91    | 0.00     |
| 63 I  | Chlorobenzene-d5            | 1.000 | 1.000 | 0.0    | 87    | 0.00     |
| 64 T  | Tetrachloroethene           | 0.304 | 0.353 | -16.1  | 98    | 0.00     |
| 65 PM | Chlorobenzene               | 1.036 | 1.137 | -9.7   | 94    | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 0.379 | 0.425 | -12.1  | 98    | 0.00     |
| 67 C  | Ethyl Benzene               | 1.786 | 2.111 | -18.2# | 97    | 0.00     |
| 68 T  | m/p-Xylenes                 | 0.690 | 0.830 | -20.3  | 96    | 0.00     |
| 69 T  | o-Xylene                    | 0.618 | 0.748 | -21.0  | 95    | 0.00     |
| 70 T  | Styrene                     | 1.080 | 1.314 | -21.7  | 94    | 0.00     |
| 71 P  | Bromoform                   | 0.187 | 0.213 | -13.9  | 97    | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 1.000 | 1.000 | 0.0    | 92    | 0.00     |
| 73 T  | Isopropylbenzene            | 3.506 | 4.092 | -16.7  | 98    | 0.00     |
| 74 T  | N-amyl acetate              | 0.764 | 0.817 | -6.9   | 101   | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 0.751 | 0.767 | -2.1   | 98    | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 0.506 | 0.492 | 2.8    | 91    | 0.00     |
| 77 T  | Bromobenzene                | 0.809 | 0.885 | -9.4   | 98    | 0.00     |
| 78 T  | n-propylbenzene             | 4.551 | 5.262 | -15.6  | 99    | 0.00     |
| 79 T  | 2-Chlorotoluene             | 2.653 | 2.945 | -11.0  | 97    | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 3.026 | 3.534 | -16.8  | 97    | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 0.202 | 0.231 | -14.4  | 106   | 0.00     |
| 82 T  | 4-Chlorotoluene             | 2.799 | 3.111 | -11.1  | 97    | 0.00     |
| 83 T  | tert-Butylbenzene           | 2.427 | 2.880 | -18.7  | 99    | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 2.980 | 3.541 | -18.8  | 98    | 0.00     |
| 85 T  | sec-Butylbenzene            | 3.858 | 4.501 | -16.7  | 99    | 0.00     |
| 86 T  | p-Isopropyltoluene          | 3.100 | 3.678 | -18.6  | 98    | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 1.684 | 1.827 | -8.5   | 96    | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 1.691 | 1.779 | -5.2   | 96    | 0.00     |
| 89 T  | n-Butylbenzene              | 3.091 | 3.541 | -14.6  | 98    | 0.00     |
| 90 T  | Hexachloroethane            | 0.710 | 0.740 | -4.2   | 99    | 0.00     |
| 91 T  | 1,2-Dichlorobenzene         | 1.486 | 1.572 | -5.8   | 95    | 0.00     |
| 92 T  | 1,2-Dibromo-3-Chloropropane | 0.112 | 0.116 | -3.6   | 102   | 0.00     |
| 93 T  | 1,2,4-Trichlorobenzene      | 0.802 | 0.878 | -9.5   | 97    | 0.00     |
| 94 T  | Hexachlorobutadiene         | 0.492 | 0.550 | -11.8  | 108   | 0.00     |
| 95 T  | Naphthalene                 | 1.458 | 1.662 | -14.0  | 107   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_D\Data\VD092921\  
Data File : VD070515.D  
Acq On : 29 Sep 2021 11:34  
Operator : VA/SY  
Sample : VSTDCCC050  
Misc : 5.00G/5.00ml/MSVOA\_D/SOIL  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
MSVOA\_D  
LabSampleId :  
VSTDCCC050

Quant Time: Sep 30 00:42:23 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_D\Method\82D090821S.M  
Quant Title : SW846 8260  
QLast Update : Thu Sep 09 03:07:09 2021  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound               | AvgRF | CCRF  | %Dev  | Area% | Dev(min) |
|------|------------------------|-------|-------|-------|-------|----------|
| 96 T | 1,2,3-Trichlorobenzene | 0.708 | 0.788 | -11.3 | 110   | 0.00     |

(#) = Out of Range

SPCC's out = 0 CCC's out = 6