

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD100319\
 Data File : VD063875.D
 Acq On : 03 Oct 2019 14:53
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00g/5.00mL/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 04 01:46:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100219S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 03 04:49:16 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.355	0.310	12.7	99	0.00
3 P	Chloromethane	1.086	1.003	7.6	100	0.00
4 C	Vinyl Chloride	1.146	1.096	4.4#	100	0.00
5 T	Bromomethane	0.737	0.643	12.8	92	0.01
6 T	Chloroethane	0.758	0.703	7.3	99	0.00
7 T	Trichlorofluoromethane	1.515	1.415	6.6	98	0.00
8 T	Diethyl Ether	0.243	0.224	7.8	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.419	0.403	3.8	104	0.00
10 T	Methyl Iodide	0.578	0.565	2.2	99	0.00
11 T	Tert butyl alcohol	0.035	0.028	20.0#	84	-0.01
12 CM	1,1-Dichloroethene	0.419	0.412	1.7#	105	0.00
13 T	Acrolein	0.043	0.040	7.0	91	0.00
14 T	Allyl chloride	0.697	0.638	8.5	95	0.00
15 T	Acrylonitrile	0.107	0.097	9.3	92	0.00
16 T	Acetone	0.127	0.113	11.0	81	0.00
17 T	Carbon Disulfide	1.523	1.442	5.3	99	0.00
18 T	Methyl Acetate	0.248	0.229	7.7	98	0.00
19 T	Methyl tert-butyl Ether	1.085	1.021	5.9	97	0.00
20 T	Methylene Chloride	0.650	0.557	14.3	101	0.00
21 T	trans-1,2-Dichloroethene	0.522	0.505	3.3	101	0.00
22 T	Diisopropyl ether	1.423	1.405	1.3	101	0.00
23 T	Vinyl Acetate	0.846	0.818	3.3	97	0.00
24 P	1,1-Dichloroethane	0.876	0.864	1.4	100	0.00
25 T	2-Butanone	0.150	0.139	7.3	89	0.00
26 T	2,2-Dichloropropane	0.793	0.771	2.8	102	0.00
27 T	cis-1,2-Dichloroethene	0.590	0.577	2.2	102	0.00
28 T	Bromochloromethane	0.328	0.367	-11.9	110	0.00
29 T	Tetrahydrofuran	0.088	0.077	12.5	94	0.00
30 C	Chloroform	0.952	0.911	4.3#	100	0.00
31 T	Cyclohexane	0.822	0.764	7.1	102	0.00
32 T	1,1,1-Trichloroethane	0.817	0.816	0.1	103	0.00
33 S	1,2-Dichloroethane-d4	0.487	0.481	1.2	99	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	98	0.00
35 S	Dibromofluoromethane	0.306	0.302	1.3	99	0.00
36 T	1,1-Dichloropropene	0.457	0.433	5.3	99	0.00
37 T	Ethyl Acetate	0.207	0.176	15.0	92	0.00
38 T	Carbon Tetrachloride	0.462	0.448	3.0	101	0.00
39 T	Methylcyclohexane	0.562	0.553	1.6	101	0.00
40 TM	Benzene	1.310	1.305	0.4	102	0.00
41 T	Methacrylonitrile	0.106	0.108	-1.9	127	0.02
42 TM	1,2-Dichloroethane	0.379	0.371	2.1	100	0.00
43 T	Isopropyl Acetate	0.383	0.345	9.9	94	0.00
44 TM	Trichloroethene	0.378	0.373	1.3	100	0.00
45 C	1,2-Dichloropropane	0.321	0.313	2.5#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD100319\
 Data File : VD063875.D
 Acq On : 03 Oct 2019 14:53
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00g/5.00mL/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 04 01:46:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100219S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 03 04:49:16 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.183	0.176	3.8	97	0.00
47 T	Bromodichloromethane	0.470	0.459	2.3	100	0.00
48 T	Methyl methacrylate	0.184	0.155	15.8	92	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	94	0.00
50 S	Toluene-d8	1.240	1.238	0.2	99	0.00
51 T	4-Methyl-2-Pentanone	0.199	0.180	9.5	94	0.00
52 CM	Toluene	0.899	0.876	2.6#	99	0.00
53 T	t-1,3-Dichloropropene	0.459	0.449	2.2	97	0.00
54 T	cis-1,3-Dichloropropene	0.528	0.532	-0.8	103	0.00
55 T	1,1,2-Trichloroethane	0.258	0.246	4.7	97	0.00
56 T	Ethyl methacrylate	0.327	0.310	5.2	96	0.00
57 T	1,3-Dichloropropane	0.441	0.416	5.7	96	0.00
58 T	2-Chloroethyl Vinyl ether	0.140	0.128	8.6	91	0.00
59 T	2-Hexanone	0.144	0.131	9.0	87	0.00
60 T	Dibromochloromethane	0.336	0.331	1.5	99	0.00
61 T	1,2-Dibromoethane	0.250	0.254	-1.6	99	0.00
62 S	4-Bromofluorobenzene	0.431	0.417	3.2	95	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.341	0.335	1.8	101	0.00
65 PM	Chlorobenzene	1.004	1.020	-1.6	100	0.00
66 T	1,1,1,2-Tetrachloroethane	0.370	0.372	-0.5	101	0.00
67 C	Ethyl Benzene	1.811	1.826	-0.8#	102	0.00
68 T	m/p-Xylenes	0.699	0.725	-3.7	102	0.00
69 T	o-Xylene	0.669	0.659	1.5	99	0.00
70 T	Styrene	1.133	1.153	-1.8	98	0.00
71 P	Bromoform	0.199	0.199	0.0	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.361	3.327	1.0	101	0.00
74 T	N-amyl acetate	0.724	0.647	10.6	94	0.00
75 P	1,1,2,2-Tetrachloroethane	0.585	0.499	14.7	90	0.00
76 T	1,2,3-Trichloropropane	0.335	0.387	-15.5	115	0.00
77 T	Bromobenzene	0.837	0.812	3.0	99	0.00
78 T	n-propylbenzene	3.945	3.851	2.4	99	0.00
79 T	2-Chlorotoluene	2.175	2.122	2.4	100	0.00
80 T	1,3,5-Trimethylbenzene	2.804	2.778	0.9	100	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.170	10.1	92	0.00
82 T	4-Chlorotoluene	2.308	2.217	3.9	98	0.00
83 T	tert-Butylbenzene	2.496	2.436	2.4	99	0.00
84 T	1,2,4-Trimethylbenzene	2.891	2.776	4.0	98	0.00
85 T	sec-Butylbenzene	3.370	3.328	1.2	100	0.00
86 T	p-Isopropyltoluene	3.189	3.183	0.2	101	0.00
87 T	1,3-Dichlorobenzene	1.655	1.629	1.6	101	0.00
88 T	1,4-Dichlorobenzene	1.632	1.583	3.0	100	0.00
89 T	n-Butylbenzene	2.969	2.972	-0.1	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD100319\
Data File : VD063875.D
Acq On : 03 Oct 2019 14:53
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00g/5.00mL/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Oct 04 01:46:06 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100219S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 03 04:49:16 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.574	0.581	-1.2	101	0.00
91 T	1,2-Dichlorobenzene	1.426	1.399	1.9	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.101	0.079	21.8#	80	0.00
93 T	1,2,4-Trichlorobenzene	1.100	1.086	1.3	100	0.00
94 T	Hexachlorobutadiene	0.607	0.586	3.5	97	0.00
95 T	Naphthalene	1.849	1.828	1.1	96	0.00
96 T	1,2,3-Trichlorobenzene	0.949	0.921	3.0	97	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6