

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD100419\
 Data File : VD063891.D
 Acq On : 04 Oct 2019 18:06
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00g/5.00mL/MSVOA D/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 05 04:06:34 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100219S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 05 03:51:17 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	0.355	0.306	13.8	95	0.00
3 P	Chloromethane	1.086	1.012	6.8	98	0.00
4 C	Vinyl Chloride	1.146	1.104	3.7#	98	0.00
5 T	Bromomethane	0.737	0.689	6.5	96	0.00
6 T	Chloroethane	0.758	0.720	5.0	99	0.00
7 T	Trichlorofluoromethane	1.515	1.448	4.4	98	0.00
8 T	Diethyl Ether	0.243	0.243	0.0	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.419	0.406	3.1	102	0.00
10 T	Methyl Iodide	0.578	0.587	-1.6	100	0.00
11 T	Tert butyl alcohol	0.035	0.034	2.9	99	-0.02
12 CM	1,1-Dichloroethene	0.419	0.399	4.8#	99	0.00
13 T	Acrolein	0.043	0.039	9.3	87	0.00
14 T	Allyl chloride	0.697	0.665	4.6	97	0.00
15 T	Acrylonitrile	0.107	0.109	-1.9	101	0.00
16 T	Acetone	0.127	0.112	11.8	78	0.00
17 T	Carbon Disulfide	1.523	1.435	5.8	96	0.01
18 T	Methyl Acetate	0.248	0.238	4.0	99	0.00
19 T	Methyl tert-butyl Ether	1.085	1.078	0.6	100	0.00
20 T	Methylene Chloride	0.650	0.566	12.9	101	0.00
21 T	trans-1,2-Dichloroethene	0.522	0.505	3.3	99	-0.01
22 T	Diisopropyl ether	1.423	1.428	-0.4	100	0.00
23 T	Vinyl Acetate	0.846	0.858	-1.4	100	0.00
24 P	1,1-Dichloroethane	0.876	0.874	0.2	98	0.01
25 T	2-Butanone	0.150	0.143	4.7	90	0.00
26 T	2,2-Dichloropropane	0.793	0.791	0.3	102	0.00
27 T	cis-1,2-Dichloroethene	0.590	0.586	0.7	101	0.01
28 T	Bromochloromethane	0.328	0.356	-8.5	104	0.00
29 T	Tetrahydrofuran	0.088	0.084	4.5	100	0.00
30 C	Chloroform	0.952	0.931	2.2#	100	0.00
31 T	Cyclohexane	0.822	0.749	8.9	98	0.00
32 T	1,1,1-Trichloroethane	0.817	0.823	-0.7	102	0.00
33 S	1,2-Dichloroethane-d4	0.487	0.469	3.7	94	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
35 S	Dibromofluoromethane	0.306	0.306	0.0	96	0.00
36 T	1,1-Dichloropropene	0.457	0.456	0.2	100	0.00
37 T	Ethyl Acetate	0.207	0.198	4.3	98	0.00
38 T	Carbon Tetrachloride	0.462	0.468	-1.3	101	0.00
39 T	Methylcyclohexane	0.562	0.558	0.7	98	0.00
40 TM	Benzene	1.310	1.342	-2.4	100	0.00
41 T	Methacrylonitrile	0.106	0.088	17.0	99	0.00
42 TM	1,2-Dichloroethane	0.379	0.383	-1.1	98	0.00
43 T	Isopropyl Acetate	0.383	0.381	0.5	100	0.00
44 TM	Trichloroethene	0.378	0.380	-0.5	97	0.00
45 C	1,2-Dichloropropane	0.321	0.324	-0.9#	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD100419\
 Data File : VD063891.D
 Acq On : 04 Oct 2019 18:06
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00g/5.00mL/MSVOA D/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 05 04:06:34 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100219S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 05 03:51:17 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.183	0.192	-4.9	101	0.00
47 T	Bromodichloromethane	0.470	0.475	-1.1	99	0.00
48 T	Methyl methacrylate	0.184	0.175	4.9	100	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	86	0.00
50 S	Toluene-d8	1.240	1.239	0.1	95	0.00
51 T	4-Methyl-2-Pentanone	0.199	0.195	2.0	97	0.00
52 CM	Toluene	0.899	0.915	-1.8#	99	0.00
53 T	t-1,3-Dichloropropene	0.459	0.485	-5.7	100	0.00
54 T	cis-1,3-Dichloropropene	0.528	0.552	-4.5	102	0.00
55 T	1,1,2-Trichloroethane	0.258	0.270	-4.7	102	0.00
56 T	Ethyl methacrylate	0.327	0.335	-2.4	99	0.00
57 T	1,3-Dichloropropane	0.441	0.461	-4.5	101	0.00
58 T	2-Chloroethyl Vinyl ether	0.140	0.129	7.9	88	0.00
59 T	2-Hexanone	0.144	0.144	0.0	92	0.00
60 T	Dibromochloromethane	0.336	0.346	-3.0	99	0.00
61 T	1,2-Dibromoethane	0.250	0.262	-4.8	98	0.00
62 S	4-Bromofluorobenzene	0.431	0.427	0.9	93	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.341	0.335	1.8	100	0.00
65 PM	Chlorobenzene	1.004	1.030	-2.6	100	0.00
66 T	1,1,1,2-Tetrachloroethane	0.370	0.376	-1.6	100	0.00
67 C	Ethyl Benzene	1.811	1.823	-0.7#	100	0.00
68 T	m/p-Xylenes	0.699	0.703	-0.6	98	0.00
69 T	o-Xylene	0.669	0.673	-0.6	100	0.00
70 T	Styrene	1.133	1.167	-3.0	98	0.00
71 P	Bromoform	0.199	0.214	-7.5	101	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
73 T	Isopropylbenzene	3.361	3.218	4.3	97	0.00
74 T	N-amyl acetate	0.724	0.677	6.5	97	0.00
75 P	1,1,2,2-Tetrachloroethane	0.585	0.561	4.1	100	0.00
76 T	1,2,3-Trichloropropane	0.335	0.314	6.3	92	0.00
77 T	Bromobenzene	0.837	0.808	3.5	97	0.00
78 T	n-propylbenzene	3.945	3.876	1.7	99	0.00
79 T	2-Chlorotoluene	2.175	2.079	4.4	97	0.00
80 T	1,3,5-Trimethylbenzene	2.804	2.748	2.0	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.189	0.0	102	0.00
82 T	4-Chlorotoluene	2.308	2.228	3.5	97	0.00
83 T	tert-Butylbenzene	2.496	2.418	3.1	97	0.00
84 T	1,2,4-Trimethylbenzene	2.891	2.847	1.5	99	0.00
85 T	sec-Butylbenzene	3.370	3.285	2.5	97	0.00
86 T	p-Isopropyltoluene	3.189	3.181	0.3	100	0.00
87 T	1,3-Dichlorobenzene	1.655	1.612	2.6	98	0.00
88 T	1,4-Dichlorobenzene	1.632	1.606	1.6	100	0.00
89 T	n-Butylbenzene	2.969	2.936	1.1	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD100419\
Data File : VD063891.D
Acq On : 04 Oct 2019 18:06
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00g/5.00mL/MSVOA D/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Oct 05 04:06:34 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100219S.M
Quant Title : SW846 8260
QLast Update : Sat Oct 05 03:51:17 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.574	0.554	3.5	95	0.00
91 T	1,2-Dichlorobenzene	1.426	1.406	1.4	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.101	0.092	8.9	92	0.00
93 T	1,2,4-Trichlorobenzene	1.100	1.095	0.5	100	0.00
94 T	Hexachlorobutadiene	0.607	0.589	3.0	96	0.00
95 T	Naphthalene	1.849	1.892	-2.3	98	0.00
96 T	1,2,3-Trichlorobenzene	0.949	0.959	-1.1	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6