

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD100518\
 Data File : VD060138.D
 Acq On : 5 Oct 2018 15:36
 Operator : VA/AP
 Sample : J5300-01
 Misc : 5.00g/5ml/MSVOA D/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 SR-STONE

Quant Time: Oct 08 12:23:58 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100118S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 02 06:56:35 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.40	168	1889114	50.00	ug/l	0.01
34) 1,4-Difluorobenzene	7.43	114	2625474	50.00	ug/l	0.01
63) Chlorobenzene-d5	11.28	117	2161117	50.00	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.37	152	1047894	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.77	65	535062	37.37	ug/l	0.01
Spiked Amount			Recovery	=	74.74%	
35) Dibromofluoromethane	6.31	113	544747	27.32	ug/l	0.01
Spiked Amount			Recovery	=	54.64%	
50) Toluene-d8	9.45	98	1848362	32.51	ug/l	0.01
Spiked Amount			Recovery	=	65.02%	
62) 4-Bromofluorobenzene	12.42	95	707698	33.25	ug/l	0.00
Spiked Amount			Recovery	=	66.50%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD100518\
Data File : VD060138.D
Acq On : 5 Oct 2018 15:36
Operator : VA/AP
Sample : J5300-01
Misc : 5.00g/5ml/MSVOA D/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
SR-STONE

Quant Time: Oct 08 12:23:58 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D100118S.M
Quant Title : SW846 8260
QLast Update : Tue Oct 02 06:56:35 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 6.40 min Scan# 495

Delta R.T. 0.01 min

Lab File: VD060138.D

Acq: 5 Oct 2018 15:36

Instrument :

MSVOA_D

ClientSampleId :


SR-STONE

Tot Ion:168 Resp: 1889114

Ion Ratio Lower Upper




168 100

99 47.3 35.4 53.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#33

1,2-Dichloroethane-d4

Concen: N.D. ug/l

RT: 6.77 min Scan# 533

Delta R.T. 0.01 min

Lab File: VD060138.D


Acq: 5 Oct 2018 15:36

Tgt Ion: 65 Resp: 535062

Ion Ratio Lower Upper



65 100


67 50.4 0.0 106.2



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC






#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 7.43 min Scan# 600
 Delta R.T. 0.01 min
 Lab File: VD060138.D
 Acq: 5 Oct 2018 15:36




Instrument :
 MSVOA_D
 ClientSampled :
 SR-STONE

Tot Ion:114 Resp: 2625474

Ion	Ratio	Lower	Upper
114	100		
63	17.7	0.0	36.0
88	18.0	0.0	36.2




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V





#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 6.31 min Scan# 486
 Delta R.T. 0.01 min
 Lab File: VD060138.D
 Acq: 5 Oct 2018 15:36


Tgt Ion:113 Resp: 544747

Ion	Ratio	Lower	Upper
113	100		
111	101.8	81.5	122.3
192	19.2	17.4	26.0



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 9.45 min Scan# 805
Delta R.T. 0.01 min
Lab File: VD060138.D
Acq: 5 Oct 2018 15:36

Instrument :
MSVOA_D
ClientSampleId :
SR-STONE

Tot Ion: 98 Resp: 1848362
Ion Ratio Lower Upper
98 100
100 69.0 55.4 83.0




Abundance Ion 98.05 (97.75 to 98.75): VD0
Ion 100.05 (99.75 to 100.75): VD






#62
4-Bromofluorobenzene
Concen: Below ug/l
RT: 12.42 min Scan# 1107
Delta R.T. 0.00 min
Lab File: VD060138.D
Acq: 5 Oct 2018 15:36

Tgt Ion: 95 Resp: 707698
Ion Ratio Lower Upper
95 100
174 92.4 0.0 200.2
176 92.1 0.0 195.6



Abundance Ion 95.00 (94.70 to 95.70): VD0
Ion 173.90 (173.60 to 174.60): V
Ion 175.90 (175.60 to 176.60): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.28 min Scan# 991
Delta R.T. 0.01 min
Lab File: VD060138.D
Acq: 5 Oct 2018 15:36

Instrument :
MSVOA_D
ClientSampleId :
SR-STONE

Tot Ion:117 Resp: 2161117
Ion Ratio Lower Upper
117 100
82 51.1 43.4 65.2
119 32.8 26.0 39.0




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.37 min Scan# 1203
Delta R.T. 0.00 min
Lab File: VD060138.D
Acq: 5 Oct 2018 15:36

Tgt Ion:152 Resp: 1047894
Ion Ratio Lower Upper
152 100
115 53.8 27.1 81.2
150 154.7 0.0 311.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

